

# MEGA BUGGY BUGGSTER EBD



RH1031

**4WD**  
READY TO RUN



## SPECS

Length: 415mm  
Width: 300mm  
Height: 165mm  
Wheelbase: 290/295mm  
Tyres:  $\phi$ 120x60mm  
Gear Ratio: 11.2:1

## FEATURES

Ready to Run with 4WD Shaft Drive and Slipper System  
Unique Gearbox Design for Low CG  
Light & High Impact Arms  
Big Bored Shocks  
Adjustable Wheelbase on Hubcarrier  
Unique Steering System with Front Universal Joint Shafts  
Reinforced Upper Plate to Stiff the Chassis Plate  
Slipper System on Spur Gear Avoiding Damage  
Nice Structure for Easy Service & Upgrade  
Adjustable Grub screws in Susp. arms for Different Racing Field  
High Quality RC System Offering Lots of Fun of Racing



# XRA EBL



RH1028

**4WD**  
READY TO RUN



Big Bored Shocks



## SPECS

Length: 465mm  
Width: 256mm  
Height: 180mm  
Wheelbase: 275/280mm  
Tyre:  $\phi$ 95x40mm  
Gear Ratio: 8.3:1

## FEATURES

Ready to Run with 4WD Shaft Drive and Slipper System  
Unique Gearbox Design for Low CG  
Light & High Impact Arms  
Big Bored Shocks  
Adjustable Wheelbase on Hubcarrier  
Unique Steering System with Front Universal Joint Shafts  
Alum. Chassis & Upper plate  
Slipper System on Spur Gear Avoiding Damage  
Narrow chassis design with 2-piece design for easy upgrade  
Adjustable Grub screws in Susp. arms for Different Racing Field  
High Quality RC System Offering Lots of Fun of Racing  
Front & rear sway bar system for option



**XR4 EBL**

**RTR**  
READY TO RUN



RH1027

**4WD**  
READY TO RUN



## SPECS

Length: 465mm  
Width: 256mm  
Height: 180mm  
Wheelbase: 275/280mm  
Tyre:  $\phi 95 \times 40$ mm  
Gear Ratio: 8.3:1

## FEATURES

Ready to Run with 4WD Shaft Drive and Slipper System  
Unique Gearbox Design for Low CG  
Light & High Impact Arms  
Big Bored Shocks  
Adjustable Wheelbase on Hubcarrier  
Unique Steering System with Front Universal Joint Shafts  
Alum. Chassis & Upper Plate  
Slipper System on Spur Gear Avoiding Damage  
Narrow Chassis Design with 2-piece Design for Easy Upgrade  
Adjustable Grub screws in Susp. arms for Different Racing Field  
High Quality RC System Offering Lots of Fun of Racing  
Front & rear sway bar system for option

Unique Steering System with Front Universal Joint Shafts

High Torque 550 Size Motor



Qualified 400 ESC

7.4V 1800mAh Lipo Battery

Unique Gearbox Design for Low CG

Big Bored Shocks



**XR4 N1 N2**

**RTR**  
READY TO RUN



RH1029 N1  
RH1030 N2

**4WD**  
READY TO RUN



Single Speed (N1)

Two Speed (N2)

Front Universal Joint Shafts

3-piece design clutch shoes

Diff Gearbox Set

## SPECS

Length: 465mm  
Width: 256mm  
Height: 180mm  
Wheelbase: 275/280mm  
Tyre:  $\phi 95 \times 40$ mm  
Gear Ratio: 9.1:1

## FEATURES

Powerful .18 Pull Start Engine with Slide Carburetor

Durable Tuned Pipe

Unique Steering System with Front Universal Joint Shafts

Big Bored Shocks



R0159

R0161

R0159B

R0159BL

R0159R

Sealed RX/Battery Case

Throttle Servo

80cc Fuel Tank

Nice Structure for Easy Service & Upgrade  
Adjustable Grub screws in Susp. arms for Different Racing Field  
Powerful .18 nitro engine with slide carburetor  
Front & rear sway bar system for option

Single Speed System  
Unique Gearbox Design for Low CG  
Light & High Impact Arms  
Big Bored Shocks

Adjustable Wheelbase on Hubcarrier  
Unique Steering System with Front Universal Joint Shafts  
High Impact Front/Rear Shock Towers  
High Quality Alum Parts  
Water proof RX/Battery case  
Large Capacity Fuel Tank

# 1/10 ELECTRIC SAND BUGGY

## OCTANE XL



Head lights for Option

RH1043  
OCTANE XL EBD

RH1045  
OCTANE XL EBL

**4WD**  
READY TO RUN



Front Universal Joint Shafts

Rear Axel Design

## EBL



Wall charger

High Torque 550 Size Motor

7.2V 1800mAh Ni-MH Battery

V3 balanced Charger

3650 Size 3000kv Motor

7.4V 3250mAh Lipo Battery

### SPECS

Length: 500mm  
Width: 300mm  
Height: 220mm  
Wheelbase: 328mm  
Tyre:  $\phi$ 135 x 55 mm  
Gear Ratio: 11.2:1

### FEATURES

- Ready to Run with 4WD Shaft Drive
- Fully covered receiver case
- Rear Axle design with reinforced housing & adaptor
- Light & High Impact Front Suspension Arms
- Big Bored Shocks with long droop
- Unique Steering System with Front Universal Joint Shafts
- Reinforced Upper Plate to Stiff the Chassis Plate
- Fully sealed central transmission for gear protection
- High Quality RC System Offering Lots of Fun of Racing



Big Bored Shocks

High Torque 550 Size Motor

6-link rear axle



R0224

R0225

R0226

# 1/10 ELECTRIC SHORT COURSE TRUCK

## BLAST2.0



RH1043 SC  
OCTANE BLAST EBD

RH1045 SC  
OCTANE BLAST EBL

**4WD**  
READY TO RUN



Front Universal Joint Shafts

Rear Axel Design

## EBD



Wall charger

High Torque 550 Size Motor

7.2V 1800mAh Ni-MH Battery

V3 balanced Charger

3650 Size 3000kv Motor

7.4V 3250mAh Lipo Battery


## EBL

### SPECS

Length: 500mm  
Width: 280mm  
Height: 200mm  
Wheelbase: 328mm  
Tyre:  $\phi$ 110 x 42 mm  
Gear Ratio: 8.3:1

### FEATURES

- Ready to Run with 4WD Shaft Drive
- Fully covered receiver case
- Rear Axle design with reinforced housing & adaptor
- Light & High Impact Front Suspension Arms
- Big Bored Shocks with long droop
- Unique Steering System with Front Universal Joint Shafts
- Reinforced Upper Plate to Stiff the Chassis Plate
- Fully sealed central transmission for gear protection
- High Quality RC System Offering Lots of Fun of Racing



Big Bored Shocks

7.2V 1800mAh Ni-MH Battery

High Torque 550 Size Motor

Unique Steering System with Front Universal Joint Shafts



R0254


R0255

## BF-4



RH1046  
RH1046C(Crawler Version)

**4WD**  
READY TO RUN




### SPECS

Length: 510mm  
Width: 335 mm  
Height: 300mm  
Wheelbase: 340mm  
Tires:  $\Phi$ 145\*65mm  
Gear ratio(RH1046): 18.1 : 1  
Gear ratio(RH1046C): 36.2 : 1

### FEATURES

- Front and rear straight axles
- Trailing link suspension for max articulation
- Telescopic sliding universal centre driveshafts
- Front CVA steering universal driveshafts
- Centre compact 3-gear high torque transmission
- Front, centre and rear gear differentials
- Metal output, crown and diff gears
- Oil filled adjustable shock absorbers
- Multiple mount positions for aftermarket bodies
- Stylish chrome finished bumpers, roll bar & wheels
- High profile soft monster truck tyres
- Optional crawler diff lockers and 60T high torque motor conversion
- Optional rear wheel steering conversion kit




## BF-4J



RH1047

**4WD**  
READY TO RUN




### SPECS

Length: 560mm  
Width: 305 mm  
Height: 287mm  
Wheelbase: 340mm  
Tires:  $\Phi$ 135\*55mm  
Gear ratio: 18.1 : 1

### FEATURES

- Front and rear straight axles
- Trailing link suspension for max articulation
- Telescopic sliding universal centre driveshafts
- Front CVA steering universal driveshafts
- Centre compact 3-gear high torque transmission
- Front, centre and rear gear differentials
- Metal output, crown and diff gears
- Oil filled adjustable shock absorbers
- 3mm-thick Alum Front & Rear Bumper Brackets
- Moulded Bumpers and Roll Cage with Tray
- Moulded Rear View Mirror, Lights, Mudguards
- Headlights for Option



## MC28



RH1048

4WD  
READY TO RUN




### SPECS

Length: 520mm  
Width: 240 mm  
Height: 237mm  
Wheelbase: 285mm  
Tires:  $\Phi$ 110\*40mm  
Gear ratio: 41.8:1

### FEATURES

- 2.4GHz radio system
- Waterproof 40A brushed crawler speed controller
- Waterproof axle mounted steering servo
- Brushed RC550 high torque motor
- 7.2V 1800mAh NiMH battery & wall charger
- Receiver box
- Ball bearings
- Twin rail metal frame chassis
- Multi-link suspension for smooth articulation
- Centre compact 3-gear transmission
- Front and rear straight locked axles
- Telescopic universal driveshafts
- Oil filled shock absorbers
- Alloy links & steering hub for durability
- Supersoft all terrain tyres with memory foam
- Scale inspired trail style bodyshell
- Moulded fenders, roof rack & light bar




## MC31 RAMBLER



RH1049

4WD  
READY TO RUN




### SPECS

Length: 550mm  
Width: 240 mm  
Height: 225mm  
Wheelbase: 313mm  
Tires:  $\Phi$ 120\*45mm  
Gear ratio: 41.8:1

### FEATURES

- 2.4GHz radio system
- Waterproof 40A brushed crawler speed controller
- Waterproof axle mounted steering servo
- Brushed RC550 high torque motor
- 7.2V 1800mAh NiMH battery & wall charger
- Receiver box
- Ball bearings
- Twin rail metal frame chassis
- Multi-link suspension for smooth articulation
- Centre compact 3-gear transmission
- Front and rear straight locked axles
- Telescopic universal driveshafts
- Oil filled shock absorbers
- Alloy links & steering hub for durability
- Supersoft all terrain tyres with memory foam





## MC31 Varanus

RH1050



**2WD**  
READY TO RUN



### SPECS

Length: 550mm  
Width: 240 mm  
Height: 225mm  
Wheelbase: 313mm  
Tires:  $\varnothing$ 120\*45mm  
Gear ratio: 41.8:1

### FEATURES

- 2.4GHz radio system
- Waterproof 40A brushed crawler speed controller
- Waterproof axle mounted steering servo
- Brushed RC550 high torque motor
- 7.2V 1800mAh NiMH battery & wall charger
- Receiver box
- Ball bearings
- Twin rail metal frame chassis
- Multi-link suspension for smooth articulation
- Centre compact 3-gear transmission
- Front and rear straight locked axles
- Telescopic universal driveshafts
- Oil filled shock absorbers
- Alloy links & steering hub for durability
- Supersoft all terrain tyres with memory foam



## BULLET EBL



RH2012  
Brushless Electric Buggy

**2WD**  
READY TO RUN



### SPECS

Length: 380mm  
Width: 250mm  
Height: 130mm  
Wheelbase: 272/275mm  
Gear Ratio: 8.1:1  
Weight: 1500g

### FEATURES

- Alum motor mount
- Low CG gearbox design
- Metal diff gear design
- Front and rear sway bar (For Option)
- Water proof receiver box
- Adjustable ground clearance
- Big bored oil filled shocks
- Alum chassis with mud plates



## BULLET EBD



**RH2011**  
Brushed Electric Buggy

**2WD**  
READY TO RUN



### SPECS

Length: 380mm  
Width: 280 mm  
Height: 130mm  
Wheelbase: 272/275mm  
Weight: 1500g  
Gear ratio: 8.1:1

### FEATURES

- Alum motor mount
- Low DG gearbox design
- Metal diff gear design
- Front and rear sway bar(For Option)
- Water proof receiver box
- Adjustable ground clearance
- Big bored oil filled shocks
- Alum chassis with mud paltes



# UPGRADE PARTS LIST

1/10 SCALE

10900-Chassis Plate(AL) 1Set 10901-Chassis Plate(AL+Carbon) 1Set	10925-Chassis Plate (AL+Carbon) 1Set	10916- Front Top Plate (Carbon) 1pc	10919-Upper Plate (AL) 1PC		
10905-Battery Cover (Carbon) 1Set	10902-Front Shock Plate (Carbon) 1Set	10903-Rear Shock Plate (Carbon) 1Set	10904-Upper Plate (Carbon) 1pc		
10926-Upper Plate (Carbon) 1pc	10907-Front Shocks (AL) 2pc	10908-Rear Shocks (AL) 2pc	10918-Wheel Hub (AL) 4PC		
10909-Front Lower Susp-Arm (AL) 2pc	10910-Rear Lower Susp-Arm (AL) 2pc	10911-Steering Ackerman(AL) 1pc	10915- Rear Hub Carrier (AL) 2pc	10912-Front Susp. Holders(ALUM)1set	10914-Rear Susp. Holders(ALUM)1set
10913-Front & Rear Brace (AL) 1Set	10917-Steering Knuckle Arm (AL) 2Set	10920-Tuned Pipe (AL) 1Set	10927-Front Lower Susp. Arm (AL) 2pc	10927-Rear Lower Susp. Arm (AL) 2pc	
10921-Chassis Brace mount (AL) 1pc 85265-Heatsink 1pc	10922-Wheelie Set 1Set	10923-Alum Steering Arm 2pc	10924-Alum Knuckle Arm 2pc		
10633- New 48p-73T Spur Gear	10634- 48p-19T Pinion Gear	10635- 48p-26T Pinion Gear	10636- 48p-34T Pinion Gear		

# UPGRADE PARTS LIST

1/10 SCALE



# CAR BODY

1/10 SCALE

R0060R	R0060G	R0060BL	R0205	R0206
R0207	R0061	R0062	R0066	R0067
R0099	R0140	R0141	R0122R	R0122B
R0200	R0201	R0070	R0071	R0080
R0110	R0072	R0073	R0074	R0136
R0138	R0213R	R0213	R0090	R0089
R0092	R0092G	R0097	R0079	R0143





R0159 R0161 R0159B R0159BL R0159R



R0100B R0100W R0101R R0101Y R0111BL



R0111R R0111Y R0155G R0155BL R0155R



R012330-W R12330-W R12363-R R12363-Y R12340-P



R0187 R0188 R0199 R0102 R0104



R0198 R0202 R0203 R0208 R0209



R0225 R0224 R0227 R0226O R0226BL



R0226B R0226GR R0246B R0246BL R0254



R0255 R0246R R0246GL R0256B R0256O



R0277 R0278 R0279 R0280 R0281



R0282

# 1/8NITRO POWERED READY TO RUN TRUGGY

## VEX-1



**4WD**  
READY TO RUN

RH801  
Nitro Truggy



### SPECS

Overall Length: 550mm  
Overall Width: 440mm  
Height: 205mm  
Wheelbase: 365mm  
Front Wheel Track: 359mm  
Rear Wheel Track: 359mm  
Wheel Diameter: 140mm  
Wheel Width: 81mm  
Ground Clearance: 42mm  
Weight: 4.5kgs  
Gear Ratio: 1: 12.83

### FEATURES

- Suspensions provide quick multi-angle changes to permit the vehicle to perform on any racing surface.
- Easy and quick user serviceable installation
- Four disc brake system
- Powerful shock protection performance
- Machined steel gears and Solid Differentials gears
- Three Differentials and four wheel drive system
- Front universal joint and fully ball bearings
- Solid 6061/T6 anodized solid aluminium chassis
- Lightweight engine, flywheel & solid universal joint cup
- Good quality wheel rims & Cube-nailed tread tires provides a long service period.
- Soft plastic parts & high foam element air filter sponge
- Front/rear metal sway bars
- Leak proof 125cc fuel tank with the long overflowed pipe.
- Oil filled shock absorbers
- Polycarbonate body for high impact protection
- Engine: Alpha.28



# 1/8NITRO POWERED READY TO RUN BUGGY

## VEX-2



**4WD**  
READY TO RUN

RH802  
Nitro Buggy



Alpha.21 Engine

Tuned Pipe

125cc Fuel Tank

Oil Filled Shock



### SPECS

Overall Length: 505mm  
Overall Width: 305mm  
Height: 175mm  
Wheelbase: 330mm  
Front Wheel Track: 258mm  
Rear Wheel Track: 261mm  
Gear Ratio: 1: 11.85  
Wheel Diameter: 115mm  
Wheel Width: 42mm  
Ground Clearance: 35mm  
Weight: 3.5 kgs

### FEATURES

- Suspensions provide quick multi-angle changes to permit the vehicle to perform on any racing surface.
- Easy and quick user serviceable installation
- Four disc brake system
- Powerful shock protection performance
- Machined steel gears and Solid Differentials gears
- Three Differentials and four wheel drive system
- Front universal joint and fully ball bearings
- Solid 6061/T6 anodized solid aluminium chassis
- Lightweight engine, flywheel & solid universal joint cup
- Good quality wheel rims & Cube-nailed tread tires provides a long service period.
- Soft plastic parts & high foam element air filter sponge
- Front/rear metal sway bars
- Leak proof 125cc fuel tank with the long overflowed pipe.
- Oil filled shock absorbers
- Polycarbonate body for high impact protection
- Engine: Alpha.21



# 1/8 NITRO POWERED READY TO RUN PRO TRUGGY

## VRX-1 PRO



**4WD**  
READY TO RUN

**RH801P**  
Nitro Truggy




### SPECS

Overall Length: 560mm  
Overall Width: 450mm  
Height: 210mm  
Wheelbase: 370mm  
Front Wheel Track: 360mm  
Rear Wheel Track: 360mm  
Gear Ratio: 1:12.83  
Wheel Diameter: 150mm  
Wheel Width: 90mm  
Ground Clearance: 60mm  
Weight: 5 kgs

### FEATURES

- Carbon Fibre Center Diff Upper plate (#85901), Steering Upper Plate (#85902) and Radio Tray (#86902)
- CNC cutted 5mm Hard Alum. Front Shock Tower (#86903) and Rear Shock Tower (#86904)
- CNC cutted Front and Rear Braces



# 1/8 NITRO POWERED READY TO RUN PRO BUGGY

## VRX-2 PRO



**4WD**  
READY TO RUN

**RH802P**  
Nitro Buggy



### SPECS

Overall Length: 505mm  
Overall Width: 305mm  
Height: 175mm  
Wheelbase: 330mm  
Front Wheel Track: 258mm  
Rear Wheel Track: 261mm  
Gear Ratio: 1:11.85  
Wheel Diameter: 115mm  
Wheel Width: 42mm  
Ground Clearance: 35mm  
Weight: 3.5 kgs

### FEATURES

- Suspensions provide quick multi-angle changes to permit the vehicle to perform on any racing surface.
- Easy and quick user serviceable installation
- Four disc brake system
- Powerful shock protection performance
- Machined steel gears and Solid Differentials gears
- Three Differentials and four wheel drive system
- Front universal joint and fully ball bearings
- Solid 6061/T6 anodized solid aluminium chassis
- Lightweight engine, flywheel & solid universal joint cup
- Good quality wheel rims & Cube-nailed tread tires provides a long service period.
- Soft plastic parts & high foam element air filter sponge
- Front/rear metal sway bars
- Leak proof 125cc fuel tank with the long overflowed pipe.
- Oil filled shock absorbers
- Polycarbonate body for high impact protection
- Engine: GO .21
- CNC-cut alum. Shock towers/front & rear brace and Carbon Fiber Upper/radio plates



# 1/8 BRUSHLESS READY TO RUN TRUGGY



**4WD**  
READY TO RUN

RH811  
Brushless Truggy



## SPECS

Overall Length: 550mm  
Overall Width: 440mm  
Height: 205mm  
Wheelbase: 365mm  
Front Wheel Track: 359mm  
Rear Wheel Track: 359mm  
Wheel Diameter: 140mm  
Wheel Width: 81mm  
Ground Clearance: 42mm  
Weight: 4.5kgs  
Gear Ratio: 1: 12.83

## FEATURES

- Ready to run with dual 7.4V 2700mAh Lipos
- 2.4GHz 2CH radio system included
- Powerful shock protection performance
- Machined steel gears and Solid Differentials gears
- Three Differentials and four wheel drive system
- Front universal joint and fully ball bearings
- Light but solid anodized aluminium chassis
- High performance durable brushless motor
- 120A brushless ESC with temperature and battery safe protection
- Speed control could be programmed with programmed card(not included)
- Brushless system designed for 7.4V to 14.8V Lipo battery
- Good quality wheel rims & Cube-nailed tread tires provides a long service period.
- Front/rear metal sway bars
- One-piece design battery/ESC tray w/hook and loop stripe
- Polycarbonate body for high impact protection
- Lipo battery with plastic case protection

7.4V 2700mAh Lipo Battery

High performance durable brushless motor

120A brushless ESC

Big Bored Shocks



# 1/8 BRUSHLESS READY TO RUN BRUGGY



RH812  
Brushless Buggy

**4WD**  
READY TO RUN



## SPECS

Overall Length: 505mm  
Overall Width: 305mm  
Height: 175mm  
Wheelbase: 330mm  
Front Wheel Track: 258mm  
Wheel Diameter: 115mm  
Wheel Width: 42mm  
Ground Clearance: 35mm  
Gear Ratio: 1: 11.35

## FEATURES

- Ready to run with one 11.1V 2700mAh Lipo or dual 7.4V 2700mAh Lipo
- 2.4GHz 2CH radio system included
- Powerful shock protection performance
- Machined steel gears and Solid Differentials gears
- Three Differentials and four wheel drive system
- Front universal joint and fully ball bearings
- Light but solid anodized aluminium chassis
- High performance durable brushless motor
- 80A or 120A brushless ESC with temperature and battery safe protection
- Speed control could be programmed with programmed card(not included)
- Brushless system designed for 7.4V to 14.8V Lipo battery
- Good quality wheel rims & Cube-nailed tread tires provides a long service period.
- Front/rear metal sway bars
- One-piece design battery/ESC tray w/hook and loop stripe
- Polycarbonate body for high impact protection
- Lipo battery with plastic case protection

80A brushless ESC

High performance durable brushless motor

11.1V3250 mAh Lipo Battery

Big Bored Shocks





**BLAST 3X**  
RH815  
Brushed Buggy

**4WD**  
READY TO RUN



## SPECS

LENGTH:500mm  
WIDTH:305mm  
WHEELBASE:325mm  
GEAR RATIO:8.3:1  
TYRES:115mm X 42mm  
WEIGHT:2330g  
ESC:400A Brushed ESC  
MOTOR:High Torque 550 Size Motor  
BATTERY:7.2V 1800mAh NI-MH Battery

## FEATURES

Ready to Run with 4WD shaft Drive and Slipper System  
Unique Gearbox Design for low CG  
Light & High Impact Arms  
High Impact nylon rear wing  
Adjustable Wheelbase on Hubcarrier  
Unique Steering System with Front Universal Joint Shafts  
Alum.Chassis & Upper Plate  
Slipper System on Sprocket Gear Avoiding Damage  
Narrow Chassis Design with 2-piece Design for Easy Upgrade  
Moulded Battery Case and Water-Proof Receiver Case  
Adjustable Grub screws in Susp.arms for Different Racing Field  
High Quality RC System Offering Lots of Fun of Racing



**BLAST 3X**  
RH816  
Brushed Buggy

**4WD**  
READY TO RUN



## SPECS

LENGTH:500mm  
WIDTH:305mm  
WHEELBASE:325mm  
GEAR RATIO:8.3:1  
TYRES:115mm X 42mm  
WEIGHT:2000g  
ESC:60A Brushless ESC  
MOTOR:3650 Size 3000KV Motor  
BATTERY:11.1V 3250mAh LiPo Battery

## FEATURES

Ready to Run with 4WD shaft Drive and Slipper System  
Unique Gearbox Design for low CG  
Light & High Impact Arms  
High Impact nylon rear wing  
Adjustable Wheelbase on Hubcarrier  
Unique Steering System with Front Universal Joint Shafts  
Alum.Chassis & Upper Plate  
Slipper System on Sprocket Gear Avoiding Damage  
Narrow Chassis Design with 2-piece Design for Easy Upgrade  
Moulded Battery Case and Water-Proof Receiver Case  
Adjustable Grub screws in Susp.arms for Different Racing Field  
High Quality RC System Offering Lots of Fun of Racing



## COBRA



RH817 COBRA EBD  
RH818 COBRA EBL



4WD  
READY TO RUN

EBD



Front Universal Joint Shafts



Slipper System



Diff Gearbox Set

EBL



1/10 Charger CE



High Torque 590 Motor



8.4V 1800mAh Ni-NiMH Battery



V3 balanced Charger



3660 3000KV Motor



11.1V 3250mAh Lipo Battery

## SPECS

Length: 485mm  
Width: 340 mm  
Height: 190mm  
Wheelbase: 325mm  
Tires:  $\Phi 120 \times 70$ mm  
Gear ratio (RH818): 9.7:1



Wheelie Bar for Option

## FEATURES

- Ready to Run with 4WD Shaft Drive
- Three Differential Design with Metal Diff Gears
- Unique Gearbox Design for Low CG
- Light & High Impact Arms
- High Impact Nylon Rear Wing
- Oil Filled Big Bored Shocks
- Adjustable Wheelbase on Hub Carrier
- Unique Steering System with Front Universal Joint Shafts
- Molded Nylon Strong Chassis Plate
- Alum. Upper Plates for Stiffing Chassis Plate
- Moulded Battery Case and Water-Proof Receiver Case
- Adjustable Grub screws in Susp. arms for Different Racing Field
- Powerful Motor with Cooling Fan
- High Quality RC System Offering Lots of Fun of Racing



R0249

## 1/8 SCALE



85901 Center Diff Upper plate 1pc



85902 Steering Upper plate 1pc



85903 Radio tray 1pc



85904 Rear shock tower 1pc



85905 Front shock tower 1pc



85909 Front chassis brace 1pc



859012 Rear chassis brace 1pc



85913 Centre diff. mount 2pcs



85915 Rear hub carrier set 2pcs



85916 Front upper sus. arms 2pcs



85917 Front lower sus. arms 2pcs



85918 Rear lower sus. arms 2pcs



85923 Centre front universal joint shaft(short) 1set



85924 Centre rear universal joint shaft(long) 1set



85925 Alum. Steering Knuckles (L/R) 2pcs



85926 Vrx-2 Chromed Rims



86903 Vrx-1 Rear shock tower 1pc



85931 Truggy Front Upper Sus. Arms 2pcs



85932 Truggy Alum. Front Lower Suspension Arms 2pcs



85933 Rear lower sus. arms 2pcs



85934 Center Front Universal Joint Shaft(short) 1set



85935 Center Rear Universal Joint Shafts(long) 1set



85937 Vrx-1 Chromed Rims



86902 Radio tray 1pc



86904 Vrx-1 Front shock tower 1pc



85939 Big Bored Shocks

# 1/5 GAS POWERED READY TO RUN TRUGGY

## BLAZE MONSTER

### BLAZE




RH502  
Gas Truggy  
RH502MT  
Blaze Monster Gas Truck

**2WD**  
READY TO RUN



NO RH502MT



### FEATURES

- Fully assemble ready to run chassis
- Powerful CN30cc engine with slide carburetor pull starter
- Equipped with muffler accelerator & air filter
- 2WD system with shaft drive
- Diff. with built-in rear bevel gear
- Adjustable width of double fork susp. System
- Oil filled shock absorber
- Stiff and sturdy 4.0mm alum chassis and side plate
- Disc break system
- 650cc fuel tank

### SPECS

Length: 700mm  
Width: 490mm  
Height: 340mm  
Wheelbase: 475mm  
Tread(front/rear): 362/400mm  
Weight: 10.3kg  
Engine: CY23cc or CN30cc  
Gasoline  
Gear Ratio: 7.57:1

NO RH502



### FEATURES

- Fully assembled ready to run chassis w/ front and rear alum body mounts
- Powerful CN30cc engine with slide carburetor pull starter
- Equipped with muffler accelerator & air filter
- 2WD system with shaft drive
- Diff. With built-in rear bevel gear
- Adjustable width of double fork susp. System
- Oil filled shock absorber
- Stiff and sturdy 4.0mm alum chassis and side plate
- Disc break system
- 650cc fuel tank

### SPECS

Length: 700mm  
Width: 490mm  
Height: 340mm  
Wheelbase: 475mm  
Tread(front/rear): 362/400mm  
Weight: 10.3kg  
Engine: CN30cc Gasoline  
Gear Ratio: 7.57:1




# 1/5 GAS POWERED READY TO RUN BUGGY

## SUPER CROCODILE



RH501  
Gas Buggy

**2WD**  
READY TO RUN



### SPECS

Length: 700mm  
Width: 400mm  
Height: 350mm  
Wheelbase: 475mm  
Tread(front/rear): 362/400mm  
Weight: 8.4kg  
Engine: CN30cc or Cy23cc  
Gear Ratio: 7.57:1

### FEATURES

- Fully assemble ready to run chassis
- Powerful CY23cc or Cn30cc engine with slide carburetor pull starter
- Equipped with muffler accelerator & air filter
- 2WD system with shaft drive
- Diff. with built-in rear bevel gear
- Adjustable width of double fork susp. System
- Oil filled shock absorber
- Stiff and sturdy 4.0mm alum chassis and side plate
- Disc break system
- 650cc fuel tank



# 1/5 RC GAS POWERED RTR TRUGGY

## FALCON



RH505L  
RC 4WD Gas RTR Buggy  
RH515L  
RC 2WD Gas RTR Buggy



NOT SUITABLE FOR USE OF CHILDREN UNDER THE AGE OF 14 WITHOUT ADULT SUPERVISION

### SPECS

Length: 780mm  
Width: 520mm  
Height: 310mm  
Wheelbase: 510mm  
Tread(front/rear): 405/420mm  
Weight: 11500g  
Engine: CN30cc  
Gear Ratio: 8.05:1

### FEATURES

- Ready to Run with 4WD Shaft Drive and Slipper System
- Unique Gearbox Design for Low CG
- Light & High Impact Arms
- Big Bored Shocks
- Adjustable Wheelbase on Hubcarrier
- Unique Steering System with Front Universal Joint Shafts
- Alum. Chassis & Upper plate
- Slipper System on Spur Gear Avoiding Damage
- Narrow chassis design with 2-piece design for easy upgrade
- Adjustable Grub screws in Susp. arms for Different Racing Field
- High Quality RC System Offering Lots of Fun of Racing
- Front & rear sway bar system for option



# 1/5 GAS MONSTER TRUGGY

## HURRICANE



RH503L  
4WD Gas Truck  
RH513L  
2WD Gas Truck




### SPECS

Length: 780mm  
Width: 520mm  
Height: 360mm  
Wheelbase: 510mm  
Tread(front/rear): 405/420mm  
Weight: 13.1kg  
Engine: CN30cc or Gasoline  
Gear Ratio: 8.05:1

### FEATURES

- Fully assembled ready to run chassis w/2.4G (H0014) radio sytem
- Powerful CN30cc gasoline engine with slide carburetor pull starter
- Equipped with Alum. tuned pipe
- 4WD system with shaft drive
- 30kg/cm steering servo & 15kg/cm throttle servo
- Diff. With built-in rear bevel gear
- Adjustable width of double fork susp. System
- Oil filled shock absorber
- Stiff and sturdy 4.0mm alum chassis and side plate
- Disc break system
- 700cc fuel tank





## S.C.F.



### FG CONVERSION KIT

(Suitable For FG, Smartech, Carson, Hobbypro & Riverhobby 2WD Cars)

**RH501E**  
Brushless RTR/Conversion Kits

**2WD**  
READY TO RUN



### SPECS

Length: 700mm  
Width: 400mm  
Height: 350mm  
Wheelbase: 475mm  
Tread(front/rear): 362/400mm  
Weight: 7.5kg  
Motor: 580L 1100KV  
Gear Ratio: 10.3:1

Brushless RTR w/ESC/motor/2.4GHz



### FEATURES

- Fully assemble ready to run chassis with 2.4G (H0014) radio system
- Powerful brushless motor with cooling system
- 2WD system with shaft drive
- Diff. with built-in rear bevel gear
- Adjustable width of double fork susp. System
- Oil filled shock absorber
- Stiff and sturdy 4.0mm alum chassis and side plate
- Lipo battery not included(H0021---11.1V 5000mAh
- Lipo pack\*2 for option)

**NOT SUITABLE FOR USE OF CHILDREN UNDER THE AGE OF 14 WITHOUT ADULT SUPERVISION.**



## HURRICANE V2



**RH509**  
4WD Gas Powered Car

**RH511**  
2WD Gas Powered Car

**2WD**  
READY TO RUN

**4WD**  
READY TO RUN



NO RH509

NO RH511



### FEATURES

- Fully assembled ready to run chassis w/2.4G radio system(failsafe function)
- Powerful CN30cc gasoline engine with slide carburetor pull starter
- Equipped with Alum. roll cage, shock towers and engine mounts
- 4WD system with shaft drive; Steel front universal joint shafts and steel spur gears
- 30kg/cm steering servo & 15kg/cm throttle servo
- Diff. With built-in rear bevel steel gear
- Adjustable width of double fork susp. System
- 4pcs large size oil filled shock absorber
- Stiff and sturdy 4.0mm alum chassis, side plate and gear cover
- Disc break system; Gear cover for engine gears and center transmission
- 700cc fuel tank

### SPECS

Length: 738mm  
Width: 585mm  
Height: 360mm  
Wheelbase: 531mm  
Weight: 13.5Kg  
Engine: CN30cc  
Gear Ratio: 9.0:1  
Drive System: 4WD shaft drive  
Steering servo: 15kg/cm  
Throttle Servo: 30kg/cm

### FEATURES

- Fully assembled ready to run chassis w/AM LCD radio system
- Powerful CN30cc gasoline engine with slide carburetor pull starter
- Equipped with Alum. roll cage, shock towers and engine mounts
- 2WD system w/drive shaft
- 20kg/cm steering servo & 13kg/cm throttle servo
- Diff. With built-in rear bevel steel gear
- Adjustable width of double fork susp. System
- 4pcs large size oil filled shock absorber
- Stiff and sturdy 4.0mm alum chassis, side plate and gear cover
- Disc break system; Gear cover for engine gears and center transmission
- 700cc fuel tank

### SPECS

Length: 738mm  
Width: 585mm  
Height: 360mm  
Wheelbase: 531mm  
Tread(front/rear): 416/466mm  
Weight: 12.5kg  
Engine: CN30cc Gasoline  
Gear Ratio: 9.0:1




## PHANTOM



**RH522**  
Brushless Short Course Truck

**4WD**  
READY TO RUN



### SPECS

Length: 710mm  
Width: 520mm  
Wheelbase: 486mm  
Tyre: 170x80mm  
Motor: 5692 Size 1000KV  
ESC: EZRUN150A Brushless  
Battery: 2x7.4V 5000mAh Lipo  
Charger: 2x B3 balanced  
Radio: 2.4GHz Pistol

### FEATURES

- CNC 6061 HARD ALUM CHASSIS, SHOCK TOWERS,
- MOTOR MOUNTS AND CHASSIS BRACES
- CNC 6061 HARD ALUM SUSP. ARM HOLDERS
- BIG BORED SHOCKS
- FRONT BUMPER WITH SPRING ABSORBERS
- MOULDED PLASTIC BATTERY CASES
- WATER PROOF RECEIVER CASE
- THREE DIFFS WITH HEAVY DUTY GEARS
- 4WD SHAFT DRIVE SYSTEM



**NOT SUITABLE FOR USE OF CHILDREN UNDER THE AGE OF 14 WITHOUT ADULT SUPERVISION.**



## PHANTOM-B



**2WD**  
READY TO RUN

**4WD**  
READY TO RUN

**RH523**  
2WD Brushless Buggy

**RH525**  
4WD Brushless Buggy



### SPECS

Length: 730mm  
Width: 490mm  
Height: 286mm  
Wheelbase: 486mm  
Gear Ratio: 11:1  
Tyres:  $\Phi$ 175\*60mm  
weight: 9000g

### FEATURES

- CNC 6061 HARD ALUM CHASSIS, SHOCK TOWERS,
- MOTOR MOUNTS AND CHASSIS BRACES
- CNC 6061 HARD ALUM SUSP. ARM HOLDERS
- BIG BORED SHOCKS
- MOULDED PLASTIC BATTERY CASES
- WATER PROOF RECEIVER CASE
- THREE DIFFS WITH HEAVY DUTY GEARS
- 4WD SHAFT DRIVE SYSTEM



# UPGRADE PARTS LIST

1/5 SCALE

RH5201 Rear supporting plate 1pc	RH5202 Gear fixing plate 1pc	RH5203 Gear holder L/R 1set	RH5204 Front lower back supporting plate 1P	RH5205 Front lower supporting plate
RH5206 Steering units 1set	RH5207 Engine bracket left 1P	RH5208 Front lower susp. Arm(left or right)(1pc)	RH5209 Steering arms 1pc	RH5210 Front body mount 1set
RH5211 Rear upper susp arm 1pc	RH5212 Lower susp arm 1pc	RH5213 Gear dead plate 1pc	RH5214 Diff gear box 1pc	RH5215 Front upper susp arm 1pc
RH5216 Front upper supporting plate 1pc	RH5217 Rear axle sleeve unit 1set	RH5218 Steel gear 48T 1pc	RH5219 Steel gear 19T 1pc	RH5220A Tuned Pipe
RH5220B Tuned Pipe	RH5220C Tuned Pipe	RH5221 Front disc brake set	RH5222 Air filter	RH 5224 Chromed Buggy Rims 2pcs
RH5225 Chromed Buggy Rims 2pcs	RH5226 Front body mount	RH5227 Rear body mount	RH5228 Gear fixing plate	RH5229 Front bulkhead 1set
RH5231 Central Gear Bracket 2pcs	RH5233 Shock Lower bearer	RH5234 Shock Upper bearer	RH5235 Alum Gear mount 1pc	RH5241 Airfilter

# UPGRADE PARTS LIST

1/5 SCALE

RH5248 FG Conversion Kit	RH5246 1/5 Tuned Pipe	RH5247 Rotostart Set	RH5249 Front upper sus. Arm 2pcs	RH5250 Front lower sus. Arm 2pcs
H5251 Rear lower susp. Arm 2pcs	RH5256N HPI/KM Baja Conversion Kit	RH5258-RH511 4WD Conversion Kit	Th5259 4WD Conversion Kit For Falcon/Hurricane 2WD	RH5260 1/5 Two Speed Set

## ELECTRONICS

### Motor \ESC \Batteries and Chargers

H0029 550 Brushed Motor	H0048 540 Brushed Motor	H0062 370 Motor	H0042 5692 1000kv Motor	H0019 580L 1420kv Motor
85273 3674 2400kv Motor	85262 3660 2700kv Motor	H0028 36503000KV Motor H0085 36503800KV Motor	H0051 3650 4200kv Motor	H0063 2040 4200kv Motor
H0016 150A ESC	85278 120A ESC	85261 80A ESC	H0082 60A KS ESC	H0026 27W 45AESC
H0072 ks 45A ESC	H0064 25A ESC	H0059 400A ESC	18253-1/18 Charger CE 1pc	10263-1/10 Charger CE 1pc
			18254-1/18 Charger UL 1pc	10254-1/10 Charger UL 1pc
			18255-1/18 Charger BS 1pc	10255-1/10 Charger BS 1pc

H0084-1/18 Charger CE 1pc	RH5588 7.5V charger	H0079-V3 Lipo Charger	H0074-NIMH Charger	B6PRO Multi-charger	H0020 7.4V 5000m AH Lipo
H0021 11.1V 5000mAh Lipo	85260 11.1V 3250mAh	85274 7.4V 3250mAh	H0060 7.4V 1300mAh	Rh5096 6V RX Battery	H0031 7.2V 3000mAh Ni-Mh
H0030 7.2V 1800mAh Ni-Mh	H0061 7.2V 600mAh Ni-Mh	H0069 7.2V 1100mAh Ni-Mh			

## MISC. ELECTRONICS

H0038 45mm Heatsink+ cooling fan	H0009 Fall Safe	RH5189 Receiver Switch	H0012 Battery Case	H0052 Touring Car Light System	H0091 Headlight set

## RADIO SYSTEM

H0080 2.4G 3CH TX & RX	H0081 2.4G 3CH TX & RX	H0071 FS2.4G 3-in-1 ESC Combo TX&RX	H0068 2.4G FS-GT2 TX&RX	H0044 2.4G FS-GT3B TX&RX	H0025 2.4G TX & RX			
H0004 20kg/cm Servo	H0005 15kg/cm Servo	H0006 30kg/cm Servo	H0010 9kg/cm Servo	H0011 3kg/cm Servo	H0041 30kg/cm Servo	H0049 3kg/cm Servo	H0065 1.8kg/cm Servo	H0067 6kg/cm Servo

H0022 Start Kit(w/charger)	H0023 Starter Box	H0032 Nitro Fuel(25%)	RH5677 Gas Bottle	H0098 Car Stand
H0035 Glow plug w/charger	H0036 Glow plug	H0039 Hex Tool Set	H0078 Tool Set	H0075 Starter

## ENGINES AND PIPES Gasoline engines and Nitro engines

P0001 CY23cc engine	P0002 CY27cc engine	P0003 CY29cc engine	P0009 CN30cc engine	P0011 SH.18 engine
P0005 Alpha 21 engine	P0006 Alpha 28 engine	P0007 VX .21 engine	P0008 VX .25 engine	P0014 FC.18 engine

 1/18 59x31mm	 1/10 67x26mm	 1/18 64x41mm
18082-Buggy tyre set 2 sets	16009-Tyre set 2 sets	18081-Truck tyre set 2 sets
 1/10 65x26mm	 1/10 82x29mm	 1/10 88x34mm
10417-Touring wheel complete 2 sets	10446-Front buggy tyre set 2 sets	10300-Front buggy tyre set 2 sets
 1/10 88x34mm	 1/10 88x39mm	 1/10 88x39mm
10531-Front buggy tyre set 2 sets	10301-Rear buggy tyre set 2 sets	10532-Rear buggy tyre set 2 sets
 1/10 90x40mm	 1/8 130*40mm	 1/10 130x65mm
10448-Rear buggy tyre set 2 sets	85299-Touring wheel complete 2 sets	10589-Wheel complete 2 sets
 1/8 150x85mm	 1/5 168x81mm	 1/10 127X49mm
85298-Pre-mounted tyre sets 2 pcs	RH5472-Wheel complete 1set	10687 Preassembled Tyres 2sets

 1/10 63x40mm	 1/10 95*40mm	 1/10 110*45mm
10489-Drifting tyres 4 pcs	10350C-SC rally wheel complete sets 10350-SC rally wheel complete sets	10523C-Wheel complete 2 sets 10523-Wheel complete 2 sets
 1/10 120*60mm	 1/8 115*42mm	 1/8 138*83mm
10931-Truck tire unit(chromed) 10139-Wheel complete 2 sets	85927-Buggy chromed tire 85046-Pre-mounted tires 2pcs	85928-Buggy pre-mounted tyres w/chromed 86022-Pre-mounted tyre sets 2pcs
 1/5 165*64mm	 1/5 200*111mm	 1/10 127*49mm
RH5598-Truck chromed tire RH5031-Tire units 2set	RH5471-Truck chromed tire RH5153-Tire units 2set	10717-Preassembled Tyres 2sets
Note: wheel color could be changed as per customer's request		