

Hamilton® Giara VERDIGRIS CFX™

Luxury Italian Design Door Furniture with matching Concealed Fixing Electrical Wiring Accessories on exclusive Verdigris CFX® Finish Plates.

The ultimate for the classic interior of today.

Stunning Giara design in the stunning Verdigris finish.

Handmade to order.



7VC R22 BL-B



7VC SS2 BL-B



GM12- R12 VG





GB12-VG

Hamilton®
fashion, finish, function and flexibility

Hamilton® Giara VERDIGRIS CFX

Luxury Italian Design Door Furniture
in exclusive Verdigris finish



Verdigris Handle

Handle Finish	Product Code
Verdigris	GM12-R12 VG

Verdigris Key Plate

Key Plate Finish	Product Code
Verdigris	GB12-VG

Giara VERDIGRIS CFX

Luxury Italian Design Electrical Wiring
Accessories on exclusive Verdigris finish



7VC R21 BL-B



7VC R22 BL-B



7VC SS2 BL-B

Concealed Fixing Rocker Switches

Plate Finish	Insert Finish	Insert Surround Colour	Image	Description	Technical Reference	Product Code
Verdigris	Black Plastic	Black		1 gang 10AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R21	R21	7VC R21 BL-B
Verdigris	Black Plastic	Black		2 gang 10AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R22	R22	7VC R22 BL-B
Verdigris	Black Plastic	Black		3 gang 10AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R23	R23	7VC R23 BL-B
Verdigris	Black Plastic	Black		4 gang 10AX 2 way Rocker Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R24	R24	7VC R24 BL-B
Verdigris	Black Plastic	Black		6 gang 10AX 2 way Rocker Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R26	R26	7VC R26 BL-B

Concealed Fixing Rocker Switches

Plate Finish	Insert Finish	Insert Surround Colour	Image	Description	Technical Reference	Product Code
Verdigris	Black Plastic	Black		1 gang 10AX Intermediate Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R31	R31	7VC R31 BL-B
Verdigris	Black Plastic	Black		2 gang 10AX Intermediate Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R32	R32	7VC R32 BL-B
Verdigris	Black Plastic	Black		1 gang 10AX Push To Make/Break Retractive Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: CFXRRT	CFXRRT	7VC RRT BL-B
Verdigris	Black Plastic	Black		1 gang 10A Triple Pole Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TP	TP	7VC TP BL-B

Concealed Fixing Rocker Switches

Plate Finish	Insert Finish	Insert Surround Colour	Image	Description	Technical Reference	Product Code
Verdigris	Black Plastic	Black		1 gang 20AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R212	R212	7VC R212 BL-B
Verdigris	Black Plastic	Black		2 gang 20AX 2 way Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R222	R222	7VC R222 BL-B
Verdigris	Black Plastic	Black		3 gang 20AX 2 way Rocker Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R232	R232	7VC R232 BL-B
Verdigris	Black Plastic	Black		4 gang 20AX 2 way Rocker Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R242	R242	7VC R242 BL-B
Verdigris	Black Plastic	Black		1 gang 20AX Intermediate Rocker Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R312	R312	7VC R312 BL-B

Concealed Fixing Toggle Switches



1 gang 20AX 2 way Toggle

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T21**
[Product Code](#)



2 gang 20AX 2 way Toggle

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T22**
[Product Code](#)



3 gang 20AX 2 way Toggle

Nominal Plate Size:
145 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T23**
[Product Code](#)



4 gang 20AX 2 way Toggle

Nominal Plate Size:
145 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T24**
[Product Code](#)



1 gang 20AX Intermediate Toggle

Nominal Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T31**
[Product Code](#)

Plate Finish	Insert Finish
Verdigris	Black Nickel

7VC T21 BK	7VC T22 BK	7VC T23 BK	7VC T24 BK	7VC T31 BK
------------	------------	------------	------------	------------

Concealed Fixing Key Switches



1 gang 20AX 2 way Key Switch

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 25 mm
Technical Insert Reference: **K21**
[Product Code](#)

Plate Finish	Insert Finish
Verdigris	Black Plastic

7VC K21 B

Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes.
Suitable for 44 mm and 54 mm width Hotel Key Cards.



1 gang 10A (6AX) On/Off with Blue LED Locator

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **C11**
[Product Code](#)



1 gang 12-24V AC/DC +/-10% On/Off with Blue LED Locator (Suitable for KNX BUS System)

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **CKNX**
[Product Code](#)

Plate Finish	Insert Finish	Insert Surround Colour
Verdigris	Black Plastic	Black

7VC C11 BL-B

7VC CKNX BL-B

Concealed Fixing Power Sockets



1 gang 13A Double Pole Switched Socket

Nominal Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
[Product Code](#)



2 gang 13A Double Pole Switched Socket

Nominal Plate Size: 145 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS2**
[Product Code](#)



Shaver Dual Voltage Unswitched Socket

Nominal Plate Size: 86 x 145 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SHS**
[Product Code](#)

Plate Finish	Insert Finish	Insert Surround Colour
Britannium	Black Plastic	Black

7VC SS1 BL-B

7VC SS2 BL-B

7VC SHS B

Concealed Fixing USB Power Sockets



2 gang Unswitched Socket + 2 x USB Charging Points

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **USB99**
[Product Code](#)

Plate Finish	Insert Finish
Britannium	Black Plastic

7VC USB99 B

Concealed Fixing Power Sockets



1 gang 5A Unswitched Socket

Nominal Plate
Size: 86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **US5**
[Product Code](#)



1 gang 13A Unswitched Socket

Nominal Plate
Size: 86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **US13**
[Product Code](#)



2 gang 13A Unswitched Socket

Nominal Plate
Size: 145 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **US99**
[Product Code](#)



1 gang 16A German Unswitched Socket

Nominal Plate
Size: 86 x 86 mm
Min. Wall Box
Depth: 47 mm
Technical Insert
Reference: **6126**
[Product Code](#)



1 gang 15A American Unswitched Socket

Nominal Plate
Size: 86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **5258**
[Product Code](#)



2 gang 15A American Unswitched Socket

Nominal Plate
Size: 145 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **5320**
[Product Code](#)

Plate Finish	Insert Finish
Britannium	Black Plastic

7VC US5 B

7VC US13 B


7VC US99 B

7VC 6126 B

7VC 5258 B

7VC 5320 B




Concealed Fixing Television Coaxial Sockets

Plate Finish	Insert Finish						
Verdigris	Black Plastic	1 gang Non Isolated TV 1 In/1 Out Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	Isolated TV/FM Diplexer 1 In/2 Out Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	1 gang Isolated TV 1 In/1 Out Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	2 gang Non Isolated TV + Satellite 2 In/2 Out Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	1 gang Non Isolated Satellite Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	1 gang Isolated Satellite Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
		7VC TV B	7VC TVFM B	7VC TVI B	7VC TVSAT B	7VC SATN B	7VC SATI B

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible

Plate Finish	Insert Finish			
Verdigris	Black Plastic	Non Isolated TV/FM/Satellite Triplexer 1 In/3 Out Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTRID Product Code	1 gang Non Isolated TV (Female) Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVF Product Code	1 gang Non Isolated TV (Male) Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DTVM Product Code
		7VC DTRID B	7VC DTVF B	7VC DTVM B

Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible

Plate Finish	Insert Finish			
Verdigris	Black Plastic	1 gang Non Isolated Satellite Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DENT Product Code	Non Isolated TV/FM/Satellite 1/Satellite 2 Quadplexer 2 In/4 Out + TVF + TCS Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DSAT+ Product Code
		7VC DSAT B	7VC DENT B	7VC DSAT+ B

Concealed Fixing Telephone and Data Outlets

Plate Finish	Insert Finish						
Verdigris	Black Plastic	1 gang Telephone Master Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code	1 gang Telephone Slave Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code	1 gang RJ12 Outlet Unshielded Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code	2 gang RJ12 Outlet Unshielded Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code	1 gang RJ45 CAT 5E Outlet Unshielded Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code	2 gang RJ45 CAT 5E Outlet Unshielded Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code
		7VC TCM B	7VC TCS B	7VC J12 B	7VC 2J12 B	7VC J45 B	7VC 2J45 B

Concealed Fixing Double Pole Switches

Plate Finish	Insert Finish	Insert Surround Colour			
Britannium	Black Plastic	Black	1 gang 20AX Double Pole Rocker + Neon Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPN Product Code	45A Double Pole Red Rocker + Neon + 13A Switched Socket Nominal Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45SS1 Product Code	1 gang 45A Double Pole Red Rocker + Neon Nominal Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45N Product Code
			7VC DPN BL-B	7VC 45SS1 BL-B	7VC 45N B

Concealed Fixing Connection Units

Plate Finish	Insert Finish	Insert Surround Colour	Product Code
Verdigris	Black Plastic	Black	7VC SPN BL-B

Plate Finish	Insert Finish	Insert Surround Colour	Product Code
Verdigris	Black Plastic	Red Halo	7VC FN BL- R

Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

Note: When using mains voltage halogen lamps - Dimmers should be de-rated by 25%.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Plate Finish	Insert Finish	Product Code
Verdigris	Verdigris	7VC 1X40
		7VC 2X40
		7VC 3X40
		7VC 4X40
		7VC 1X60
		7VC 1X1K

Concealed Fixing Leading Edge Push On/Off Inductive Dimmers

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Plate Finish	Insert Finish	Product Code
Verdigris	Verdigris	7VC 1X2V
		7VC 1X3V

Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Plate Finish	Insert Finish	Product Code
Verdigris	Verdigris	7VC 1XTE
		7VC 2XTE
		7VC 3XTE
		7VC 4XTE

Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Note: When dimming LED lamps de-rate by 75% - please contact our Technical Department for compatibility.

Plate Finish	Insert Finish	Insert Surround Colour
Verdigris	Black Nickel	Black



1 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1XTM**
[Product Code](#)

7VC 1XTM BK-B



2 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **2XTM**
[Product Code](#)

7VC 2XTM BK-B



3 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **3XTM**
[Product Code](#)

7VC 3XTM BK-B



4 gang 250W/210VA Trailing Edge Multi-Way Touch Master Dimmer

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **4XTM**
[Product Code](#)

7VC 4XTM BK-B

Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers.

Note: Tungsten filament GU10 lamps must be branded and with a fused base.

Note: When using mains voltage halogen lamps - dimmers should be de-rated by 25%.

Note: When using mains voltage halogen load transformers - maximum rating is 210VA.

Plate Finish	Insert Finish	Insert Surround Colour
Verdigris	Black Nickel	Black



1 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **1XTS**
[Product Code](#)

7VC 1XTS BK-B



2 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **2XTS**
[Product Code](#)

7VC 2XTS BK-B



3 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **3XTS**
[Product Code](#)

7VC 3XTS BK-B



4 gang Multi-Way Touch Slave Controller

Nominal Plate Size:
145 x 86 mm
Minimum Wall Box
Depth: 35 mm
Technical Insert
Reference: **4XTS**
[Product Code](#)

7VC 4XTS BK-B

Concealed Fixing EuroFix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the EuroFix insert fitted - please see the EuroFix section for our complete range of inserts.

Plate Finish
Verdigris



1 Module EuroFix Plate

Nominal Plate Size:
86 x 86 mm
Aperture: 25 x 50 mm
Technical Insert
Reference: **EURO1**
[Product Code](#)

7VC EURO1



2 Module EuroFix Plate

Nominal Plate Size:
86 x 86 mm
Aperture: 50 x 50 mm
Technical Insert
Reference: **EURO2**
[Product Code](#)

7VC EURO2



3 Module EuroFix Plate

Nominal Plate Size:
145 x 86 mm
Aperture: 75 x 50 mm
Technical Insert
Reference: **EURO3**
[Product Code](#)

7VC EURO3



4 Module EuroFix Plate

Nominal Plate Size:
145 x 86 mm
Aperture: 100 x 50 mm
Technical Insert
Reference: **EURO4**
[Product Code](#)

7VC EURO4

Concealed Fixing Blank Plates

Plate Finish
Verdigris



Single Blank Plate

Nominal Plate Size:
86 x 86 mm
Technical Insert
Reference: **BPS**
[Product Code](#)

7VC BPS



Double Blank Plate

Nominal Plate Size:
145 x 86 mm
Technical Insert
Reference: **BPD**
[Product Code](#)

7VC BPD

Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted - please see the GRID-IT section for our complete range of inserts.

Plate Finish
Verdigris



1 gang Aperture Grid Fix Plate

Nominal Plate Size:
86 x 86 mm
Technical Insert
Reference: **1GP**
[Product Code](#)

7VC 1GP



2 gang Aperture Grid Fix Plate

Nominal Plate Size:
86 x 86 mm
Technical Insert
Reference: **2GP**
[Product Code](#)

7VC 2GP



3 gang Aperture Grid Fix Plate

Nominal Plate Size:
145 x 86 mm
Technical Insert
Reference: **3GP**
[Product Code](#)

7VC 3GP



4 gang Aperture Grid Fix Plate

Nominal Plate Size:
145 x 86 mm
Technical Insert
Reference: **4GP**
[Product Code](#)

7VC 4GP