




# 3055 AIRCONDITIONING









STANDARD BARRIER HOSE

NYLON BRAIDED REINFORCEMENT

TYPE C CLASS 1













**Burgaflex**




SCHLAUCH HOSE TUYAUX	Umschreibung description description	Seite page page
	<b>3055</b> Airconditioning hose Type C Class II/SAE J2064	4

VERPRESSUNG CRIMP SERTI	Teilnummer part no. référence	Umschreibung description description	Seite page page
	52701	SAE 45° flare swivel	6
	52702	45° elbow	6
	52703	90° elbow	6
	52704	O-ring female swivel	7
	52705	45° elbow	8
	52706	90° elbow	9
	52717	O-ring female swivel - R134a valve	7
	52718	45° elbow	8
	52719	90° elbow	9
	52724	O-ring without nut	7
	52725	45° elbow	8
	52726	90° elbow	9
	52710	O-ring female swivel - pressure sensor 7/16-20	10
	52711	45° elbow	10
	52712	90° elbow	10
	52751	O-ring TXV connection	11
	52752	45° elbow	11
	52753	90° elbow	11
	52729	O-ring female swivel - without nut - with R134a valve, 90° elbow	12
	52747	Quick disconnect connection	12
	52304	O-ring TXV connection incl. TXV plate	13
	52305	45° elbow	13
	52306	90° elbow	13


**INHALTSVERZEICHNIS**  
**TABLE OF CONTENTS**  
**INDEX**



Teilnummer part no. référance	Beschreibung description déscription	Seite page page	VERPRESSUG CRIMP SERTI
52707 52708 52709	Tube-O compressor fitting 45° elbow 90° elbow block type	14 14 14	
52733 52734 52735	Tube-O compressor fitting / R134a valve 45° elbow 90° elbow	15 15 15	
52450 52451 52453	Tube-O HEX block 90° Tube-O HEX block 90° - R134a valve - top Tube-O HEXblock 90° - R134a valve - 120°	16 16 16	
52454 52455 52740	Tube-O HEX block 90° - R134a valve - forward Tube-O HEX block 90° - R134a valve - 240° O-ring swivel block type - 90°	17 17 17	
52741 52742 52412	O-ring swivel block type - pressure sensor 7/16-20 O-ring swivel block type - R134a valve - top O-ring swivel block type - R134a valve - forward	18 18 18	
52425 52426 52427	O-ring HEX block 90° O-ring HEX block 90° - R134a valve - top O-ring HEX block 90° - R134a valve - forward	19 19 19	
52420 52421 52422	O-ring swivel 90° block - R134a valve top, short drop O-ring swivel 90° block type, short drop O-ring swivel 90° block - R134a valve forward, short drop	20 20 20	
52428 52771 52217	O-ring HEX block 90° - pressure sensor 7/16-20 - top O-ring swivel 180° O-ring male swivel 90° - R134a valve	21 21 21	
52213 52214 52215	O-ring male swivel, short pilot 45° elbow 90° elbow	22 22 22	
52206 52207 52208	O-ring male insert straight 45° elbow 90° elbow	23 23 23	
52617 52618 52619	O-ring female swivel - switch adaptor M10x1.25 45° elbow 90° elbow	24 24 24	
52758 52759 52760	Bulkhead male insert O-ring 90° elbow 45° elbow	25 25 25	

VERPRESSUNG CRIMP SERTI	Teilnummer part no. référance	Umschreibung description description	Seite page page
	528007	Inline splicer	26
	528097	Inline T-splicer	26
	528008	Inline splicer - R134a valve	26
	527020	Inline splicer - pressure sensor 7/16-2	27
	7042	Protection cap 7/16-20 presure sensor connection	28
	7037	Protection cap 7034/7036	28
	7038	Protection cap 7035	28
	7039	Valve core 7035	28
	7028	O-ring	28

DEFINITION RUN AND DROP



\* Dimension related to partnumber between 20-25 mm.

**KLIMASCHLAUCH  
AIRCONDITIONING HOSE  
TUYAUX AIRCONDITIONNE**



Teilnr. part no. référence	Slauch- durchmesser hose size module	Inner- durchmesser hose I.D. diamètre intérieur	Ausen- durchmesser hose O.D. diamètre extérieur	min. Berst- druck min. burst press pres. minimum d'éclatement	Arbeits- druck work press pres. d'uti- lisation	min. Biegen Radius min. bend radius rayon mini de courbure	<b>SCHLAUCH HOSE TUYAU</b>
----------------------------------	---	---	---	--	--	---	------------------------------------

		mm	mm	bar	bar	mm
<b>3055-06</b>	<b>-6</b> <b>5/16"</b>	<b>7.90</b>	<b>18.30</b>	<b>121</b>	<b>24</b>	<b>102</b>
<b>3055-08</b>	<b>-8</b> <b>13/32"</b>	<b>10.30</b>	<b>22.40</b>	<b>121</b>	<b>24</b>	<b>114</b>
<b>3055-10</b>	<b>-10</b> <b>1/2"</b>	<b>12.70</b>	<b>24.60</b>	<b>121</b>	<b>24</b>	<b>127</b>
<b>3055-12</b>	<b>-12</b> <b>5/8"</b>	<b>15.90</b>	<b>27.70</b>	<b>86</b>	<b>17</b>	<b>165</b>



Hose construction: Seamless synthetic rubber (CR) innertube, covered with a nylon layer and reinforced with one braid. Hose has a weather, oil and abrasion resistant rubber cover (Butyl), which is perforated.

Identification: Hose is identified by partnumber and size.

Uses: Designed specifically for automotive and off highway applications for refrigerants R134a and for many others. Please contact the Burgaflex team for advise and test data.

Temperatures: -35 °C thru +125 °C

**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**

ARMATUREN FITTINGS RACCORDS	Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R
-----------------------------------	-------------------------------------	---	---	-------------------------------	--------------------------	---	---




SAE 45° swivel

52701-04-06S	-4	-6	9/16-20				30
52701-06-06S	-6	-6	5/8-18				53
52701-06-08S	-6	-8	5/8-18				45
52701-08-06S	-8	-6	3/4-16				50
52701-08-08S	-8	-8	3/4-16				57
52701-08-10S	-8	-10	1 1/16-14				50
52701-10-08S	-10	-8	7/8-14				58
52701-10-10S	-10	-10	7/8-14				60
52701-10-12S	-10	-12	7/8-14				70
52701-12-12S	-12	-12	1 1/16-14				85



SAE 45° swivel - 45° ellbow

52702-04-06S	-4	-6	9/16-20			10	30
52702-06-06S	-6	-6	5/8-18			15	35
52702-06-08S	-6	-8	5/8-18			15	35
52702-08-06S	-8	-6	3/4-16			15	40
52702-08-10S	-8	-10	1 1/16-14			15	47
52702-08-08S	-8	-8	3/4-16			15	40
52702-10-08S	-10	-8	7/8-14			32	64
52702-10-10S	-10	-10	7/8-14			15	55
52702-10-12S	-10	-12	7/8-14			32	70
52702-12-12S	-12	-12	1 1/16-14			38	83




SAE 45° swivel - 90° ellbow

52703-04-06S	-4	-6	9/16-20			19	26
52703-06-06S	-6	-6	5/8-18			30	47
52703-06-08S	-6	-8	5/8-18			30	30
52703-08-06S	-8	-6	3/4-16			30	42
52703-08-08S	-8	-8	3/4-16			33	57
52703-08-10S	-8	-10	1 1/16-14			30	42
52703-10-08S	-10	-8	7/8-14			45	42
52703-10-10S	-10	-10	7/8-14			48	50
52703-10-12S	-10	-12	7/8-14			45	50
52703-12-12S	-12	-12	1 1/16-14			55	50

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**

**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**



Teilnummer part no. référance	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
52704-06-06S	-6	-6	5/8-18			38	
52704-06-08S	-6	-8	5/4-16			40	
52704-08-06S	-8	-6	3/4-16			40	
52704-08-08S	-8	-8	3/4-16			40	
52704-08-10S	-8	-10	3/4-16			45	
52704-10-08S	-10	-8	7/8-14			45	
52704-10-10S	-10	-10	7/8-14			45	
52704-10-12S	-10	-12	7/8-14			48	
52704-12-12S	-12	-12	1 1/16-14			55	

Long pilot  
O-ring female swivel

52717-06-06HPS	-6	-6	5/8-18	16 (HP)		50
52717-08-08HPS	-8	-8	3/4-16	16 (HP)		50
52717-08-10LPS	-8	-10	3/4-16	13 (LP)		45
52717-10-10LPS	-10	-10	7/8-14	13 (LP)		55
52717-10-12LPS	-10	-12	7/8-14	13 (LP)		58
52717-12-12LPS	-12	-12	1 1/16-14	13 (LP)		58



O-ring female swivel - R134a valve


52724-06-06S	-6	-6				38
52724-06-08S	-6	-8				42
52724-08-06S	-8	-6				40
52724-08-08S	-8	-8				40
52724-10-10S	-10	-10				45
52724-10-12S	-10	-12				48
52724-12-10S	-12	-10				48
52724-12-12S	-12	-12				55




O-ring - tube connection

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**


**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**

ARMATUREN FITTINGS RACCORDS	Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R
	52705-06-06S	-6	-6	5/8-18		15	35
	52705-06-08S	-6	-8	5/8-14		15	42
	52705-08-08S	-8	-8	3/4-16		16	42
	52705-08-10S	-8	-10	3/4-16		20	48
	52705-10-10S	-10	-10	7/8-14		22	54
	52705-10-12S	-10	-12	7/8-14		24	62
	52705-12-12S	-12	-12	1 1/16-14		27	69

Long pilot  
O-ring female swivel - tube connection - 45° elbow

	52718-06-06HPS	-6	-6	5/8-18	16 (HP)	15	55
	52718-08-08HPS	-8	-8	3/4-16	16 (HP)	15	55
	52718-10-10LPS	-10	-10	7/8-14	13 (LP)	22	67
	52718-10-12LPS	-10	-12	7/8-14	13 (LP)	22	70
	52718-12-12LPS	-12	-12	1 1/16-14	13 (LP)	25	73

O-ring female swivel - R134a valve - 45° elbow

	52725-06-06S	-6	-6			15	35
	52725-08-08S	-8	-8			15	42
	52725-10-12S	-10	-12			24	62
	52725-12-10S	-12	-10			24	62
	52725-12-12S	-12	-12			27	69


O-ring - tube connection, without nut - 45° elbow

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**




**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**



Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
52706-06-06S	-6	-6	5/8-18		30	30	
52706-06-08S	-6	-8	6/8-18		36	50	
52706-08-08S	-8	-8	3/4-16		35	42	
52706-08-10S	-8	-10	3/4-16		35	40	
52706-10-08S	-10	-8	7/8-14		42	42	
52706-10-10S	-10	-10	7/8-14		40	40	
52706-10-12S	-10	-12	7/8-14		43	43	
52706-10-14S	-10	-14	7/8-14		48	48	
52706-12-10S	-12	-10	1 1/16-14		50	48	
52706-12-12S	-12	-12	1 1/16-14		48	48	

O-ring female swivel - tube connection - 90° elbow

52719-06-06HPS	-6	-6	5/8-18	16 (HP)	30	50
52719-08-08HPS	-8	-8	3/4-16	16 (HP)	35	55
52719-10-10LPS	-10	-10	7/8-14	13 (LP)	40	60
52719-10-12LPS	-10	-12	7/8-14	13 (LP)	45	65
52719-12-12LPS	-12	-12	1 1/16-14	13 (LP)	48	70



O-ring female swivel - R134a valve - 90° elbow

52726-06-06S	-6	-6			33	33
52726-08-08S	-8	-8			35	42
52726-10-10S	-10	-10			40	47
52726-10-12S	-10	-12			50	47
52726-12-10S	-12	-10			50	47
52726-12-12S	-12	-12			45	55




O-ring - tube connection, without nut, 90° elbow

Sonder Armaturen auf Anfrage  
 Special fittings on request  
 Raccords spécifiques sur demande

**ARMATUR FÜR KLIMASCHLAUCH  
HOSE FITTINGS  
RACCORDS POUR TUYAUX AIRCONDITIONNE**




Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
52710-06-06S	-6	-6	5/8-18	7/16-20		50	 O-ring female swivel - pressure sensor 7/16-20
52710-08-08S	-8	-8	3/4-16	7/16-20		50	
52710-10-10S	-10	-10	7/8-14	7/16-20		55	
52710-12-12S	-12	-12	1 1/16-14	7/16-20		58	

52711-06-06S	-6	-6	5/8-18	7/16-20	15	55
52711-08-08S	-8	-8	3/4-16	7/16-20	15	55
52711-10-10S	-10	-10	7/8-14	7/16-20	22	67
52711-12-12S	-12	-12	1 1/16-14	7/16-20	25	73






O-ring female swivel - pressure sensor 7/16-20  
45° elbow

52712-06-06S	-6	-6	5/8-18	7/16-20	30	50
52712-08-08S	-8	-8	3/4-16	7/16-20	35	55
52712-10-10S	-10	-10	7/8-14	7/16-20	45	60
52712-12-12S	-12	-12	1 1/16-14	7/16-20	48	70



O-ring female swivel - pressure sensor 7/16-20  
90° elbow


**Sonder Armaturen auf Anfrage  
Special fittings on request  
Raccords spécifiques sur demande**


ARMATUREN FITTINGS RACCORDS	Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R
  Long pilot O-ring TXV connection	<b>52751-12-10S</b>	<b>-12</b>	<b>-10</b>				<b>51</b>
  Long pilot O-ring, TXV connection - 45° elbow	<b>52752-12-10S</b>	<b>-12</b>	<b>-10</b>			<b>22</b>	<b>59</b>
  Long pilot O-ring, TXV connection - 90° elbow	<b>52753-12-10S</b>	<b>-12</b>	<b>-10</b>			<b>47</b>	<b>52</b>

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**




**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**



Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
52729-06-06HPS	-6	-6		16 (HP)	30	50	 Long pilot O-ring - without nut - with R134a valve 90° elbow
52729-08-08HPS	-8	-8		16 (HP)	35	55	
52729-10-10LPS	-10	-10		13 (LP)	40	60	
52729-10-12LPS	-10	-10		13 (LP)	45	65	
52729-12-12LPS	-12	-12		13 (LP)	48	17	

52747-08-06S	-8	-6	7/8-20			25	 Quick disconnect connect
52747-08-08S	-10	-8	7/8-20			25	
52747-12-10S	-12	-10	1 1/4-18			25	

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**

ARMATUREN FITTINGS RACCORDS	Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R
 <p>Long pilot O-ring, TXV connection incl. TXV plate</p>	<b>52304-12-10S</b>	<b>-12</b>	<b>-10</b>				<b>51</b>
	<b>52304-12-12S</b>	<b>-12</b>	<b>-12</b>				<b>52</b>
 <p>Long pilot O-ring, TXV connection incl. TXV plate - 45° elbow</p>	<b>52305-12-10S</b>	<b>-12</b>	<b>-10</b>			<b>21</b>	<b>69</b>
	<b>52305-12-12S</b>	<b>-12</b>	<b>-12</b>			<b>24</b>	<b>74</b>
 <p>Long pilot O-ring, TXV connection incl. TXV plate - 90° elbow</p>	<b>52306-12-10S</b>	<b>-12</b>	<b>-10</b>			<b>44</b>	<b>45</b>
	<b>52306-12-12S</b>	<b>-12</b>	<b>-12</b>			<b>46</b>	<b>51</b>


**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**

**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**




Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
-------------------------------------	---	---	-------------------------------	--------------------------	---	---	-----------------------------------

52707-10-08S	-10	-8	1-14			58	
52707-10-10S	-10	-10	1-14			65	
52707-10-12S	-10	-12	1-14			72	




Tube-O compressor fitting

52708-10-08S	-10	-8	1-14		16	65	
52708-10-10S	-10	-10	1-14		16	65	
52708-10-12S	-10	-12	1-14		16	65	



Tube-O compressor fitting - 45° elbow

52709-10-08S	-10	-8	1-14		18	25	
52709-10-10S	-10	-10	1-14		18	25	
52709-10-12S	-10	-12	1-14		18	25	




Tube-O compressor fitting - 90° elbow

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**




**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**




Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
52450-10-08S	-10	-8	1-14		18	28	 Tube-O HEX block 90°
52450-10-10S	-10	-10	1-14		18	28	
52450-10-12S	-10	-12	1-14		18	28	

52451-10-08HPS	-10	-8	1-14	16 (HP)	18	28
52451-10-10LPS	-10	-10	1-14	13 (LP)	18	28
52451-10-12LPS	-10	-12	1-14	13 (LP)	18	28



Tube-O HEX block 90° / R134a valve - top

52453-10-08HPS	-10	-8	1-14	16 (HP)	18	28
52453-10-10LPS	-10	-10	1-14	13 (LP)	18	28
52453-10-12LPS	-10	-12	1-14	13 (LP)	18	28




Tube-O HEX block 90° / R134a valve - 120°

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**




ARMATUREN FITTINGS RACCORDS	Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R
-----------------------------------	-------------------------------------	---	---	-------------------------------	--------------------------	---	---




Tube-O HEX block 90°/ R134a valve - forward

<b>52454-10-08HPS</b>	<b>-10</b>	<b>-8</b>	<b>1-14</b>	<b>16 (HP)</b>	<b>18</b>	<b>28</b>
<b>52454-10-10LPS</b>	<b>-10</b>	<b>-10</b>	<b>1-14</b>	<b>13 (LP)</b>	<b>18</b>	<b>28</b>
<b>52454-10-12LPS</b>	<b>-10</b>	<b>-12</b>	<b>1-14</b>	<b>13 (LP)</b>	<b>18</b>	<b>28</b>



Tube-O HEX block 90°/ R134a valve - 240°

<b>52455-10-08HPS</b>	<b>-10</b>	<b>-8</b>	<b>1-14</b>	<b>16 (HP)</b>	<b>18</b>	<b>28</b>
<b>52455-10-10LPS</b>	<b>-10</b>	<b>-10</b>	<b>1-14</b>	<b>13 (LP)</b>	<b>18</b>	<b>28</b>
<b>52455-10-12LPS</b>	<b>-10</b>	<b>-12</b>	<b>1-14</b>	<b>13 (LP)</b>	<b>18</b>	<b>28</b>



O-ring swivel block type - 90°

<b>52740-06-06HPS</b>	<b>-6</b>	<b>-6</b>	<b>5/8-18</b>	<b>16 (HP)</b>	<b>24</b>	<b>25</b>
<b>52740-08-08HPS</b>	<b>-8</b>	<b>-8</b>	<b>3/4-16</b>	<b>16 (HP)</b>	<b>23</b>	<b>25</b>
<b>52740-10-10LPS</b>	<b>-10</b>	<b>-10</b>	<b>7/8-14</b>	<b>13 (LP)</b>	<b>26</b>	<b>25</b>
<b>52740-12-12LPS</b>	<b>-12</b>	<b>-12</b>	<b>1 1/16-14</b>	<b>13 (LP)</b>	<b>28</b>	<b>25</b>


**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**

**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**




Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
-------------------------------------	---	---	-------------------------------	--------------------------	---	---	-----------------------------------

52741-06-06S	-6	-6	5/8-18	7/16-20	24	25
52741-08-08S	-8	-8	3/4-16	7/16-20	24	25
52741-10-10S	-10	-10	7/8-14	7/16-20	26	25
52741-12-12S	-12	-12	1 1/16-14	7/16-20	27	25




O-ring swivel block type - pressure sensor 7/16-20

52742-06-06HPS	-6	-6	5/8-18	16 (HP)	24	25
52742-08-08HPS	-8	-8	3/4-16	16 (HP)	24	25
52742-10-10LPS	-10	-10	7/8-14	13 (LP)	26	25
52742-12-12LPS	-12	-12	1 1/16-14	13 (LP)	27	25



O-ring swivel block type - 90° - R134a valve - top

52412-06-06HPS	-6	-6	5/8-18	16 (HP)	24	25
52412-08-08HPS	-8	-8	3/4-16	16 (HP)	24	25
52412-10-10LPS	-10	-10	7/8-14	13 (LP)	26	25
52412-12-12LPS	-12	-12	1 1/16-14	13 (LP)	27	25



O-ring swivel block type- R134a valve - forward

Sonder Armaturen auf Anfrage  
 Special fittings on request  
 Raccords spécifiques sur demande







**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**




Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
-------------------------------------	---	---	-------------------------------	--------------------------	---	---	-----------------------------------

52213-06-06S	-6	-6	5/8-18			40	
52213-08-08S	-8	-8	3/4-18			45	
52213-10-10S	-10	-10	7/8-18			52	
52213-10-12S	-10	-12	7/8-18			55	
52213-12-12S	-12	-12	1 1/16-16			64	



Short pilot  
O-ring male swivel

52215-06-06S	-6	-6	5/8-18		20	45	
52215-08-08S	-8	-8	3/4-18		25	50	
52215-10-10S	-10	-10	7/8-18		25	57	
52215-12-12S	-12	-12	1 1/16-16		40	72	



Short pilot  
O-ring male swivel, 45° elbow


52214-06-06S	-6	-6	5/8-18		40	30	
52214-08-08S	-8	-8	3/4-18		48	32	
52214-10-10S	-10	-10	7/8-18		50	47	
52214-10-12S	-10	-12	7/8-18		55	47	
52214-12-12S	-12	-12	1 1/16-16		60	50	




Short pilot  
O-ring male swivel, 90° elbow

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**


**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**

ARMATUREN FITTINGS RACCORDS	Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R
	52206-06-06S	-6	-6	5/8-18			38
	52206-06-08S	-6	-8	5/8-18			40
	52206-08-08S	-8	-8	3/4-16			41
	52206-10-10S	-10	-10	7/8-14			54
	52206-10-12S	-10	-12	7/8-14			56
	52206-12-12S	-12	-12	1 1/16-14			60

O-ring male insert straight

	52207-06-06S	-6	-6	5/8-18		22	42
	52207-08-08S	-8	-8	3/4-16		32	57
	52207-10-10S	-10	-10	7/8-14		35	67
	52207-12-12S	-12	-12	1 1/16-14		35	80

O-ring male insert, 45° elbow

	52208-06-06S	-6	-6	5/8-18		42	30
	52208-08-08S	-8	-8	3/4-16		55	42
	52208-10-10S	-10	-10	7/8-14		62	48
	52208-12-12S	-12	-12	1 1/16-14		45	50

O-ring male insert, 90° elbow


**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**

**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**




Teilnummer part no. référence	Anschluß fitt.conn. size module du filetage	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
-------------------------------------	---	---	-------------------------------	--------------------------	---	---	-----------------------------------

52617-06-06S	-6	-6	5/8-18	M10x1.25		50	
52617-08-08S	-8	-8	3/4-16	M10x1.25		50	
52617-10-10S	-10	-10	7/8-14	M10x1.25		55	
52617-12-12S	-12	-12	1 1/16-14	M10x1.25		58	




O-ring female swivel - switch adapter M10x1.25

52618-06-06S	-6	-6	5/8-18	M10x1.25	15	55	
52618-08-08S	-8	-8	3/4-16	M10x1.25	15	55	
52618-10-10S	-10	-10	7/8-14	M10x1.25	22	67	
52618-12-12S	-12	-12	1 1/16-14	M10x1.25	25	73	



O-ring female swivel - switch adapter M10x1.25  
45° elbow

52619-06-06S	-6	-6	5/8-18	M10x1.25	30	50	
52619-08-08S	-8	-8	3/4-16	M10x1.25	35	55	
52619-10-10S	-10	-10	7/8-14	M10x1.25	45	60	
52619-12-12S	-12	-12	1 1/16-14	M10x1.25	48	70	



O-ring female swivel - switch adapter M10x1.25  
90° elbow




**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**






**ARMATUR FÜR KLIMASCHLAUCH**  
**HOSE FITTINGS**  
**RACCORDS POUR TUYAUX AIRCONDITIONNE**



Teilnummer part no. référence	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R	ARMATUREN FITTINGS RACCORDS
527087-06-06S	-6				50	  Inline splicer
527087-08-08S	-8				50	
527087-10-10S	-10				50	
527087-12-12S	-12				50	
527097-06-06S	-6			22	50	  Inline T-splicer
527097-08-08S	-8			24	50	
527097-10-10S	-10			25	50	
527097-12-12S	-12			28	50	
527024-06-06HPS	-6		16 (HP)		50	  Inline splicer - R134a valve
527024-08-08HPS	-8		16 (HP)		50	
527024-10-10LPS	-10		13 (LP)		50	
527024-12-12LPS	-12		13 (LP)		50	

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**

ARMATUREN FITTINGS RACCORDS	Teilnummer part no. référence	Schlauch- durchmesser hose size module du tuyau	Gewinde thread filetage	Ventil valve valve	D	R
	<b>527020-06-06HPS</b>	<b>-6</b>		<b>17 (HP)</b>		<b>50</b>
	<b>527020-08-08HPS</b>	<b>-8</b>		<b>17 (HP)</b>		<b>50</b>
	<b>527020-10-10LPS</b>	<b>-10</b>		<b>14 (LP)</b>		<b>50</b>
	<b>527020-12-12LPS</b>	<b>-12</b>		<b>14 (LP)</b>		<b>50</b>

Inline splicer - pressure sensor 7/16-20

Maatvoering, afbeeldingen en teksten in deze folder zijn niet bindend.  
 Dimensions, pictures and text in this leaflet are not binding.  
 Ce document n'est pas contractuel et peut être modifié à tout moment.  
 Maßzahlen, Bilder und Text in dieser Katalog sind nicht bindend.  
 retici firma ölçüler, resimler ve tanımlamalar üzerinde değişiklik yapma hakkını saklı tutar.

**Sonder Armaturen auf Anfrage**  
**Special fittings on request**  
**Raccords spécifiques sur demande**

KAPPE	O-RING HNBR
PROTECTION CAP	O-RING HNBR
CAPUCHON	O-RING HNBR

part no.



7042

protection cap 7/16 - 201/4



<b>52XXX-X-XS</b>
<b>52XXX</b> = Bestell nr., part no., référence
<b>X</b> = Schlauchgröße, fitt.conn.size, module du filetage
<b>X</b> = Schlauchmaß, hoze size, module du tuyau,
<b>S</b> = Stahl, staal, steel

part no.	I.D. (mm)	width (mm)	proposed torque (Nm)
7028-06	7.65	1.78	13,6-20,3
7028-08	10.82	1.78	32,5-42,0
7028-10	14.00	1.78	35,3-42,0
7028-12	17.17	1.78	40,7-47,5

SCHLUSSKAPPE	RUN AND DROP
PROTECTION CAP VALVES + CORE	
CAPUCHON	

part no.



7037

protection cap (red) (HP)




7038

protection cap (blue) (LP)



7039

valve core



\* Dimension related to partnumber between 20-25 mm.

## **Burgaflex BV Holland**

Mon Plaisir 112  
4879 AT Etten-Leur  
Tel. +31(0)76 503 5000  
E-mail info@burgaflex.nl

## **Burgaflex UK Ltd.**

Unit 1.03 Phoenix Park Industrial Estate  
Phoenix Close  
Heywood, Lancs. OL10 2JG  
Tel. +44(0)1706 620 220  
E-mail info@burgaflex.co.uk

## **Burgaflex Turkey Ltd.**

Orta Olcekli San. Sit., 14.Sokak No. 10  
Muradiye Mah., Yunusemre 45140  
Manisa Turkey  
Tel. +90(0)236 2140520 - 21  
E-mail info@burgaflex.com.tr

## **Burgaflex Poland SP. Z.o.o.**

ul. Plonów 24  
41-200 Sosnowiec  
Tel. +48(0)720 873 405  
E-mail info@burgaflex.com

## **Burgaflex France SAS**

Z.A. De Perriers, 82-84 Route de Cor  
78505 SARTROUVILLE CEDEXmeilles  
Tel. +33(0)1 3962 83 67  
E-mail info@burgaflex.fr

## **Burgaflex Asia Pacific**

14 Motorway Circuit  
Ormeau, Queensland 4208  
Tel. +61(0)7 5549 4022  
E-mail info@burgaflex.com.au

## **Burgaflex China Limited**

Unit 1109, 11/F, Manhattan Center  
8 Kwai Cheong Road, Kwai Chung, N.T.  
Hong Kong  
Tel. +852(0)2422 0180

# **Burgaflex**



[www.burgaflex.com](http://www.burgaflex.com)