



Ruthin - 380 x 310 x 75

FEATURES:

Traffic Flow Hinged

BS EN124 Class C250

Ductile Iron for Strength and Durability

Black coated finish

C250

BS EN124: 1994

ISO 9001



RUTHIN 365 x 310 x 75 C250

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD18TF	Ruthin	380 x 310	480 x 370	75

EN124 Gully Gratings and Frames: C250, Group 3

C250 Gully gratings and frames are designed for use in carparks, industrial or commercial areas carrying slow moving traffic

All C250 Gully Gratings and frames are certified to BSEN124:1994



R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Dover - 365 x 310 x 100 D400

FEATURES:

Traffic Flow Hinged

BS EN124 Class D400

Ductile Iron for Strength and Durability

Black coated finish

D400

BS
EN124:
1994

ISO
9001



DOVER 365 X 310 X 100 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD25TF	DOVER	365 x 310	515 x 400	100

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



ISOQAR
REGISTERED

R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554

FACSIMILE: +44 (0) 1952 580527

WEBSITE: WWW.RANDB-UK.COM

EMAIL: SALES@RANDB-UK.COM



Dover - 430 x 370 x 100/150 D400

Traffic Flow Hinged

FEATURES:

Traffic Flow Hinged

Unique Spring Lock design

BS EN124 Class D400

Ductile Iron for Strength and Durability

Black coated finish

D400

**BS
EN124:
1994**

**ISO
9001**



DOVER 430 x 370 x 100/150 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD22TF	DOVER	430 x 370	590 x 465	100
CGD30	DOVER	430 x 370	590 x 465	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Dover - 420 x 420 x 100/150 D400

FEATURES:

- Traffic Flow Hinged
- Unique Spring Lock design
- BS EN124 Class D400
- Ductile Iron for Strength and Durability
- Black coated finish

D400	BS EN124: 1994	ISO 9001
-------------	-------------------------------	---------------------



DOVER 420 x 420 x 100/150 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD24TF	DOVER	420 x 420	550 x 496	100
CGD23TF	DOVER	420 x 420	560 x 496	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



**Dover - 420 x 420 x 100/150 D400
HA104**

FEATURES:

Traffic Flow Hinged

Unique Spring Lock design

BS EN124 Class D400

Ductile Iron for Strength and Durability

Black coated finish

HA104 COMPLIANT

D400

**BS
EN124:
1994**

**ISO
9001**



DOVER 420 X 420 X 100/150 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD24TF	DOVER	420 x 420	580 x 515	100
CGD23TF	DOVER	420 x 420	600 x 530	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are HA104 approved



**R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB**

**SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM**



Glamis - 430 x 430 x 100 D400

FEATURES:

- Kerb Hinged
- Designed Specifically for Pedestrianized areas
- BS EN124 Class D400
- Ductile Iron for Strength and Durability
- Black coated finish

D400	BS EN124: 1994	ISO 9001
-------------	-----------------------	-----------------



GLAMIS 430 X 430 X 100 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD26KB/PED	Glamis	430 x 430	580 x 535	100

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Ripley - 420 x 420 x 100/150 D400

Double Triangular

FEATURES:

Double Triangular
Grating + Frame

BS EN124 Class D400

Ductile Iron for Strength
and Durability

Black coated finish

D400

BS
EN124:
1994

ISO
9001



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD19D	RIPLEY	420 x 420	570 x 500	100
CGD15D/150	RIPLEY	420 x 420	570 x 500	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



ISOQAR
REGISTERED

RIPLEY 420 x 420 x 100/150 D400

R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



**Ripley Hinged - 430 x 370 x 100
D400**

**Double
Triangular/hinged**

FEATURES:

Hinged + Double
Triangular

BS EN124 Class D400


Ductile Iron for Strength
and Durability

Black coated finish

D400

**BS
EN124:
1994**

**ISO
9001**



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD29HDT	Ripley H	430 x 370	520 x 524	100

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



Ripley Hinged 430 x 370 x 100/150

R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Glin - 480 x 370 x 150 D400

FEATURES:

- Hinged
- Brass Turnbuckle lock
- BS EN124 Class D400
- Ductile Iron for Strength and Durability
- Black coated finish

D400	BS EN124: 1994	ISO 9001
-------------	-------------------------------	---------------------

OPTIONS:

- Sub-Frame 50mm



GLIN 480 X 370 X 150 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1052D	GLIN	480 x 370	560 x 410	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM



Halkyn - 480 x 370 x 150 D400

FEATURES:

- Hinged
- Brass Turnbuckle lock
- BS EN124 Class D400
- Ductile Iron for Strength and Durability
- Black coated finish

D400

BS EN124: 1994

ISO 9001



OPTIONS:

- Sub-Frame 50mm

HALKYN 480 x 370 x 150 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1045D	HALKYN	480 x 370	560 x 410	100

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



R&B UK JT LIMITED
 COURT 2000, BRIDGNORTH ROAD,
 MADELEY, TELFORD
 SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
 FACSIMILE: +44 (0) 1952 580527
 WEBSITE: WWW.RANDB-UK.COM
 EMAIL: SALES@RANDB-UK.COM



Dudley - 600 x 450 x 100/150 D400

FEATURES:

Traffic Flow Hinged

BS EN124 Class D400

Ductile Iron for Strength and Durability

Black coated finish

D400

BS
EN124:
1994

ISO
9001



DUDLEY 600 x 450 x 100/150 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
CGD28KB	Dudley	600 x 450	760 x 540	100
CGD28KB/150	Dudley	600 x 450	760 x 540	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.





Stokesay - 600 x 600 x 100/150 D400

Double Triangular

FEATURES:

Double Triangular Grating + Frame

BS EN124 Class D400

Ductile Iron for Strength and Durability

Black coated finish

D400

BS
EN124:
1994

ISO
9001



Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1023D	Stokesay	600 x 600	755 x 755	100
1023D/150	Stokesay	600 x 600	755 x 755	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



ISOQAR
REGISTERED

R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554

FACSIMILE: +44 (0) 1952 580527

WEBSITE: WWW.RANDB-UK.COM

EMAIL: SALES@RANDB-UK.COM



York - 650 x 650 x 150 D400

Traffic Flow hinged V Profile

FEATURES:

Hinged V Profile Grating + Frame

BS EN124 Class D400

Ductile Iron for Strength and Durability

Black coated finish

D400

**BS
EN124:
1994**

**ISO
9001**



YORK 650 X 650 X 150 D400

Code	Product Name	Clear Opening (mm)	Over Base (mm)	Depth (mm)
1023D	York	650 x 650	790 x 810	150

EN124 Gully Gratings and Frames: D400, Group 4

D400 gully gratings and frames are designed for use in the kerb side of carriageways and estate roads including pedestrian streets. All D400 gully gratings and frames are certified to the requirements of BS EN124.

These gratings are not HA104 approved so are not suitable for locations with excessive traffic clipping. HA104/09 Product is available.



R&B UK JT LIMITED
COURT 2000, BRIDGNORTH ROAD,
MADELEY, TELFORD
SHROPSHIRE, TF7 4JB

SWITCHBOARD: +44 (0) 1952 580554
FACSIMILE: +44 (0) 1952 580527
WEBSITE: WWW.RANDB-UK.COM
EMAIL: SALES@RANDB-UK.COM