

WiFi--control LED Ceiling Lamp



WiFi Control



for Amazon Alexa, Google Assistant

GROUP CONTROL

Realize synchronous switching, color changing, the scene modes selection, timer, etc.



• Control type:

1. Voice control

works with Amazon Alexa (Echo/dot/tap) and Google Assistant

2. APP

3. Infrared remote control

Voltage: 110V-130V or 190V-265V

4. CRI > 80, HPF

5. Lamp cover: PMMA or MS



amazon alexa

works with Google Assistant

24W, 36W, 48W, 60W, 80W, 100W, different cover for option, applying CE



- **Control type:**

- 1. Remote control**

Voltage: 190V-265V

- 1. Voice control**

works with Amazon Alexa(Echo/dot/tap) and Google Assistant

- 2. APP**

- 3. infrared remote control**

4. CRI>80,HPF

5. Lamp cover:PMMA

- **Function:**


1. Built-in sound speaker (hi-fi full frequency neodymium magnetic horn)

2. Remote control dimmable and color adjustable, night light

60W, different cover for option, CE standards

CE standards

Bluetooth LED Ceiling lamp



- Control type:

1. Remote control

Voltage: 190V-265V

- Function:


1. Built-in sound speaker (hi-fi full frequency neodymium magnetic horn)
2. Remote control dimmable and color adjustable night light
3. RGB Function
4. lamp cover: PMMA
5. CRI>80, HPF



MODEL	Wattage	Product size	Luminous Flux	Color Temperature	LED Qty (PCS)	Carton size/Qty
GX-GD024B	30W	Φ380*60mm	2000lm	3000-6500K	40+6	550*435*440mm /8pcs

CE+CB CERTIFICATE

Bluetooth LED Ceiling Lamp



- **Control type:**

1. **Remote control**

Voltage: 190V-265V

- **Function:**

1. Built-in sound speaker (hi-fi full frequency neodymium magnetic horn)
2. Remote control dimmable and color adjustable, night light
3. lamp cover: PMMA
4. CRI>80, HPF



MODEL	Watt age	Product size	Luminous Flux	Color Temperature	LED Qty (PCS)	Carton size/Qty
MX/55060EHMLS-LED	60W	Φ550*90mm	4000lm	3000-6500K	70	615*230*620mm/2pcs


Smart LED Ceiling Lamp

CE CERTIFICATE

NEW

● Control type:

1. Wall switch control: 100%(4500K)-50%(6500K)-50%(3000K)
2. Infrared remote control, : 20%-100%, 3000k~6500K
3. Voltage: 190V-265V 50Hz
4. lamp cover: MS
5. CRI>80,HPF



Model	Wattage	Product Size	Luminous Flux	Color Temperature	LED Qty/pcs
MX/45048EHM-SHS	48W	Φ490*88MM	3200lm	3000K-6500K	64


Smart LED Ceiling Lamp

CE CERTIFICATE

NEW

● Control type:

1. Wall switch control: 100%(4500K)-50%(6500K)-50%(3000K)
2. Infrared remote control, : 20%-100%, 3000k~6500K
3. Voltage: 190V-265V 50Hz
4. lamp cover: MS
5. CRI>80, 24W:MPF, 48W:HPF



Model	Wattage	Control type	Product Size	Luminous Flux	Color Temperature	LED Qty/pcs
MX35024EHM-XYX	24W	Infrared remote control	Φ380*90mm	1500lm	3000K-6500K	24
MX/45048EHM-XYX	48W		Φ490*100mm	3500lm	3000K-6500K	64

Smart LED Ceiling Lamp

CE CERTIFICATE



● Control type:

1. Wall switch control: 100%(4500K)-50%(6500K)-50%(3000K)
2. Infrared remote control, : 20%-100%, 3000k~6500K
3. Voltage: 190V-265V 50Hz
4. lamp cover: MS
5. CRI>80, 24W:MPF, 48W:HPF



Model	Wattage	Control type	Product Size	Luminous Flux	Color Temperature	LED Qty/pcs
MX/45048EHM-TH	48W	Infrared remote control	Φ490*95mm	3500lm	3000K-6500K	64

Smart LED Ceiling Lamp

CE CERTIFICATE

NEW

● Control type:

1. Wall switch control: 100%(4500K)-50%(6500K)-50%(3000K)
2. Infrared remote control, : 20%-100%, 3000k~6500K
3. Voltage: 190V-265V 50Hz
4. lamp cover:MS
5. CRI>80, HPF



Model	Wattage	Control type	Product Size	Luminous Flux	Color Temperature	LED Qty/pcs
MX/45048EHM-DC	48W	Infrared remote control	φ550*88mm	3200lm	3000K-6500K	64

CE CERTIFICATE

Smart LED Ceiling Lamp



Control type:

- 1. Infrared remote control: 3000k~6500k, 20%--100% ;
- 2. Wall switch control: 100% (4500K)- 50%(6500K)-50%(3000K)
- 3. Voltage: 190~265V
- 4. lamp cover: MS
- 5. CRI>80, 24W:MPF, 48W:HPF



MODEL	Wattage	Product size	Luminous Flux	Color Temperature	LED Qty (PCS)
MX/40024EHM-BLS	24W	Φ400*183mm	1500lm	3000K-6500K	24
MX/48048EMH-BLS (CE Certificate)	48W	Φ495*100mm	3300lm	3000K-6500K	64

Smart LED Ceiling Lamp

CE CERTIFICATE

●Control type:


1.Wall switch control:100%(4500K)- 50%(6500K)-
50%(3000K)

2. Infrared remote control,: 20%-100%, 3000k~6500K

3.Voltage: 190V-265V 50Hz

4. lamp cover:MS

5.CRI>80, HPF



Model	Wattage	Control type	Product Size	Luminous Flux	Color Temperature	LED Qty
MX/48048EHC-BLZ	48W	Wall switch control	Ø510*110mm	4000lm	4500K-6500K-3000K	64
MX/48048EHM-BLZ	48W	Infrared remote control	Ø510*110mm	4000lm	3000K-6500K	64

●Control type:

1.Wall switch control:100%(4500K)- 50%(6500K)- 50%(3000K)

2. Infrared remote control,: 20%-100%, 3000K~6500K

3.Voltage: 190V-265V 50Hz

4. lamp cover:MS

5.CRI>80,HPF



Model	Wattage	Control type	Product Size	Luminous Flux	Color Temperature	LED Qty
MX/48048EHC-FDS	48W	Wall switch control	Ø500*120mm	3500lm	4500K-6500K-3000K	64
MX/48048EHM-FDS	48W	Infrared remote control	Ø500*120mm	3500lm	3000K-6500K	64

CE CERTIFICATE

Smart LED Ceiling Lamp

● Control type:

1. Wall switch control: 100%(4500K)- 50%(6500K)- 50%(3000K)
2. Infrared remote control: 20%-100%, 3000K~6500K
3. Voltage: 190V-265V 50Hz
4. lamp cover: MS
5. CRI>80, HPF



Model	Wattage	Control type	Product Size	Luminous Flux	Color Temperature	LED Qty
MX/48048EHM-SBW	48W	Infrared remote control	Φ490*80mm	3200lm	3000K-6500K	64
MX/55060EHM-SBW	60W		Φ545*90mm	4300lm	3000K-6500K	70



Super Slim Smart LED Ceiling

CE CERTIFICATE



- Infrared remote control: 20%--100%, 3000K~6500K night light, stable, no flicker
- Voltage: 100V-130V OR 190v~265V
- lamp cover: PMMA
- CRI>80, HPF



MODEL	Wattage	Product size	Luminous Flux	LED Qty	Carton size/Qty (mm/pcs)
MX/48036EHM-CB	36W	Φ480x50mm	2400lm	40pcs	555x560x285mm/4pcs
MX/48048EHM-CB	48W	Φ480x50mm	3200lm	64pcs	555x560x285mm/4pcs
MX/55060EHM-CB	60W	Φ550x68mm	4000lm	70pcs	615x335x625mm/4pcs



● Control type:

1. Wall switch 100%(4000K)-50%(6500K)-50%(3000K)
2. remote control 3000K~6500K,20%~100%
3. Voltage: 190V-250V 50Hz
4. lamp cover:MS
5. CRI>80, 48W:HPF

MODEL	Wattage	Control type	Product size	Luminous Flux	Color Temperature	LED Qty (PCS)
MF/45048EHM-LED	48W	Infrared remote control	430*430*65MM	2800lm	3000-6500K	64
MF/45048EHM-LED	60W		530*530*65MM	3600lm	3000-6500K	70



Radar Sensor LED Ceiling lamp



CB+CE APPROVAL

- Radar sensor function:
When detect movement,100% lighting.
When no motion , light off.
- Voltage:190V-265V
- Sensing distance: 5-6 meters,
360 degrees under light
- IP 20 or IP44
- lamp cover:PMMA
CRI>80, MPF

MODEL	Wattage	Product size	Luminous Flux	Color Temperature	LED Qty (PCS)	Carton size/Qty
MX/23012LD-YT	12W	Φ258x93mm	860lm	3000k/6500k	24	475x315x320mm/5pcs
MX/30018LD-YT	18W	Φ343x118mm	1280lm	3000k/6500k	36	465X385X390mm/4pcs



LED Ceiling lamp—3 level switch or ON/OFF function

CB+CE APPROVAL

- Control type: Wall switch control
- Voltage:220V-240V
- Function: 3 level switch[100%-50%-10%], or 3000K/6500K On/Off only
- stable, no flicker
- lamp cover:PMMA
CRI>80, MPF
IP20 or IP44



MODEL	Wattage	Product size	Luminous Flux	Color Temperature	LED Qty (PCS)	Carton size/Qty
MX/23012EHC-LED	12W	Φ258x93mm	860lm	3000k/6500k	24	475x315x320mm/5pcs
MX/30018EHC-LED	18W	Φ343x118mm	1280lm	3000k/6500k	36	465X385X390mm/4pcs
MX/35025EHC-LED	24W	Φ386x122mm	1680lm	3000k/6500k	48	485X435X440mm/4pcs