






































Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
A02		CURB	7.00	34.4 x 25	mm	38.2
A04(1)		CURB	6.00	35 x 25	mm	25.1
A04(2)		CURB	6.00	30 x 22.4	mm	28.3
A06R		ROUND CURB	5.00	30 x 18.2	mm	14.8
A06(1)		CURB	5.00	23.6 x 18.8	mm	20.5
A08(2)		CURB	4.05	20.5 x 15.5	mm	13.8
A08(3)		CURB	4.06	17.9 x 14.5	mm	14.6
A09(1)		CURB	3.65	20.5 x 14	mm	10
A09(2)		CURB	3.66	16.3 x 13	mm	11.2
A11K		CURB	3 x 2.3	20.3 x 14	mm	
A11(1)		CURB	3.00	17.9 x 11.5	mm	6.2
A11(2)		CURB	3.00	11.2 x 15.1	mm	7.04

Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
A12(1)		CURB	2.60	18.4 x 11.7	mm	4.6
A12(4)		CURB	2.60	14.7 x 10.4	mm	5.1
A04(2)G		Diamond Cut	6.00	30 x 22.4	mm	
A06G		Diamond Cut	5.00	23.6 x 18.8	mm	
A07G		Diamond Cut	4.50	21.1 x 16	mm	
A08(2)G		Diamond Cut	4.06	20.5 x 15.5	mm	
A08-1-4DC		Diamond Cut	4.10	18.8 x 12.9	mm	10.9
A09-1-8DC		Diamond Cut	3.60	17.3 x 11.7	mm	8.3
A09(1)G		Diamond Cut	3.66	20.6 x 14	mm	
A10(1)G		Diamond Cut	3.25	19 x 12.4	mm	
A11(1)G		Diamond Cut	3.00	17.9 x 11.5	mm	
A12(4)G		Diamond Cut	2.60	14.7 x 10.4	mm	
A13(2)G		Diamond Cut	2.30	16.4 x 10.9	mm	
A13(6)G		Diamond Cut	2.30	13.7 x 9.5	mm	


















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
A04(1)O		CABLE	6.00	44.7 x 31.2	mm	23.2
A04(2)O		CABLE	6.00	25.25 x 18.78	mm	26.6
A07LO		CABLE	4.47	28.5 x 20.5	mm	13.7
A09(1)O		CABLE	3.66	19.8 X 15.	mm	9.8
A10(1)O		CABLE	3.25	17.8 X 13.1	mm	7.3
BL-A15		CIRCLE CABLE	6.3x2.2	16.25	mm	
A09(2)O		CABLE	3.66	21 X 13.9	mm	
ASQ09C		SQUARE CABLE	3.66 x3x3	20.7 x 12.3	mm	
A11(311CF)		CABLE	2.92	24.96 x 17	mm	
A11C-O		CABLE	3 x 2.3	20.3 x 15.9	mm	
ASQ13C		SQUARE CABLE	2.34 x 2 x2	16.9 x 8	mm	
A13(1)O		CABLE	2.34	12.9 x 9.95	mm	3.76
A14(1)O		CABLE	2.03	10.5 x 8.1	mm	2.92












Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
A15(1)O		CABLE	1.83	9.2 x 7.3	mm	2.4
A16-OSKY		CABLE-SKY	1.60	10.3 x 6.6	mm	
A14F		FLAT CABLE	2.03	12.4 x 7.35	mm	2.4
A08(D)		DOUBLE CURB	4.10	30.6 x 22	mm	23.6
A11(1)DRB		DOUBLE CURB	3.00	27.1 x 19.3	mm	12.2
A11(2)D		DOUBLE CURB	3.00	21.4 x 15	mm	12.65
A13(D)		DOUBLE CURB	2.30	19.45 x 12.9	mm	7.14
A14(D)		DOUBLE CURB	2.00	17.1 x 10	mm	5.18
A11DH-1		FLATTEN DOUBLE CURB	2.95 x 2.2	21.3 x 19.5	mm	
A11DH-2		FLATTEN DOUBLE CURB	2.95 x 2.2	21.3 x 19.5	mm	
A11DH-3		FLATTEN DOUBLE CURB	2.95 x 2.2	21.3 x 19.5	mm	
A11FM		FLATTEN DOUBLE CURB	3.8 x 2.11	29.8 x 22.7	mm	















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
A11L-W		FLATTEN CURB	3.8 x 2.11	29.8 x 22.7	mm	
A15FD		FLATTEN DOUBLE CURB	2.3 x 1	15.8 x 13	mm	
A13DH		Double curb	2.30	25.35 x 17.3	mm	6.76
A14DH		Double curb	2.00	20.22 x 13.7	mm	5.56
AD220(2.5)		DOUBLE RINGS	2	12.5	mm	7.1
A211DT		DOUBLE CABLE	2.7 x 3.9	19.9 x 15.5	mm	
A14-3.5FK		RINGS	2.00	15mm Dia.	mm	
A16-3FK		RINGS	1.60	12.7mm Dia	mm	
A18-2.25FK		RINGS	1.30	9.7mm Dia	mm	
SK-A110		FASHION	2.95	39 x 16.6 x 9 20.3 x 12.4	mm	
SK-A110+B1		FASHION	2.95	39 x 16.6 x 9 20.3 x 12.4	mm	
SK-A110+B		FASHION	2.95	39 x 16.6 x 9 20.3 x 12.4	mm	













Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B16-4RDC		hand bag	1.60	7 x 5	mm	
B15-4DC		hand bag	1.83	8.4 x 5.4	mm	6.5
B14-FRDC		hand bag	2.00	9.4 x 6.8	mm	
B13-FRDC		hand bag	2.40	11.1 x 8.2	mm	
B12-RDC		hand bag	2.60	12.5 x 10.04	mm	
B11-RDC		hand bag	2.95	13.3 x 10.9	mm	
B9-1-8DC		hand bag	3.66	17 x 11.9	mm	
B17(2)DG		double chain	1.42		mm	
SB-12		hand bag		12mm width	mm	5.5
SB-15		hand bag		15mm width	mm	7.2
RSB-12		hand bag		12mm width	mm	
RSB-15		hand bag		15mm width	mm	
RSB-20		hand bag		20mm width	mm	
DS-1540		hand bag	2.45 x 1.8	10 x 6.8	mm	
SQ226(1:1)		hand bag	2.9 x 2.7	13.1 x 16.2 & 9.3 x 7.0	mm	
SQ220L-B		hand bag	2.5 x 1.86	22.16 x 9.2	mm	

















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
SQ234		hand bag	2.9 x 2.8	24 x 13.4	mm	
B209(3:1)		hand bag	5 x 2.12	29 x 9.6 & x 9.9	16.3 mm	
D220(2.5)		BASKET	2.00	12	mm	
B6174		BASKET	1.20	8	mm	
B6172		BASKET	1.20	8	mm	
B25L-BL		fashion	2.80	23.8 x 11.1 & 12.4 x 10	mm	
BF15DH		fashion	2.5 x 1	16 x 14	mm	
SK-B150		fashion	2.4 x 1.2	12.16 x 5.1 thk	mm	
SQ215(7)		RINGS	1.3 x 1.3	9.2	mm	8.1
SQ215(8)		RINGS	1.6 x 1.6	8	mm	
SQ215(9)		RINGS	1.7 x 1.8	9	mm	
B216W(7)		RINGS	1.60	7	mm	
B216W(8)		RINGS	1.60	8	mm	
B216W(10)		RINGS	1.60	10	mm	
B216(7X2+10)		RINGS	1.60	7 & 10	mm	
B216W(7+10)		RINGS	1.60	7 & 10	mm	
BR1.0-4.6		RINGS	1.00	4.6	mm	
















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
BR1.2-5.6		RINGS	1.20	5.6	mm	
BR1.4-6.4		RINGS	1.40	6.4	mm	
BR1.6-7.3		RINGS	1.60	7.3	mm	
BR1.8-8.2		RINGS	1.80	8.2	mm	
BR2.0-9.2		RINGS	2.00	9.2	mm	
CR-25		hand bag	2.45	11.6 dia	mm	
DH116W		double curb	1.60	13.5 x 9.8	mm	
B12DH		DH	2.60	width 19.65	mm	
BL-4		RINGS		6.5 x 2.4	mm	6
BL-5		RINGS		7 x 2.7	mm	7.7
BL-10		RINGS	3.9 width	10.1 x 3.9	mm	16.7
NKFG116(3:1)		FIGARO	1.60	14.2 x 6.1 & x 6.1	9.5 mm	
NKFG1120(3:1)		FIGARO	2.00	17.4 x 8.1 & 11.1 x 8.1	mm	
PNG-L		hand bag		10.2 x 6.56	mm	9
TH-011		hand bag		10mm width	mm	
TH-012		hand bag		16.6 width	mm	
TH-013		hand bag		12.7 width	mm	


















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
TH-001		hand bag		12.5 width	mm	
TH-009		hand bag		7.4 width	mm	
TH-010		hand bag		12.45 width	mm	
S04(1)		curb	6.00	34.5 x 26	mm	80
S06(1)		curb	5.20	28.5 x 19	mm	53
S06L		curb	5.20	33.3 x 26.4	mm	54.4
S07(1)		curb	4.60	21.2 x 17	mm	52.4
S08(1)		CURB	4.00	18.5 x 16.4	mm	42.1
S08(1)RB		curb	4.00	31.2 x 24.4	mm	34
S08(2)		curb	4.00	18.7 x 15	mm	40
S08L		curb	4.00	39.8 x 28.2	mm	31.6

















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S09(2)		curb	3.66	17 x 13.4	mm	
S10(1)		curb	3.25	25.1 X 19.1	mm	25
S10(2)		curb	3.25	19 X 14.2	mm	26.1
S10(3)		curb	3.25	17.1 X 12.6	mm	27.6
S11(1)		curb	2.95	24 x 19.1	mm	20.5
S11(2)		curb	2.95	17.15 x 13.56	mm	22.2
S11(3)		curb	2.95	15.3 x 11	mm	22.2
S11(4)		CUT	2.95	13.5 x 10.75	mm	23.4
S11L		curb	2.95	20.8 x 11.6	mm	18
S12(1)		curb	2.61	17 x 13	mm	17
S12(2)		curb	2.61	14.7 x 10.8	mm	17.2
S13(1)		curb	2.34	15.45 x 10.5	mm	11.2
S13(2)		curb	2.34	14.16 x 9.6	mm	11.5
S13(3)		curb	2.34	12.4 x 9.2	mm	13.6


















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S06(1)G		diamond cut	5.20	28.5 x 19	mm	
S07(1)G		diamond cut	4.60	21.2 x 17	mm	
S08(1)G		diamond cut	4.00	18.5 x 16.4	mm	40.3
S08(2)G		diamond cut	4.00	18.7 x 15	mm	38
S09-1-4DC		diamond cut	3.66	17.1 x 12	mm	
S09-1-8DC		diamond cut	3.66	17.1 x 13	mm	
S10(1)G		diamond cut	3.25	25.1 X 19.1	mm	24
S10(2)G		diamond cut	3.25	19 X 14.2	mm	25.2
S10(3)G		diamond cut	3.25	17.1 X 12.6	mm	26.2
S10-1-4DC		diamond cut			mm	
S10-1-8DC		diamond cut	3.25	15.6 x 10.8	mm	23.5
S10-1-RRDC		diamond cut	3.25	18.46 x 13.5	mm	
S10-2-RRDC		diamond cut	3.25	17 x 12	mm	














Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S10-3-RRDC		diamond cut	3.25	15.8 x 11.4	mm	
S10-TRDC		diamond cut	3.25	16 x 11.9	mm	0
S11(1)G		diamond cut	2.95	24 x 19.1	mm	19
S11(2)G		diamond cut	2.95	17.15 x 13.56	mm	19.4
S11(3)G		diamond cut	2.95	15.3 x 11	mm	19.4
S11LG		diamond cut	2.95	20.8 x 11.6	mm	16.4
S11-RDC		diamond cut	2.95	16 x 11.9	mm	
S11-TRDC		diamond cut	2.95	16 x 12.2	mm	
WF-S11		diamond cut	2.95	13.4 x 11	mm	
WF-S12		diamond cut	2.60	12.78 x 10	mm	
S12(1)G		diamond cut	2.61	17 x 13	mm	16.4
S12(2)G		diamond cut	2.61	14.7 x 10.8	mm	17
S12-RDC		diamond cut	2.61	12.8 x 10.4	mm	
S13(1)G		diamond cut	2.34	15.45 x 10.5	mm	10.7
S13(2)G		diamond cut	2.34	14.16 x 9.6	mm	10.8
S13(3)G		diamond cut	2.34	12.4 x 9.2	mm	12






Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S13-4RDC		diamond cut	2.34	10.6 x 8.2	mm	
S13-TRDC		diamond cut	2.34	11 x 8.9	mm	
S13D		curb double	2.34	16.94 x 12.8	mm	24.6
S13FD		curb double	2.34	18.8 x 15.88	mm	24.8
S14FD		curb double	2	14.5 x 12	mm	18
S15(1)DG		twin curb	1.83	13.4 x 10.6	mm	13.9
S16(1)DG		twin curb	1.60	13.7 x 9	mm	9.9
S17(2)DG		twin curb	1.42	14.14 x 8.8	mm	7.1
S17DG-RB		twin curb	1.42	width 9.6	mm	
SQ17D		twin curb	1.40	width 6.6	mm	
IRDH112-3W		twin curb	1.20	10.65 x 7.7	mm	4.9
S18DG		twin curb	1.29	9 x 6.5	mm	6
S10(O)		cable	3.25	17.8 x 13.1	mm	24.7
S11(O)		cable	2.95	14 x 11	mm	21
S12(O)		cable	2.61	13 x 10.45	mm	17.5





Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S13(1)O		cable	2.34	14.3 x 10.4	mm	11.6
S13(2)O		cable	2.34	10.9 x 8.6	mm	13.6
S14(1)O		cable	2	12.9 x 8.25	mm	8.6
S14(2)O		CABLE	2	10.7 x 8.3	mm	8.8
S14(O)L		cable	2	21.2 x 10	mm	6.6
S15(1)O		cable	1.83	10 x 7.7	mm	6.9
S15(2)O		cable	1.83	11.9 x 8.8	mm	6.55
S16(1)O		cable	1.60	10.8 x 6.5	mm	4.8
S16(2)O		cable	1.60	8.7 x 6.1	mm	5.5
S16(3)O		cable	1.60	7.8 x 6.3	mm	6.2
S13F		cable flat	2.34	14 x 9.3	mm	10.9
S13FO		cable flat	2.34	13.8 x 10.04	mm	
S14F		cable flat	2	13.4 x 8.2	mm	
S14LF		cable flat	2	16.1 x 7.7	mm	7
S15F		cable flat	1.83	11.6 x 7	mm	6
S16(1)F		cable flat	1.60	11.3 x 6.2	mm	4.3
S16(2)F		cable flat	1.60	9.1 x 6.2	mm	5.1
















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S17F		cable flat	1.42	9 x 5.6	mm	3.6
S6694-11		CABLE-BOX	3.64 x 1.3	11 x 7.5 + 18 x 8	mm	
S6694-18+11		CABLE-BOX	3.64 x 1.3	11 x 7.5 + 18 x 8	mm	
S6694-13		CABLE-BOX	3.64 x 1.3	13 x 8	mm	
S6694-18+13		CABLE-BOX	3.64 x 1.3	13 x 8 & 18 x 8	mm	
S6694-16		CABLE-BOX	3.64 x 1.3	16 x 8	mm	
S6694-18		CABLE-BOX	3.64 x 1.3	18 x 8	mm	
S206		cable oval	7.3 x 2.8	28.2 x 19	mm	
S208		cable oval	5 x 2.5	20 x 13.5	mm	
S211		cable oval	4 x 1.95	16 x 10.8	mm	
S2110		cable oval	4.7 x 1.3	13 x 11	mm	
S212		cable oval	4.5 x 1.95	14.1 x 9.7	mm	
SD212C		CABLE-SQ	1.1 x 0.8	7.1 x 3.8	mm	1.85
SQ212		cable - SQ	1.1 x 1.1	8 x 4.5	mm	
214BT		CABLE-SQ	1.40	7.2 X 3.54	mm	2.6
218BT		CABLE-SQ	1.80	12.5 x 5.1	mm	3.5






Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
220BT		CABLE-SQ	2.00	16.15 x 7.2	mm	5.4
SQ214		CABLE-SQ	1.2 x 1.2	11.25 x 5.6	mm	
SQ216(1)		CABLE-SQ	1.4 x 1.4	9.22 x 6.32	mm	
SQ216(2)		CABLE-SQ	1.4 x 1.4	7.7 x 5.6	mm	
SQ218		CABLE-SQ	1.7 x 1.7	10.1 x 7.5	mm	
SQ224		CABLE-SQ	2.1 x 2.1	12 x 9.5	mm	
SQ224-L		CABLE-SQ	2 x 2	16.5 x 8.3	mm	
SQ226(1:1)		CABLE-SQ	2.68 x 2.6 & 2.4 x 2.3	16.1 x 13.1 & 12.2 x 9.1	mm	
SQ234		CABLE-SQ	3.0 x 3.0	24 x 13.46	mm	
SQ235		CABLE-SQ	3.3 x 3.3	20.7 x 11	mm	
S14M		twin cable	2	12.6 x 9.85	mm	18.2
S14TM		twin cable	2	13.22 x 9.4	mm	11.1
S15M		twin cable	1.83	11.4 x 8.5	mm	13.6
S16M		twin cable	1.60	10.4 x 7.7	mm	10.8
S17M		twin cable	1.42	9.45 x 6.6	mm	8.2
SSQ17M		twin cable	1.40	width 6.6	mm	
SQ17M		twin cable	1.40	width 7.15	mm	









Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S18(1)M		twin cable	1.29	9 x 6	mm	5.8
S18(2)M		twin cable	1.29	7.75 x 5.45	mm	6.2
S19M		twin cable	1.00	7.45 x 5	mm	4.1
S16-OSKY		SKY	1.42	11.2 x 7	mm	
115SKY		SKY	1.30	11.3 x 8.1	mm	4
120SKY		SKY	2.00	15.6 x 10.5	mm	8
125SKY		SKY	2.50	17.4 x 13.25	mm	12
130SKY		SKY	3.00	21.2 x 16.85	mm	18
135SKY		SKY	3.50	25.1 x 18.8	mm	23.8
140SKY		SKY	3.80	33.1 x 26	mm	30
EE-11G		EYE	2.95	23 x 18.5	mm	
EE-13G		EYE	2.30	18 x 13.5	mm	
EE-S226		EYE	2.60	22.3 x 14.7	mm	






Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
B12DH		DH	2.60	width 19.65	mm	
S14(1)DH		DH	2	22.5 x 16.8	mm	15.7
S14(2)DH		DH	2	19.21 x 14.7	mm	20
DH116W		DH	1.60	width 11.34	mm	
IRDH112		DH	1.20	12.5 x 8.8	mm	5.3
IRDH110		DH	1.00	9.9 x 7.25	mm	4.1
IRDH110+BL		DH-BL	1.00	width 8.2	mm	
IRDH110+BL(G)		DH-BL	1.00	width 8.2	mm	
S6172		BASKET	1.60	width 8.2	mm	
S6173		BASKET	1.22	width 9.5	mm	
SQ6177		BASKET	1.3 x 1.3	width 9.2	mm	
S6176		BASKET	2.8 & 1.5	width 12.8	mm	
S6176-BK		BASKET	2.8 & 1.5	width 12.8	mm	
S6175		BASKET	1.22	width 7.75	mm	
D216(2.0)-S		BASKET	1.60	width 9.55	mm	
















Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
D220(2.5)-S		BASKET	2.00	width 12	mm	
S13-4FK		BASKET	2.34	width 17.2	mm	
S14-3.5FK		BASKET	2	width 15.4	mm	
S16-3FK		BASKET	1.60	width 12.35	mm	
S17-2.75FK		BASKET	1.42	width 11	mm	
S18-2.25FK		BASKET	1.29	width 10	mm	
S18-2.5FK		BASKET	1.29	width 11	mm	
S19-1.75FK		BASKET	1.00	width 7.5	mm	
S19-2FK		BASKET	1.00	width 8.3	mm	
Basket 10mm		BASKET		10	mm	
Basket 8mm		BASKET		8	mm	
Basket 6mm		BASKET		6	mm	
Basket 5mm		BASKET		5	mm	
Basket 4mm		BASKET		4	mm	
Basket 3mm		BASKET		3	mm	

Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
WS-9		WS		9	mm	
BWS-9+6		WS		9 & 6	mm	
BWS-9+6(1:2)		WS		9 & 6	mm	
WS-10D		WS		rings 9	mm	
WS-11		WS		ring 11	mm	
WS-11+9		WS		11 & 9	mm	
BWS-11+6		WS		rings 11 & 6	mm	
BWS-11+6(1:2)		WS		rings 11 & 6	mm	
WS-14+11		WS		14 & 11	mm	
WS-14+11(1:2)		WS		14 & 11	mm	
WS-14+9		WS		14 & 9	mm	
WS-14+9(1:2)		WS		14 & 9	mm	
WS-14+13D		WS		14 & 13	mm	
WS-19R		WS		19	mm	
R-18(LA)		ws		18	mm	

Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
BWS-6X3		WS		6	mm	
BWS-6X4		WS		6	mm	
BWS-9X3		WS		9	mm	
BWS-9X4		WS		9	mm	
BWS-11X3		WS		11	mm	

Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
BWS-11X4		WS		11	mm	
RT-18X11(LA-1)		DISK-RT		18 x 11	mm	
RT-18X11(LA-2)		DISK-RT		18 x 11	mm	
RT-18X20(LA)		DISK-RT		18 x 20	mm	
RT-20X14(3)		DISK-RT		20 x 14	mm	
RT-20X14(LA)		DISK-RT		20 x 14	mm	
A8-9F(11-5)		8	5.1 x 2.35	40 x 17 x 2.35 (width 40mm)	mm	
S8-13F(16-4)		8	3.8 x 1.9	width 32	mm	

Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
S8-15(14-2.25)		8	1.80	width 25	mm	
S8-15(15-3)		8	1.80	width 30	mm	
S8-16(17-2.5)		8	1.60	width 19	mm	
S8-16F(17-2.5)		8	1.60	width 18	mm	
S8-18(18-2)		8	1.20	width 15.4	mm	
S8-18F(18-2)		8	1.20	width 14.3	mm	
S8-18X2		8	1.20	width 31	mm	
S8-19(18-2)		8	1.00	width 15	mm	
S8-19F(18-2)		8	1.00	width 14.3	mm	
OV-B11(11X14)		OV	2.95	14 x 11	mm	

Item No	Picture	style	Wire Dia	Outer measure Link (long x	unit	kg/100m
OV-S11(26X19)		OV	2.95	26 x 19	mm	
OV-S13(23X15)		OV	2.34	23 x 15	mm	
OV-S14(21X10)		OV	2.00	21 x 10	mm	
OV-S14(12X8)		OV	2.00	12 x 8	mm	
OV-S14-1		OV	2.00	11.9 x 8.32	mm	
OV-S16(10X6)		OV	1.60	10 x 6	mm	
RB-S16(10X8)		OV	1.60	10 x 8	mm	
S8-16(LA)		8	1.60	width 9	mm	
BOX 4.0		BOX		4	mm	
BOX 5.0R		BOX		5	mm	
BOX 6		BOX		6	mm	
BOX 7.5BR		BOX		7.5	mm	
BOX 8		BOX		8	mm	
SK-S110		FASHION	4 x 2.2	width 20.5	mm	
SK-S150		FASHION	2.4 x 1.3	width 12	mm	