



BUILT FOR LONG HAUL

MEETING THE NEEDS OF RACERS FOR OVER 30 YEARS





United Trailers has built over 170,000 trailers to our customers satisfaction.

Our knowledgeable dealers use their years of experience to your advantage by working with you to custom design and build the trailer that is right for you.

United Trailers has researched and worked with race team members to learn the best ways to build race trailers. This research pays off in a better product for you, and has helped us develop a variety of products and an extensive list of options to meet your needs for today and tomorrow.

You can count on your United Trailers dealer to work with you every step of the way to help design and build a trailer that fits your needs and your budget. That's our promise to you.





THE DIFFERENCE IS IN THE DETAILS.

Raising and lowering the ramp door is easy with the powerful torsion spring

14 gauge steel strapping is used for diagonal bracing on trailers with at least 3' of extra height.

14 gauge steel top rails are used to frame a stronger, straighter roof line.


The rear corner posts and header are made of 12 gauge steel to give the ramp door a solid framework.

Trailer-rated radial tires and torsion axles provide maximum performance and

Rubber torsion axles with E-Z Lube Hubs® are standard. All models come standard with electric brakes.

Double "I" beam is run front to back on units with 6000 lb. axles and up for added strength, with the exception of a beavertail.

Heavy-duty steel square outriggers are welded to the outer wall for added stability and strength.









Extra framework is added to the front and rear of each wheel area, as necessary, to provide added strength for the wall.

Grommets are used where the wires pass through the steel to prevent electrical shorts.

trailer frame is sprayed with a special protective undercoating.

On "tag" units, a 6" tubular steel tongue is standard. Trailers

Super Hauler Chassis Shown

- Trailers with an extended tongue



16 gauge steel roof bows and 16 gauge steel wall hat posts provide solid upright support. (Shown with 14 gauge Nascar style hat posts, which is required on 36" extra height and over)

Two heavy-duty steel I-beams provide a solid foundation for your trailer.

13 gauge steel cross-members run between the I-beams to support the floor. 16" spacing is standard with 12" spacing as an option. Trailers built with 6" I-beams use 5-1/2" crossmembers and trailers built with 8" I-beams use 7-1/2" crossmembers. Matching crossmembers to the I-beam helps maintain structural rigidity.


rectangular channel for a straighter perimeter.

2-speed bolt-on drop leg jacks (11) are standard on goosenecks with a hydraulic jack as an option for effort free leveling.

with 8,000 lb. axles are standard with 1/4" wall tube. The lower section of every A third member is added for any of the following conditions:

• Trailers with a GVWR of 7,000 lbs. or more





All walk-in door framing is 1" x 3"

STANDARDS & OPTIONS


STANDARDS &	XLT	UXT w∖ Finish Line Pkg.		UXT w\ Racer Special Pkg. "Better"		Super Hauler "Best"	
ODTIONO							
OPTIONS	TAG	TAG	FW/GN	TAG	FW/GN	TAG	FW/GN
FRAME AND HITCH	IAG	IAG	I W/GIN	IAG	I W/GIN	IAG	I W/GIN
Steel Uni-Body Construction	•	•	•	•	•	•	•
16" On-Center Floor, Wall, and Ceiling Framing Protective Undercoating on Lower Frame	•	•	•	•	•	•	•
Beavertail *	•	•		•	•	•	•
	•	•	•	•	•	•	•
7-Way Molded Plug 2-5/16" Coupler	•	•	GN	•	GN	•	GN
2" Adjustable Pin Box on Fifth Wheel Models			FW		FW		FW
Safety Chains	na •	na •		na •	GN only	na	GN only
Framing for 36" Wide x 30" Tall Generator Door Opening		•	GN only			ont	
TIRES AND AXLES	opt		•	opt	opt	opt	opt
E-Z Lube Hubs®	•	•	•	•	•	•	•
Radial Tires and Aluminum Wheels	opt	•	•	•	•	•	•
Electric Brakes	•	•	•	•	•	•	•
Independent Torsion Suspension Axles	opt	•	•	•	•	•	•
INTERIOR							
6'-6" Interior Height **	•	•	•	•	•	•	•
3/8" Plywood Interior Wall Liner	opt	•	•	•	•	•	•
White Aluminum Overlay on Interior Walls	opt	opt	opt	opt	opt	•	•
3/4" Plywood Floor	•	•	•	•	•	•	•
White Vinyl Ceiling	opt	•	•	•	•	•	•
Insulated Ceiling	opt	opt	opt	•	•	•	•
(4) Heavy-Duty D-Rings	•	•	•	opt	opt	opt	opt
EXTERIOR							
Aluminum Exterior	.030	.030	.030	.030	.030	.030	.030
Glued Exterior Metal	•	•	•	•	•	•	•
Aluminum Treadplate Stoneguard	24"	24"	Yes	24"	Yes	24"	Yes
Radius Front Top with Cap	na	•	•	•	•	na	na
Cast Top Front Corners with Radius Front Top	opt	opt	opt	opt	opt	•	•
Bright Aluminum on Radius Front Top	opt	opt	opt	•	•	•	•
Aluminum Fenders or Flares	•	•	•	•	•	•	•
One-Piece Aluminum Top Rail (On 8' & 8.5' wide models)	na	na	na	na	na	•	•
4" Aluminum Bottom Rail	opt	opt	opt	opt	opt	•	•
Bright Aluminum Front Corners	•	•	•	•	•	•	•
Bright Aluminum Rear Door Opening	opt	•	•	opt	opt	opt	opt
(1) Non-Powered Roof Vent	•	•	•	opt	opt	opt	opt
Sidewall Flow-Through Vents	•	opt	opt	opt	opt	opt	opt
DOORS							
48" Blank RV Door	opt	opt	opt	opt	opt	•	•
RV Door Lock	opt	•	•	opt	opt	•	•
48" Side Door with Bar Lock	opt	•	•	•	•	opt	opt
Ramp Door with Beavertail*	•	•	•	•	•	•	•
Recessed Cam Locks in Rear Ramp Door	opt	opt	opt	opt	opt	•	•
12 VOLT ELECTRICAL							
L.E.D. Tail Lights and Clearance Lights	•	•	•	•	•	•	•
Chrome Finish Bezels for Tail Lights	•	•	•	•	•	•	•
(2) 12-Volt LED Loading Lights With Switch	opt	•	•	opt	opt	opt	opt
(2) 12-Volt Dome Lights w\ Switch Note: 8' wide models are approximately 93-1/4" wide and the 8.5' wide	•	•	•	•	•	•	•

Note: 8' wide models are approximately 93-1/4" wide and the 8.5' wide models are approximately 100" wide.

4 POST HYDRAULIC LIFT SYSTEM

Shown is a 46' unit with 54" of extra height and the optional Car Platform.





With the **4 Post Hydraulic Lift System**, the width between the wheel wells limits the maximum car width to 81". *Maximum width between wheel wells on trailers with 8000lb. axles is 80". Clearance below lift at maximum height is 80" Tall. The hydraulics are operated by a 12 volt deep cycle battery, so AC power is not required to raise and/or lower the vehicle at all times. The number of times that the lift may be operated on battery power depends on the type of battery, the weight of the vehicle and the current charge of the battery.



4-Post Titan Lift Systems are a popular option for United stacker trailers. They are available in 13ft, 14ft, and 16ft lengths and are Gun Metal in color. Each lift has a 6,000lb. maximum capacity. (Left) shows a lift in the down position with removable lift ramps stored in pockets mounted to the sidewalls. (Just below) shows the removable lift ramps installed. (Bottom Right) shows a lift in the up position.



^{*} On trailers 14' and shorter, the "beavertail" is not available!

^{**} On trailers with 6" I-Beam, there will be 2" additional interior height.

CUSTOMIZATION IS OUR SPECIALTY






Below is a Deluxe Straight Cabinet Package on the RS wall with a 3-drawer base upgrade. There is a removable ladder on the riser wall for easier access to the bunk area. (Black cabinets w/ mill finish countertop)



Below shows one of our popular cabinet configurations with a 1/2 closet and "L" base cabinet which can house a winch to assist in loading and unloading your vehicles. The overhead cabinets are upgraded to 32" tall with a centered shelf. (Black cabinets w/ mill finish countertop)



Left and Upper Left are optional triple spread and tandem super spread axles to help support those larger loads.



POPULAR OPTONS AND PACKAGES AVAILABLE



United Trailers makes it easy to purchase the right trailer with the right options for your budget. We provide hundreds of available options and get pre-packaged options for a great value to ensure you have exactly what you need in your trailer.

RACERS' PACKAGE

- Generator door (36" x 30")
- Standard or deluxe aluminum cabinet pkg
- 4 Heavy duty recessed D-rings
- 3 Fluorescent lights (4' or 8')
- 1 Set 3-way switches
- 4 110-volt duplex inside recepts
- 1 110-volt exterior GFI recept
- Carbon Monoxide Detector
- 50 amp electric panel w/ lifeline & hatch

RACERS' PACKAGE

- Generator door (36" x 30")
- Standard or deluxe aluminum cabinet pkg
- 4 Heavy duty recessed D-rings
- 3 18" 12V LED Interior Lights
- 1 Set 3-way switches
- 4 110-volt duplex inside recepts
- 1 110-volt exterior GFI recept
- Carbon Monoxide Detector
- 50 amp electric panel w/ lifeline & hatch
- 110V to 12V 55 amp converter
- 12V battery w/ recessed battery box

KAGE 12 Volt Racer Special PACKAGE

- 48" Side door with barlock
- Ramp door with spring assist
- Beavertail
- Flat front with bright aluminum on wrap from front to roof
- Insulated white vinyl ceiling




- 48" Side door with Barlock and RV door lock
- Ramp door with spring assist
- On units 16' and longer, a "beavertail" is included for easy loading
- Bright aluminum rear hoop (rear corners & header) on rear door framing
- 2 12-volt LED loading lights with switch
- 4 Heavy duty recessed D-rings
- 1 Non-powered roof vent
- White vinyl ceiling



RACE TRAILER OPTIONS

With an inside ladder, roof hatch, and observation deck*, you can get a bird's eye view of the racing activities. The roof hatch w/ ladder and observation deck are



Fold down step

Get a jump door to make a quick



Slide out step

The hydraulic jack is recommended for your race trailer. It is faster, easier and made for heavy use.



A Sunchaser 9100 series awning allows an automatic dump of water with the built in gas Ramps over the wheel wells and 2" corner posts allow you to carry vehicles with an shocks so you can spend more time playing and less time worrying about your awning.



Recessed cam locks provide a stong hold to the ramp door with a flush design.



Stay organized with an optional stainless steel tool box.



Keeping the generator in a separate compartment helps keep it guiet and is handy when it comes to maintenance and repairs. Optional 400 series door (right) with flush rv style lock also available.



outside-to-outside dimension of up to 96" wide.

RACE TRAILER OPTIONS



Generator Box Mounted on Front Bunk



Bard A/C Mounted on Front Bunk (picture shows Bard unit covered with optional white aluminum)




Roof Mounted Air Conditioning *

Work in comfort with a roof mounted air conditioning and heating unit.



Interior View of Roof Mounted A/C



Non-powered roof vent



Vent covers allow the roof vent to remain open in the rain and while traveling.

Roof Vents*

Choose from:

- 1. Non-powered (no fan)
- 2. 12-volt DC powered fan
- 3. 110-volt AC powered

ACCESSORIES FOR SPRINT CAR TRAILERS



Tray and Wing Hangers



Custom lighting configurations are available on all of our race trailers. You can add extra tail lights, docking lights, additional clearance lights, 12V LED loading

lights, and recessed or swing-out Quartz lights to name a few.

Nose Wing Brackets



Axle Racks



Steering Gear Mount

^{*} Due to maximum height limitations, units with 48" to 54" extra height may not be able to have an observation deck or roof mounted equipment installed.

RACE TRAILER OPTIONS

RACE TRAILER OPTIONS



FLOORING OPTIONS



Air Reel

Marble-look Vinyl

Classy and clean looking, this is an easy to maintain floor.

Black And White Vinyl

Sporty, durable and attractive, this is a favorite among motorsports buffs.

Aluminum Tread Plate

You can't beat this for a heavy-duty and good looking floor that stands up to the toughest punishment.

.080 Smooth Aluminum

Great for a clean looking, yet tough and durable floor.

Black Raised Coin

Perfect combination of durability, safety, and value.

Electric Reel



Easily access the upper deck with a notch in the platform with an angled removable ladder from the main floor to the bunk at the riser wall.




In-Floor Spare Tire Well



Winch in Cabinet



Folding ladder in open position. When not in use, ladder folds flat against



Add an optional 12V jack to your trailer to have effortless leveling and hookup to your truck. The electric jack is available in a 3500 lb. rating while a 6000 lb. hydraulic jack is also


POPULAR LIGHTING OPTIONS



12V Scene Lights provide emergency vehicle grade lighting without the need for shore power.



Swing out Quartz lights allow powerful exterior lighting.



Recessed Quartz lights can be added to the rear or sides of the trailer.



Angled Docking Lights



LED Mid Ship Turn Signal



12V LED loading lights provide good lighting A 52" 12V Flood Light provides the maxihaving an on-board battery.



while only being connected to your vehicle or mum amount of light to the rear loading



14" Angled Scene Light



Interior & exterior LED lighting is available in 110V and 12V power supplies.



18" 12V LED Interior Lights

RACE TRAILER OPTIONS

Be ready for action with your custom cabinets, tire racks, and air lines!

Several standard cabinet layout options are available and custom layouts are available, if required. Our skilled craftsmen have years of experience building customized cabinets for the racing industry. In addition to cabinets in the front of the trailer, another popular option is for cabinets to be installed over the wheel wells, to help maximize space utilization.






Wall-Mounted Air Line Connectors









Fold Up Tire Rack



Tire Cabinet

Many more options available! Please see your United Trailers dealer for details.







Light Duty Tie-Down

E-Track

THE THE PARTY OF T With our popular E-track mounted in the floor and walls, you have extreme flexibility and peace of mind when securing your cargo.

E-Track Clip-In Straps These attach to the E-Track for the

attachment of tie-down straps.

YOUR CHOICE: GOOD, BETTER, BEST







XLT Standard Key Features:

6'6" Interior Height Dexter Spring or Torsion Axles .030 Aluminum Exterior Radial Tires

One Piece Aluminum Roof 3/4" Plywood Floor With 25 Year Warranty

White Vinvl Wall Liner

24" Stoneguard 32" Bar Lock Side Door

Protective Undercoat

Bright Aluminum Front Corners Two Dome Lights With Switch

16" On Center Floor, Ceiling And Walls Ramp Door w/ Beavertail

(4) D-Rings

Roof Vent and Sidewall Vents LED Lights





Shown with Finish Line Package and Rear Wing Option

UXT Standard Key Features:

6'6" Interior Height **Dexter Torsion Axles** .030 Aluminum Exterior Radial Tires

One Piece Aluminum Roof **Aluminum Wheels**

3/4" Plywood Floor With **25 Year Warranty** 3/8" Plywood Walls

24" Stoneguard

32" Bar Lock Side Door Protective Undercoat

Bright Aluminum Front Corners Two Dome Lights With Switch

16" On Center Floor, Ceiling And Walls

LED Lights







Super Hauler Standard Key Features:

Super Hauler

Shown with Rear Wing Option

6'6" Interior Height

Dexter Torsion Axles .030 Aluminum Exterior

Radial Tires

One Piece Aluminum Roof

Aluminum Wheels 3/4" Plywood Floor With 25 Year Warranty

3/8" Plywood Walls

24" Stoneguard

48" Blank RV Side Door Protective Undercoat

Bright Aluminum Front Corners

Two Dome Lights With Switch

16" On Center Floor, Ceiling And Walls LED Lights

Bright Aluminum on Radius Front Top

4" Aluminum Bottom Rail

Aluminum Top Rail

Insulated White Vinyl Ceiling

White Aluminum Overlay on Interior Walls Recessed Cam Locks in Rear Ramp Door

Cast Top Front Corners

Ramp Door with Beavertail

THE UNITED FAMILY OF RACE TRAILERS































19985 County Road 8 • Bristol, IN 46507 Phone: 574.848.7088 • Toll Free: 800.637.2592

www.united-trailers.com