

Dynablast®

Dynablast
DIVISION OF JOHN BROOKS COMPANY LIMITED

HOT & COLD WATER PRESSURE WASHERS

2014 PRICE LIST



2014 PRICE LIST





















DYNABLAST















Dynablast Division of John Brooks Company Limited
2625 Meadowpine Blvd, Mississauga, Ontario L5N 7K5
Ontario/Quebec/Maritimes Tel: 888-881-6667 Fax: 800-350-5666
Alberta/Manitoba/Sask/B.C. Tel: 800-527-8592 Fax: 800-661-3719
DYNA-0114 January 20th 2014 www.dynablast.ca

Prices and specifications are subject to change without notice










Dynablast HOT - Gasoline Powered- Fuel Oil Heated - Direct drive

Model #		Features	List Price 2014
<p>H2527DGF 7.0 HP Subaru EX 2.5 gpm 2700 psi Shown with optional hose reel HR4KIT</p>   		<p>Compact design, heavy duty roll cage, insulated gun w/single lance, 50 foot hose, downstream chemical injector, ss coil wrap, schedule 80 heating coil, adj temp. control, 4.4 gal fuel tank, series 60 pump w/built in unloader, 170,000 BTU</p>  	<p>\$5,643</p>
<p>HS4035DGF 14.0 HP Subaru 3.8 gpm 3500 psi</p>   			<p>\$6,579</p>
<p>HS4035DGFS 14.0 HP Subaru Electric Start 3.8 gpm 3500 psi</p>   		<p>Heavy duty roll cage, insulated gun w/48" lance, 50 foot hose, downstream chemical inj., SS coil wrap, schedule 80 heating coil, 12V DC burner, Interpump pump w/separate unloader, 300,000 BTU</p>	<p>\$6,822</p>
<p>HK4035DGF 14.0 HP Kohler CH440 Electric Start 3.8 gpm 3500 psi</p>   		 	<p>\$7,016</p>

Dynablast HOT - Gasoline Powered- Fuel Oil Heated - Direct drive			
Model #		Features	List Price 2014
  H4035DGF 13.0 HP Honda Electric Start 3.8 gpm 3500 psi Shown with optional hose reel HR4KIT <div style="text-align: center;"> Powered by  </div>		<p>Heavy duty roll cage, insulated gun w/48" lance, 50 foot hose, downstream chemical inj., SS coil wrap, schedule 80 heating coil, 12V DC burner, Interpump pump w/separate unloader, 300,000 BTU</p> <div style="display: flex; justify-content: space-around;">   </div>	<p>\$7,053</p>
Dynablast HOT - Diesel Powered- Fuel Oil Heated - Direct drive			
  HK4030DDF 9.8 HP Kohler KD420 Electric Start 4 gpm 3000 psi Optional hose reel available HR4KIT IMPROVED FUEL ECONOMY OVER GASOLINE POWERED <div style="text-align: center;">  </div>		<p style="text-align: center; font-size: 2em; font-weight: bold; color: red;">DIESEL / DIESEL</p> <p>Heavy duty roll cage, insulated gun w/48" lance, 50 foot hose, downstream chemical inj., SS coil wrap, schedule 80 heating coil, 12V DC burner, Interpump pump w/separate easy start unloader, 300,000 BTU</p> <div style="display: flex; justify-content: space-around;">   </div>	<p>\$10,635</p>







Dynablast HOT - Gasoline Powered- Belt drive - Fuel Oil Heated - Skid			
Model #		Features	List Price 2014
<p style="text-align: center;">   </p> <p>HDC5235GH 20 HP Honda GX Electric Start 5.2 gpm 3500 psi 12V DC</p> <p style="text-align: center;"> Powered by  </p>		<p style="text-align: center; font-size: 2em; color: red; font-weight: bold;">Isolated Engine/ Pump Base</p> <p>MHG420F-12VR, 420,000 BTU, skid unit with compact design and sturdy frame, 12 gal Poly diesel tank, 12 gal Poly gas tank, insulated gun w/ 48" lance, 50 foot hose, Quick connect downstream chemical inj., Vertical design coil, schedule 80 (1/2"), Interpump pump w/separate unloader valve, 12 volt burner</p> <p style="text-align: center; font-size: 1.5em; color: red; font-weight: bold;">Poly Fuel Tanks</p> <p style="text-align: center;">   </p>	<p>\$11,250.00</p>
<p style="text-align: center;">   </p> <p style="color: red; font-weight: bold; font-size: 1.5em;">New</p> <p>HDC5235DK 24 HP Liquid cooled Kubota D1005 Diesel Tier 4 Electric Start 5.2 gpm 3500 psi 12V DC</p> <p style="text-align: center; font-size: 1.5em; color: red; font-weight: bold;">DIESEL / DIESEL</p> <p style="text-align: center; font-size: 1.5em; color: blue; font-weight: bold;">Kubota</p>		<p style="text-align: center; font-size: 2em; color: red; font-weight: bold;">Isolated Engine/ Pump Base</p> <p>MHG420F-12VR, 420,000 BTU, skid unit with compact design and sturdy frame, 2 X 12 gal Poly diesel tank, insulated gun w/ 48" lance, 50 foot hose, Quick connect downstream chemical inj., Vertical design coil, schedule 80 (1/2"), Interpump pump w/separate unloader valve, 12 volt burner</p> <p style="text-align: center; font-size: 1.5em; color: red; font-weight: bold;">Poly Fuel Tanks</p> <p style="text-align: center;">   </p>	<p>Coming Soon</p>





Dynablast HOT - Electric Powered - Fuel Oil Heated - Direct Drive

Model #		Features	List Price 2014
<p>H2015DEF1 2.0 HP 115V 1PH 2.0 gpm 1500 psi</p>		<p>BALDOR  </p> <p>Heavy duty frame incl cart w/10" never go flat wheels, insulated gun w/48" lance, 50 foot hose, powder coated coil wrap, downstream chemical injector, Inter pump w/separate unloader, 172,000 BTU.</p> <p>Beckett </p>	<p>\$4,759</p>
<p>H3025DEF1 5.0 HP 230V 1PH 3.0 gpm 2500 psi Optional hose reel available HR4KIT</p>		<p>BALDOR  </p> <p>Beckett </p>	<p>\$6,211</p>
<p>H3030DEF1 6.0 HP 230V 1PH 3.0 gpm 3000 psi Optional hose reel available HR4KIT</p>		<p>Heavy duty roll cage incl cart w/13" pneumatic wheels, insulated gun w/48" lance, 50 foot hose, stainless steel coil wrap, downstream chemical injector, Inter pump w/separate unloader, 300,000 BTU, time delay shutdown.</p>	<p>\$7,369</p>
<p>H3030DEF3D 6.0 HP 575V 3PH 3.0 gpm 3000 psi Optional hose reel available HR4KIT</p>		<p></p>	<p>STANDARD MOTOR \$7625 SUPER E MOTOR N/A</p>








Dynablast HOT - Electric Powered - Propane Heated - Direct Drive

<p>H2015DEP1 2.0 HP 2.0 gpm 1500 psi</p>		<p>BALDOR  </p> <p>Heavy duty cart w/ 13" pneumatic wheels, insulated gun w/48" lance, 50 foot hose, stainless steel coil wrap, downstream chemical injector, Inter pump w/separate unloader, 197,000 BTU, standard 36 foot power cord.</p> <p></p>	<p>\$5,450</p>
--	---	---	-----------------------




Dynablast HOT - Electric Powered - Fuel Oil Heated - Belt Drive			
Model #		Features	List Price 2014
H3525BEF1 6.0 HP 3.5 gpm 2500 psi		<p>BALDOR</p> <p><i>Beckett</i></p> <p></p> <p></p>	\$7,632
H4030BEF1 7.5 HP / 1PH /230V 3.8 gpm 3000 psi			\$8,579
H4030BEF3A 7.5 HP / 3PH /208V 3.8 gpm 3000 psi			SUPER E MOTOR \$9357
H4030BEF3B 7.5 HP / 3PH /230V 3.8 gpm 3000 psi			SUPER E MOTOR \$9357
H4030BEF3C 7.5 HP / 3PH /460V 3.8 gpm 3000 psi			SUPER E MOTOR \$9145
H4030BEF3D 7.5 HP / 3PH /575V 3.8 gpm 3000 psi			SUPER E MOTOR \$9145
Dynablast HOT - Electric Powered - Electric Heated - Belt Drive			
H2015BEE3C 2 HP / 3PH /460V 36Kv / 48 amp 2.0 gpm 1500 psi		<p>BALDOR</p> <p></p> <p></p>	SUPER E MOTOR \$10282
H2015BEE3D 2 HP / 3PH /575V 36Kv / 38 amp 2.0 gpm 1500 psi			SUPER E MOTOR \$10282
H3123BEE363C 5 HP / 3PH /460V 36Kv / 51 amp 3.1 gpm 2300 psi			SUPER E MOTOR \$10819

Dynablast HOT - Electric Powered - Electric Heated - Belt Drive			
Model #		Features	List Price 2014
H3123BEE363D 5 HP / 3PH /575V 36Kv / 41 amp 3.1 gpm 2300 psi		<p style="text-align: center;">BALDOR</p> <div style="display: flex; justify-content: space-around; align-items: center;">   </div> <p>All electric hot water unit fully enclosed, stationary, insulated gun w/48" lance, 50 foot hose, Interpump pump w/separate unloader, downstream chemical injector, SS hood, hour meter, time delay shutdown, 24 volt controls, low water shutdown</p>	SUPER E MOTOR \$10819
H3123BEE483D 5 HP / 3PH /575V 36Kv / 53 amp 3.1 gpm 2300 psi			SUPER E MOTOR \$11077
H3620BEE723C 5 HP / 3PH /460V 72Kv / 96 amp 3.6 gpm 2000 psi			SUPER E MOTOR \$11369
H3620BEE723D 5 HP / 3PH /575V 72Kv / 77 amp 3.6 gpm 2000 psi			SUPER E MOTOR \$11369
H4030BEE483D 7.5 HP / 3PH /575V 48Kv / 56 amp 4.0 gpm 3000 psi			SUPER E MOTOR \$11778
H4030BEE3C 7.5 HP / 3PH /460V 72Kv / 98 amp 4.0 gpm 3000 psi			SUPER E MOTOR \$11815
H4030BEE3D 7.5 HP / 3PH /575V 72Kv / 80 amp 4.0 gpm 3000 psi			SUPER E MOTOR \$11815
H5030BEE3C 10 HP / 3PH /460V 72Kv / 105 amp 5.0 gpm 3000 psi			SUPER E MOTOR \$12495
H5030BEE3D 10 HP / 3PH /575V 72Kv / 82 amp 5.0 gpm 3000 psi			SUPER E MOTOR \$12495
H7120BEE3C 10 HP / 3PH /460V 72Kv / 105 amp 7.1 gpm 2000 psi			











Dynablast HOT - Electric Powered - Electric Heated - Belt Drive

Model #		Features	List Price 2014
H7120BEE3D 10 HP / 3PH /575V 72Kv / 82 amp 7.1 gpm 2000 psi		  	SUPER E MOTOR \$13267
H3620BEE3CSS With Stainless Steel Coil 5 HP / 3PH /460V 72Kv / 95 amp 3.6 gpm 2000 psi		All electric hot water unit fully enclosed, stationary, insulated gun w/48" lance, 50 foot hose, Interpump pump w/separate unloader, downstream chemical injector, SS hood, hour meter, time delay shutdown, 24 volt controls, low water shutdown	SUPER E MOTOR \$12330
H3620BEE3DSS With Stainless Steel Coil 5 HP / 3PH /575V 72Kv / 77 amp 3.6 gpm 2000 psi			SUPER E MOTOR \$12330
HW3104		Portable cart for BEE with 4 - 1" wheels	\$590
HW07113 72Kv (maximum 3000 psi)		Stainless steel coils Factory option for BEE series. (maximum 3000 psi)	\$990
HW07114		Factory option for BEE series. Residual current monitoring system (GFCI)	\$1,800









Dynablast STEAM - Electric Powered - Electric Heated - Belt Drive


S1511BEE3C .75 HP / 3PH /460V 72Kv / 93 amp 1.5 gpm 110 psi		  	SUPER E MOTOR \$12236
S1511BEE3D .75 HP / 3PH /575V 72Kv / 74 amp 1.5 gpm 110 psi			SUPER E MOTOR \$12236

Dynablast HOT - Heater Modules








Model #		Features	List Price 2014
<p>MHG400F 120 V 3500 psi 300,000 BTU portable Fuel fired Heat rise 4 gpm @ 135°F</p> <p><i>Beckett</i></p>		<p>Heavy duty cart w/13" pneumatic wheels, connector hoses for CW pressure washer hook up, heats up to 5 gpm, high limit temperature switch, SS coil skin, adjustable thermostat.</p> <p></p>	<p>\$4,351</p>
<p>MHGSQ420F-12V 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F</p> <p><i>Beckett</i></p>		<p>FUEL OIL 12 VOLT</p> <p>Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat.</p> <p></p>	<p>\$4,895</p>
<p>MHGSQ420F-12VR 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F</p> <p><i>Beckett</i></p>		<p>FUEL OIL 12 VOLT</p> <p>Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat, wired remote control box</p> <p></p>	<p>\$5,158</p>
<p>MHGSQ700F 120 volt 3500 psi 700,000 BTU stationary Fuel Oil Heat rise 7 gpm @ 145°F</p> <p></p>		<p>3/4" coil</p> <p>Stationary module on compact square design, heats up to 7 / 10 gpm, flow switch, primary control, high limit temp switch, adjustable thermostat.</p>	<p>\$6,422</p>
<p>MHGSQ900F 120 volt 3500 psi 900,000 BTU stationary Fuel Oil Heat rise 10 gpm @ 140°F</p> <p><i>Beckett</i></p>		<p>FUEL OIL 120 VOLT</p> <p></p>	<p>\$7,895</p>

Dynablast HOT - HYDROVAC Heater Modules



Model #		Features	List Price 2014
<p>HV420F-12VLS 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F NO STEAM</p> <p><i>Beckett</i></p>		<p>NO STEAM</p> <p>Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. Momentary Test, Flow & Thermostat, Fuel valve indicator,</p> <p>FUEL OIL 12 VOLT</p> 	<p>\$5,264</p>
<p>HV420F-12VRLS 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F NO STEAM</p> <p><i>Beckett</i></p>		<p>NO STEAM</p> <p>Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. Momentary Test, Flow & Thermostat, Fuel valve indicator, wired remote control box</p> <p>FUEL OIL 12 VOLT</p> 	<p>\$5,579</p>
<p>HV700FLS 120 volt 3500 psi 700,000 BTU stationary Fuel Oil Heat rise 7 gpm @ 145°F NO STEAM</p> <p></p>		<p>3/4" coil</p> <p>NO STEAM</p> <p>Stationary module on compact square design, heats up to 7 / 10 gpm, flow switch, high limit temp switch, HV120DPLS Diagnostic panel included (MC7211 thermostat, voltmeter, Momentary test , Flow or Thermostat, Fuel valve indicator , Burner on/off control)</p>	<p>\$8,927</p>
<p>HV900FLS 120 volt 3500 psi 900,000 BTU stationary Fuel Oil Heat rise 10 gpm @ 140°F NO STEAM</p> <p><i>Beckett</i></p>		<p>FUEL OIL 120 VOLT</p> 	<p>\$10,158</p>

Dynablast HOT - HYDROVAC Heater Modules			
Model #		Features	List Price 2014
HV420F-12V 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F STEAM 		<p>STEAM</p> <p>Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. High Pressure & Steam operating valves, Momentary Test, Flow & Thermostat, Fuel valve indicator, High Pressure / Steam control,</p> <p>FUEL OIL 12 VOLT</p> 	<p>\$6,527</p>
HV420F-12VR 12 volt 3500 psi 420,000 BTU stationary Fuel Oil Heat rise 5 gpm @ 140°F STEAM 		<p>STEAM</p> <p>Stationary module on compact square base design, heats up to 5 gpm, high limit temp. switch, primary control, adjustable thermostat. High Pressure & Steam operating valves, Momentary Test, Flow & Thermostat, Fuel valve indicator, High Pressure / Steam control, wired remote control box</p> <p>FUEL OIL 12 VOLT</p> 	<p>\$6,790</p>
HV700F 120 volt 3500 psi 700,000 BTU stationary Fuel Oil Heat rise 7 gpm @ 145°F STEAM 		<p>3/4" coil</p> <p>STEAM</p> <p>Stationary module on compact square design, heats up to 7 / 10 gpm, flow switch, high limit temp switch, High Pressure & Steam operating valves, HV120DP Diagnostic panel included (MC7211 thermostat, voltmeter, Momentary test, Flow or Thermostat, Fuel valve indicator, Burner on/off control, High pressure / Steam control)</p>	<p>\$9,658</p>
HV900F 120 volt 3500 psi 900,000 BTU stationary Fuel Oil Heat rise 10 gpm @ 140°F STEAM 		<p>FUEL OIL 120 VOLT</p> 	<p>\$11,106</p>





Dynablast HOT - Heater Modules






Model #		Features	List Price 2014
HW52082U Beckett GeniSys Burner Contractor Primary control Diagnostic Tool		<p style="color: red; font-weight: bold; font-size: 1.2em;">420, 700, 900 Heaters only</p> To Display current burner status, control timings and burner cycle history. Required for a service technician servicing MHGSQF & HVF heater modules	<p style="font-size: 1.2em;">\$108</p>
8779-03 Diesel Fuel Tank		12 Gallon Poly Diesel Fuel Tank for use on MHGSQF & HVF heater modules	<p style="font-size: 1.2em;">\$311</p>
MHGE400N / P Millivolt 3500 psi 345,000 BTU stationary		"B" VENT	<p style="font-size: 1.2em;">\$4,512</p>
MHGE400N-24V / P-24V 24 volt 3500 psi 345,000 BTU stationary			<p style="font-size: 1.2em;">\$4,512</p>
MHGSQ35N / P millivolt 3500 psi 345,000 BTU stationary Natural gas		"A" VENT	<p style="font-size: 1.2em;">\$3,867</p>
MHGSQ35NEI / PEI electronic ignition 3500 psi 345,000 BTU stationary Natural gas		"A" VENT	<p style="font-size: 1.2em;">\$4,083</p>
			






Dynablast HOT - Heater Modules






Model #		Features	List Price 2014
<p>MHGE500NSQ / PSQ Electronic ignition 3500 psi 345,000 BTU stationary SQ Base</p>		<p>"B" VENT</p> <p>Stationary module on compact square base design, connector hoses for CW pressure washer hook up, heats up to 5 gpm, high limit temp. switch, electronic ignition, 24 volt, SS coil skin, adjustable thermostat, draft hood included.</p> 	<p>\$4,351</p>

Dynablast ULTRA HOT - Electric Powered - Natural Gas or Propane Heated





<p>UHE422BEN/P 1 5 HP 230V 1PH 2200 PSI 4 GPM</p>		<p>BALDOR</p>   <p>Electric powered, Ultra Hot units available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, upstream high pressure chemical injector w/float box, SS coil wrap, 350,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.</p> <p>"B" VENT</p> 	<p>\$9,538</p>
<p>UHE422BEN/P 3A 5 HP 208V 3PH 2200 PSI 4 GPM</p>		<p>SUPER E MOTOR \$9442</p>	
<p>UHE422BEN/P 3B 5 HP 230V 3PH 2200 PSI 4 GPM</p>		<p>SUPER E MOTOR \$9442</p>	
<p>UHE422BEN/P 3C 5 HP 460V 3PH 2200 PSI 4 GPM</p>		<p>SUPER E MOTOR \$9442</p>	
<p>UHE422BEN/P 3D 5 HP 575V 3PH 2200 PSI 4 GPM</p>		<p>SUPER E MOTOR \$9442</p>	
<p>UHE430BEN/P 1 7.5 HP 230V 1PH 3000 PSI 4 GPM</p>		<p>\$10,527</p>	






Dynablast ULTRA HOT - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
<p>UHE430BEN/P 3A 7.5 HP 208V 3PH 3000 PSI 4 GPM</p>		  	<p>SUPER E MOTOR \$9990</p>
<p>UHE430BEN/P 3B 7.5 HP 230V 3PH 3000 PSI 4 GPM</p>		<p>SUPER E MOTOR \$9990</p>	
<p>UHE430BEN/P 3C 7.5 HP 460V 3PH 3000 PSI 4 GPM</p>		<p>Electric powered, Ultra Hot units available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, upstream high pressure chemical injector w/float box, SS coil wrap, 350,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.</p>	<p>SUPER E MOTOR \$9990</p>
<p>UHE430BEN/P 3D 7.5 HP 575V 3PH 3000 PSI 4 GPM</p>		<p>"B" VENT</p>	<p>SUPER E MOTOR \$9990</p>
<p>UHE520BEN/P 1 7.5 HP 230V 1PH 2000 PSI 5 GPM</p>			<p>\$10,608</p>

Dynablast ULTRA HOT - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
UHE520BEN/P 3A 7.5 HP 208V 3PH 2000 PSI 5 GPM		    <p>Electric powered, Ultra Hot units available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, upstream high pressure chemical injector w/float box, SS coil wrap, 350,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.</p>	SUPER E MOTOR \$9883
UHE520BEN/P 3B 7.5 HP 230V 3PH 2000 PSI 5 GPM			SUPER E MOTOR \$9883
UHE520BEN/P 3C 7.5 HP 460V 3PH 2000 PSI 5 GPM			SUPER E MOTOR \$9883
UHE520BEN/P 3D 7.5 HP 575V 3PH 2000 PSI 5 GPM			SUPER E MOTOR \$9883
UHE530BEN/P 1 10 HP 230V 1PH 3000 PSI 5 GPM			\$11,278
UHE530BEN/P 3A 10 HP 208V 3PH 3000 PSI 5 GPM			SUPER E MOTOR \$10634
UHE530BEN/P 3B 10 HP 230V 3PH 3000 PSI 5 GPM			SUPER E MOTOR \$10634
UHE530BEN/P 3C 10 HP 460V 3PH 3000 PSI 5 GPM			SUPER E MOTOR \$10634
UHE530BEN/P 3D 10 HP 575V 3PH 3000 PSI 5 GPM			SUPER E MOTOR \$10634

Dynablast ULTRA HOT - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
HW24607		UHE Series - dual propane tank bracket (2 x 40 lbs tanks - tanks not included)	\$200
HWFI800B		UHE Series - Propane regulator & dual propane hoses	\$505
HW40568		UHE Series - 13" x 4 wheel kit with Handle	\$448
HW07032		UHE Series - three switch remote box - pump, burner & soap control (solenoid valve included)	\$474
New HW07178		Stainless steel coil Factory option for UHE series. (maximum 3500 psi)	\$1,800

Dynablast BEN/P - Electric Powered - Natural Gas or Propane Heated



<p>H3823BEN/P 1 6 HP 230V 1PH 2300 PSI 3.8 GPM</p>		<p>BALDOR  </p>	<p>\$7,587</p>
<p>H3620BEN/P 3A 5 HP 208V 3PH 2000 PSI 3.6 GPM</p>		<p>Electric powered, available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, downstream low pressure chemical injector, SS coil wrap, 345,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.</p>	<p>SUPER E MOTOR \$7294</p>
<p>H3620BEN/P 3B 5 HP 230V 3PH 2000 PSI 3.6 GPM</p>		<p>"A" VENT </p>	<p>SUPER E MOTOR \$7316</p>

Dynablast BEN/P - Electric Powered - Natural Gas or Propane Heated			
Model #		Features	List Price 2014
H3620BEN/P 3C 5 HP 460V 3PH 2000 PSI 3.6 GPM		  	SUPER E MOTOR \$7316
H3620BEN/P 3D 5 HP 575V 3PH 2000 PSI 3.6 GPM		SUPER E MOTOR \$7316	
H4030BEN/P 1 7.5 HP 230V 1PH 3000 PSI 4 GPM		"A" VENT	
H4030BEN/P 3A 7.5 HP 208V 3PH 3000 PSI 4 GPM		SUPER E MOTOR \$7605	
H4030BEN/P 3B 7.5 HP 230V 3PH 3000 PSI 4 GPM		Electric powered, available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, downstream low pressure chemical injector, SS coil wrap, 345,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	
H4030BEN/P 3C 7.5 HP 460V 3PH 3000 PSI 4 GPM		SUPER E MOTOR \$7592	
H4030BEN/P 3D 7.5 HP 575V 3PH 3000 PSI 4 GPM		SUPER E MOTOR \$7592	
H5030BEN/P 1 10 HP 230V 1PH 3000 PSI 5 GPM		\$9,171	
H5030BEN/P 3A 10 HP 208V 3PH 3000 PSI 5 GPM		SUPER E MOTOR \$8177	
			

Dynablast BEN/P - Electric Powered - Natural Gas or Propane Heated

Model #		Features	List Price 2014
H5030BEN/P 3B 10 HP 230V 3PH 3000 PSI 5 GPM		   Electric powered, available in Natural gas or propane, Easy serviceability, dual V-belt drive unit, insulated gun w/48" lance, 50 foot hose, downstream low pressure chemical injector, SS coil wrap, 345,000 BTU, Interpump pump w/separate unloader, industrial time delay shut down, 24 volt electronic ignition, pressure gauge. All units includes draft hood.	SUPER E MOTOR \$8165
H5030BEN/P 3C 10 HP 460V 3PH 3000 PSI 5 GPM			SUPER E MOTOR \$8165
H5030BEN/P 3D 10 HP 575V 3PH 3000 PSI 5 GPM			  SUPER E MOTOR \$8165
New HW07177		Stainless steel coil Factory option for BEN/P series. (maximum 3500 psi)	\$1,750

Dynablast - Accessories









HR3KIT Designed to easily fit the C4030DEHR C4030DET		3000 psi rated, 150 Foot Capacity using 3/8 hose, All hardware and accessories included for on-site installation,	\$185
HR4KIT Designed to easily fit the following Dynablast Hot water models H2326DGF / H2527DGF H4035DGF H3025DEF1 H3030DEF1 H4030DDF H3030DEF3D		4000 psi rated, 150 Foot Capacity using 3/8 hose, Ruggedly constructed of 12 and 16 gauge steel, Adjustable split bearing brake assembly, Captive (4 sided) hose guide roller assembly provides smooth payout and rewind, Reel is supplied with adjustable cam lock brake assembly, All hardware and accessories included for on-site installation, Hose reel made in the USA.	\$568






















Dynablast - Accessories






Model #		Features	List Price 2014
<p>DYNAHR150 Designed to easily fit the CR Series Excluding CR4035 / CR4040</p>		<p>3000 psi rated, 150 Foot Capacity using 3/8 hose, All hardware and accessories included for on-site installation,</p>	<p>\$185</p>
<p>115 VOLT ABB TDS1151PH 115 Volt 1 Phase 1.5 hp models Time Delay Shutdown Box</p>		<p>Time delay shutdown box, 115 volt rated, ABB controls, Contactor, Fuse, Transformer, Timer (adjustable), Terminal blocks, All controls CSA rated. OPTIONAL Installation bracket, Pressure switch or Flow switch</p> <p style="text-align: right;"></p>	<p>\$485</p>
<p>230 VOLT ABB TDS2301PH 230 Volt 1 Phase 5hp / 6hp / 7.5hp Time Delay Shutdown Box</p>		<p>Time delay shutdown box, 230 volt rated, ABB controls, Contactor, Fuse, Transformer, Timer (adjustable), Terminal blocks, All controls CSA rated. OPTIONAL Installation bracket, Pressure switch or Flow switch</p> <p style="text-align: right;"></p>	<p>\$900</p>
<p>WMC310 Designed to easily fits any MPU 1.5hp to 7.5hp</p>		<p>Wall mount brackets designed to fit 1.5hp to 7.5hp motor pump units</p>	<p>\$155</p>
<p>CONHRB</p>		<ul style="list-style-type: none"> - Hose reel mounting bracket, Can be used on all Dynablast stainless steel cart models up to 3000 psi rated, designed to fit HR series hose reels. - Shown with optional hose reel HR100 (3000psi rated max) - Additional parts required to connect to pressure washer, (2) EFF0303ST (Steel Elbow 3/8F x 3/8F), (1) QC7196 (3/8 QC M), (1) HW4MPUB (4ft High pressure hose 3/8M fixed / 3/8M swivel) - To use on C4035DGSS change nozzle size to 045 	<p>\$42</p>

DYNABLAST COLD - Electric Powered Direct Drive

Model #		Features	List Price 2014
<p>BALDOR PA </p> <p>C2010DEH 1.5 HP 115V 1PH 1000 PSI 2 GPM NO CHEMICAL BASKET</p>		<p>Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Triplex Plunger Pump Integrated detergent feed system and adjustable unloader Thermal protected pump & pressure gauge Pressure gauge Heavy duty wire braided hose 9 metre (30 feet) Premium gun Premium 36" Lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated carry handle frame with nozzle holder</p> 	<p>\$1,495</p>
<p>BALDOR PA </p> <p>CR2010DE1 1.5 HP 115V 1PH 1000 PSI 2 GPM</p>		<p>Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure gauge</p>	<p>\$1,711</p>
<p>BALDOR PA </p> <p>CR2010DET1 1.5 HP 115V 1PH 1000 PSI 2.1 GPM</p> <p>TIME DELAY SHUT DOWN</p> <p>ABB</p>		<p>50' wire braided hose. Premium gun 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels</p> 	<p>\$2,448</p>

DYNABLAST COLD - Electric Powered Direct Drive			
Model #		Features	List Price 2014
<p>CR3015DE1 3 HP 230V 1PH 1500 PSI 3 GPM</p>   		<p>Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure gauge 50' wire braided hose. Premium gun 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels</p>	<p>\$2,410</p>
<p>CR3621DE1 5 HP 230V 1PH 2100 PSI 3.6 GPM</p>   		<p>Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure gauge 50' wire braided hose. Premium gun 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels</p>	<p>\$2,677</p>
<p>CR3621DET1 5 HP 230V 1PH 2100 PSI 3.6 GPM</p>    		<p>TIME DELAY SHUT DOWN</p> <p>Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Certified CSA Total Stop Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader with Pressure switch Thermal protected pump & pressure gauge</p>	<p>\$3,703</p>
<p>CR3621DET3D 5 HP 575V 3PH 2100 PSI 3.6 GPM</p>    		<p>Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun & 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels</p>	<p>SUPER E MOTOR \$3611</p> 







DYNABLAST COLD - Electric Powered Direct Drive Continued

Model #		Features	List Price 2014
<p>C4030DEHR 7.5 HP 230V 1PH 3000 PSI 4 GPM SHOWN WITH OPTIONAL HOSE REEL HR3KIT</p>		<p>BALDOR  </p> <p>Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Flex coupler between motor & pump Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure gauge</p>	<p>\$4,426</p>
<p>TIME DELAY SHUT DOWN</p> <p>C4030DET 7.5 HP 230V 1PH 3000 PSI 4 GPM OPTIONAL HOSE REEL HR3KIT</p> <p>ABB</p>		<p>Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 48" two section lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated frame Cart with lance, hose & nozzle holder 16" pneumatic wheels</p> <p> </p>	<p>\$5,334</p>







DYNABLAST COLD - Electric Powered Belt Drive

<p> </p> <p>C5320BE1 7.5 HP 230V 1PH 2000 PSI 5.3 GPM</p> <p>ABB BALDOR</p>	<p>BELT DRIVE</p> 	<p>Industrial / Farm application Time Delay Shutdown Totally Enclosed Fan Cooled Baldor Industrial grade motor Belt driven (Longer pump Life) Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump Pressure gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 109cm dual lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated frame Industrial wrap around designed cart Cart with lance, hose, nozzle & chemical holder 13" pneumatic wheels</p> <p></p>	<p>\$5,948</p>
--	--	--	-----------------------



DYNABLAST COLD - Electric Powered Belt Drive Continued			
Model #		Features	List Price 2014
C5320BE3D 7.5 HP 575V 3PH 2000 PSI 5.3 GPM		    Industrial / Farm application Time Delay Shutdown Totally Enclosed Fan Cooled Baldor Industrial grade motor Belt driven (Longer pump Life) Resilient Interpump Triplex Plunger Pump	SUPER E MOTOR \$5579
C5030BE1 10 HP 230V 1PH 3000 PSI 5 GPM		Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump Pressure gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 109cm dual lance assembly Colour coded quick connect nozzles Weather resistant high gloss powder coated frame Industrial wrap around designed cart Cart with lance, hose, nozzle & chemical holder 13" pneumatic wheels	\$6,859
C5030BE3D 10 HP 575V 3PH 3000 PSI 5 GPM		 	SUPER E MOTOR \$6148
 OIL FIELD UNIT OF420BE3A 5 HP 208V 3PH 2000 PSI 3.7 GPM		   Rugged 2 gauge powder-coated steel base and 11 gauge Belt guard. Easily removable vented belt guard for belt life. Built-in pump puller for easier belt tensioning. Balanced lifting eyelet. Heavy duty wire braided hose 15.2 metre (50 feet), 1/4 meg nozzle Premium gun 109cm dual lance assembly Available in various voltages. Optional Allan-Bradley 609 starter box.	SUPER E MOTOR \$3330
		 	

DYNABLAST COLD - Gasoline Powered Direct Drive			
Model #		Features	List Price 2014
<p>CR3025DG 6.5 HP Honda GX 2500 PSI 3 GPM</p> <p>Powered by HONDA ENGINES</p>		 	<p>\$1,676</p>
<p>CR4035DG 13 HP Honda GX 3500 PSI 3.8 GPM</p> <p>Powered by HONDA ENGINES</p>		<p>Industrial / Farm application Industrial grade Honda GX / Subaru EX engine with oil alert Resilient Interpump Triplex Plunger Pump Separate adjustable chemical detergent feed system Premium separate unloader Thermal protected pump & pressure gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun 36" stainless steel lance assembly Colour coded quick connect nozzles NEW powder coated steel wrap around protective cage frame Folding handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels</p>	<p>\$2,279</p>
<p>CR4040DG 14 HP Subaru EX 4000 PSI 4.0 GPM</p> <p> SUBARU Robin Industrial Engines</p>			<p>\$2,442</p>

DYNABLAST COLD - Gasoline Powered Belt Drive			
Model #		Features	List Price 2014
<p>CR4035BG 13 HP Honda GX 3500 PSI 3.8 GPM</p>		<p>BELT DRIVE </p> <p>Industrial / Farm application Industrial grade Honda GX with oil alert Resilient Interpump Triplex Plunger Pump Belt driven (Longer pump Life) Premium separate unloader, thermal protected pump & pressure gauge Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun & stainless steel lance combination Weather resistant high gloss powder coated frame Colour coded quick connect nozzles 13 " never go flat wheels</p>	<p>\$2,455</p>
<p>CR4035BGS 13 HP Honda GX 3500 PSI 3.8 GPM</p> <p>ELECTRIC START</p>		<p> Powered by HONDA ENGINES</p>	<p>\$3,153</p>
<p>CR5050BG 24 HP Honda GX690 V TWIN 5000 PSI 5 GPM</p>		<p>BELT DRIVE </p> <p>Industrial / Farm application Industrial grade Honda GX "V" twin engine with electric start (12 volt) Low tone muffler and 6 gallon fuel tank Resilient Interpump Triplex Plunger Pump Belt driven (Longer pump Life) Pressure gauge, premium separate unloader, pressure relief valve, and thermal protected pump Heavy duty wire braided hose 15.2 metre (50 feet) Premium gun & stainless steel lance combination (48") Weather resistant high gloss powder coated frame Industrial wrap around designed cart, with lance , hose holder and 13" pneumatic wheels</p>	<p>\$8,000</p>

Dynablast HT - Electric Powered Direct Drive			
Model #		Features	List Price 2014
C5004HTSS 1.5 HP 115V 1PH TEFC 500 PSI 4 GPM		   <div style="text-align: center; font-size: 2em; font-weight: bold; color: red; text-decoration: underline;">HOT WATER</div>	\$2,754
C1904HTSS 5 HP 230V 1PH TEFC 1900 PSI 4 GPM		Food Processing / Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump HT Triplex Plunger Pump (High Temperature) Premium separate unloader Thermal protected pump up to 190 degrees	\$3,569
<div style="text-align: center; font-size: 1.5em; font-weight: bold; color: red; text-decoration: underline;">TIME DELAY SHUT DOWN</div> C1904HTDS 5 HP 230V 1PH TEFC 1900 PSI 4 GPM <div style="text-align: center; font-size: 1.5em; font-weight: bold; color: red;">ABB</div>		Blue neptune high pressure hose (5hp - 50') & (1.5hp - 30') Premium PA gun & 36" stainless steel lance Flex coupled pump for softer start up and increased motor life Weather resistant stainless steel frame Reversible handle designed cart Cart with lance, hose & nozzle holder 10" never go flat wheels	\$4,774
<div style="text-align: center; font-size: 1.5em; font-weight: bold; color: red; text-decoration: underline;">TIME DELAY SHUT DOWN</div> C1904HTDS3D 5 HP 575V 3PH TEFC 1900 PSI 4 GPM <div style="text-align: center; font-size: 1.5em; font-weight: bold; color: red;">ABB</div>		<div style="text-align: center; font-size: 2em; font-weight: bold; color: red; text-decoration: underline;">HIGH TEMPERATURE MODEL UP TO 185 DEGREES</div> <div style="text-align: center;">  </div>	SUPER E MOTOR \$4632

DYNABLAST COLD - Electric Powered Belt Drive

Model #		Features	List Price 2014
<p>MPUB3530E1 7.5 HP 230V 1PH TEFC 3000 PSI 3.5 GPM</p>	<p>BELT DRIVE</p> 	<p>BALDOR</p> <p>Food Processing / Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Plunger Pump Premium separate unloader with built in pressure switch Thermal protected pump Industrial grade wire braided high pressure hose (50')</p>	<p>\$6,566</p>
<p>MPUB5030E1 10 HP 230V 1PH TEFC 3000 PSI 5.0 GPM</p>		<p>Premium PA gun & 36" stainless steel lance Belt driven for longer pump life Weather resistant stainless steel hood Time delay shutdown Down stream chemical injector Built in pressure gauge</p> <p>SP PA ABB</p>	<p>\$7,220</p>
<p>MPUBCART</p>		<p>Heavy duty cart with 13" wheels and locking casters, mounting bracket for a hose reel, designed to fit MPUB SS Hood series</p>	<p>\$680</p>
<p>MPUBHR</p>	 <p>Hannay Reels</p>	<p>MPUBHR contains Hannay PW2 (4000psi rated) quality hose reel, high pressure hose extension with quick connects and hardware</p>	<p>\$535</p>
<p>BELT DRIVE</p> <p>MPUB1030E3D 20 HP 575V 3PH TEFC 3000 PSI 10 GPM</p> <p>ACCESSORIES OPTIONAL</p>		<p>BALDOR</p> <p>In-plant / Industrial / Farm application Totally Enclosed Fan Cooled Baldor Industrial grade motor Resilient Interpump Plunger Pump Premium separate unloader Thermal protected pump Phoenix flow switch Belt driven for longer pump life Black powder coated base with belt guard Time delay shutdown Pressure gauge</p> <p>ABB PA SP</p>	<p>\$7,264</p>