



Superior & Unique
In What We Provide

Registered No. 1172103
VAT Reg No. 221 7863 67

Manufacturer of Products for
Social Entertainment Events

Product Catalogue



EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts. SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

North American 75 Style Bingo Number Selectors

Playing Bingo in North America? Then these are the models for you! Bingo in the States and Canada differs as instead of 1-90 tickets and balls, they run 1-75 Bingo. Also, Bingo can be won by players crossing off lines of 5 in any direction on a 5 x 5 ticket, with thousands of combinations.

On our machines, an LED for letters B-I-N-G-O will light up if any of the possible numbers in that letter group are called, ie. 'B' being 1-15, 'G' being 46-60, etc. This is displayed on both on the front and rear of the machines. This gives the caller a prompt to announce the B-I-N-G-O letters.

Bingola 75S

- Easy to use
- 1-75 numbered LED Check board
- Last call recall facility
- B-I-N-G-O LED prompts
- "Jackpot/Snowball" facility with audio and visual indicators
- Caller controls timing of audience display
- Long life "Select" and "Recall" buttons

57mm (2¼") High Bright Red Audience Display
20mm (0.8") High Call Display on Caller's Panel
25mm (1") High Audience LED B-I-N-G-O Prompt Displays

- Attractive design and construction
- Adjustable to any length of game upto 75
- Mains Supply 115V - 60Hz via mains adapter
- Power Switch

Height = 330mm (13")
Width = 160mm (6¼")
Depth = 130mm (5")
Weight = 1½ Kg



Back

Front

Bingola 75L

- Easy to use
- 1-75 numbered LED Check board
- Last call recall facility
- B-I-N-G-O LED prompts
- "Jackpot/Snowball" facility with audio and visual indicators
- Caller controls timing of audience display
- Long life "Select" and "Recall" buttons

100mm (4") High Bright Red Audience Display
20mm (0.8") High Call Display on Caller's Panel
25mm (1") High Audience LED B-I-N-G-O Prompt Displays

- Attractive design and construction
- Adjustable to any length of game up to 75
- Mains Supply 115V - 60Hz via mains adapter
- Power Switch

Height = 360mm (14")
Width = 235mm (9")
Depth = 130mm (5")
Weight = 2 Kg



Back

Front



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Budgie Bingo Machine

Bingola Budgie - Bingo Number Selector



Height = 90mm (3 $\frac{3}{4}$ "")
Width = 220mm (8 $\frac{3}{4}$ "")
Depth = 180mm (7"") at base
Weight = 0.6 Kg

Console style with elevated sloping control panel perfect for easy viewing.
Easily select bingo numbers at random with touch of a button.
Ideal for small bingo events - an affordable replacement for noisy bingo cages.

Retains memory of current game in event of power loss

20mm (0.8"") High Red Caller's Panel Display

- Easy to use
 - Attractive design
 - Durable lightweight construction
 - Adjustable to any length of game up to 90
 - Caller controls timing of audience display
 - Long life "Select", "Clear" and "Recall" buttons
 - Retains memory of current game in event of power loss
 - Full game recall & number of calls display facility
 - "Jackpot/Snowball" feature with audio and visual indicators
 - Caller's side has a matrix of 1-90 numbered LEDs showing numbers which have been called & display showing current call
-
- Mains Supply 230V - 50Hz
 - Mains Switch, Fuse



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Elegance Bingo Machine

Bingola Elegance - Bingo Number Selector

Height = 300mm (11¾")
Width = 265mm (10½")
Depth = 130mm (5")
Weight = 2 Kg



Front



Back

A smart machine suitable for most venues.

Retains memory of current game in event of power loss

100mm (4") High Digit Audience Display
20mm (0.8") High Digit Caller's Display

- Easy to use
- Attractive design
- Durable lightweight construction
- Adjustable to any length of game up to 90
- Caller controls timing of audience display
- Long life "Select", "Clear", "Jackpot" and "Recall" buttons
- Retains memory of current game in event of power loss
- Full game recall & number of calls display facility
- "Jackpot/Snowball" feature with audio and visual indicators
- Caller's side has a matrix of 1-90 numbered LEDs showing numbers which have been called, displays showing current call & total number of calls

- Mains Supply 230V - 50Hz
- Mains Switch, Fuse



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Gemini Classic - Wireless Masters

The Bingola Gemini Classic Wireless bingo system allows you to play bingo over a larger area with multiple displays. You can choose a Master, and as many Slave Units as required.

There are two different displaying master units to choose from; Master Unit 1 - which is based on our Elegance, or Master Unit 2 - which is based on our Supreme. You can choose as many Slave Units as you need. There are two different portable or wall mounted models; Slave Model 1 & Slave Model 2. These Slave Units are compatible with both of our Master Units. The Master can control any number of mixed models of Slave Units & our TV Bingo Receivers.

The Slave Units are controlled by low power high frequency radio waves transmitted by the Master. The Slave Units may be placed anywhere within the area of play, making it easy for the players to track the game. They can be placed on a desktop, fixed directly on the wall, or attached to a wall mounted bracket.

No more inconvenient cables!

The system operates on licence free low power 433MHz frequency and is compliant to EN 300-220. Operational range 50 metres.

Choose Your Master Unit...


Master Elegance Unit



Master Elegance Dimensions:

Height = 300mm (12")
Width = 265mm (10½")
Depth = 130mm (5")
Weight = 2 Kg

Master Supreme Unit



Master Supreme Dimensions:

Height = 360mm (14¼")
Width = 380mm (15")
Depth = 130mm (5")
Weight = 3½ Kg

Master Units retain memory of current game in event of power loss

- Compatible with both the Slave Type 1 Unit & Type 2, or a combination of both
- Easy to use, attractive design and solid construction
- Caller controls timing of audience display
- Long life "Select", "Clear", "Recall", and "Set Jackpot" buttons
- 1-90 numbered LED check board
- Adjustable to any length of game
- Full game recall facility
- "Jackpot/Snowball" facility with audio and visual indicators
- "Transmit" indicator

20mm (0.8") High Red Caller's Displays, showing "Number of Calls" and the "Current Call"

100mm (4") High Red Solid Segment Audience Display on the Master Elegance

210mm (8") High Red Solid Segment Audience Display on the Master Supreme

- Internal antenna
- Mains Supply 230V/50Hz
- Mains Switch & Fuse



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Gemini Classic - Wireless Slave Displays

The Slave Units are controlled by low power high frequency radio waves transmitted by the Master. The Slave Units may be placed anywhere within the area of play, making it easy for the players to track the game. They can be placed on a desktop, fixed directly on the wall, or attached to a wall mounted bracket.

No more inconvenient cables!

The system operates on licence free low power 433MHz frequency and is compliant to EN 300-220. Operational range 50 metres.

Choose Your Slave Unit(s)...

Slave Type 1 Unit



Slave Type 1 Dimensions:

Height = 205mm (8")
Width = 210mm (8¼")
Depth = 53mm (2¼")
Weight = 1 Kg

100mm (4") High Red Seven Segment Display

Specification

- Compatible with both Master Elegance and Master Supreme
 - Any combination of Slaves can be applied to one Master
 - "Receive" indicator
 - Internal antenna
- Mains supply 230V/50Hz via external mains adapter

Slave Type 2 Unit



Slave Type 2 Dimensions:

Height = 260mm (10½")
Width = 380mm (15")
Depth = 65mm (2½")
Weight = 2 Kg

210mm (8½") High Red Seven Segment Display



**Optional Wall Bracket
Available**

If larger numbers are required, please refer to our Gemini TV System



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Neon Bingo Machine

Bingola Neon - Bingo Number Selector

The only machine on the market that shows the audience the last number called and the number of calls made.



100mm (4") High Red Last Call Audience Display
57mm (2¼") High Red Number of Calls Audience Display
20mm (0.8") High Red Caller's Panel Display

- Easy to use
- Attractive design
- Durable lightweight construction
- Adjustable to any length of game up to 90
- Caller controls timing of audience display
- Long life "Select", "Clear", "Jackpot" and "Recall" buttons
- Full game recall & number of games facility
- "Jackpot/Snowball" facility with audio and visual indicators
- Caller controls timing of audience display
- Caller's side has a matrix of 1-90 numbered LEDs showing numbers which have been called, display showing current call and total number of calls made

Height = 390mm (15¼")
Width = 210mm (8¼")
Depth = 130mm (5")
Weight = 2½ Kg

- Mains Supply 230V - 50Hz
- Mains Switch & Fuse



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Rosey Rosie Bingo Machine

Bingola Rosey Rosie - Bingo Number Selector



Height = 330mm (13")
Width = 160mm (6 3/4")
Depth = 125mm (5")
Weight = 1 Kg

Budget machine, ideal for small bingo events.

Retains memory of current game in event of power loss

**76mm (3") High Digit Audience Display
20mm (0.8") High Digit Caller's Display**

- Easy to use
- Attractive design
- Durable lightweight construction
- Adjustable to any length of game up to 90
- Caller controls timing of audience display
- Long life "Select", "Clear" and "Recall" buttons
- Retains memory of current game in event of power loss
- Full game recall & number of calls display facility
- "Jackpot/Snowball" feature with audio and visual indicators
- Caller's side has a matrix of 1-90 numbered LEDs showing numbers which have been called and display showing current call

- Mains Supply 230V - 50Hz
- Mains Switch, Fuse



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Sapphire Bingo Machine

Bingola Sapphire - Bingo Number Selector



Front



Back

Console style with elevated sloping control panel perfect for easy viewing.
Easily select bingo numbers at random with touch of a button.
Ideal for small to medium bingo events.

Retains memory of current game in event of power loss

100mm (4") High Digit Audience Display
20mm (0.8") High Digit Caller's Display

- Easy to use
- Attractive design
- Durable lightweight construction
- Adjustable to any length of game up to 90
- Caller controls timing of audience display
- Long life "Select", "Clear" and "Recall" buttons
- Retains memory of current game in event of power loss
- Full game recall & number of calls display facility
- "Jackpot/Snowball" feature with audio and visual indicators
- Caller's side has a matrix of 1-90 numbered LEDs showing numbers which have been called & display showing current call

- Mains Supply 230V - 50Hz
- Mains Switch, Fuse



Side

Height = 195mm (7¾")
Width = 225mm (8¾")
Depth = 130mm (5¼") at base
Weight = 0.8 Kg



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Bingola Supreme Bingo Machine

Bingola Supreme - Bingo Number Selector



Front



Back

Height = 360mm (14")
Width = 380mm (15")
Depth = 130mm (5")
Weight = 3½ Kg

A smart machine suitable for most venues.

200mm (8") High Digit Audience Display
20mm (0.8") High Digit Caller's Display

- Easy to use
- Attractive design
- Durable lightweight construction
- Adjustable to any length of game up to 90
- Caller controls timing of audience display
- Long life "Select", "Clear", "Jackpot" and "Recall" buttons
- Retains memory of current game in event of power loss
- Full game recall & number of calls display facility
- "Jackpot/Snowball" feature with audio and visual indicators
- Caller's side has a matrix of 1-90 numbered LEDs showing numbers which have been called, displays showing current call & total number of calls

- Mains Supply 230V - 50Hz
- Mains Switch, Fuse



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Club Trio Combined Machine

Club Trio - Bingo, Raffle & Tote Double Number Selector



Back



Front

Playing different games but not wanting more than one machine?
A Combined Machine would be just the right thing for you!

Game Settings

- **Bingo** - All lengths of games & Snowball.
- **Raffle** - Start & Finish numbers, Non-Repeat on 100 numbers or Repeat facilities. Ticket roll-over optional setting.
- **Tote Double** - Numbers from 0-99 with a choice of double numbers included or excluded.

57mm (2¼") Red Solid Segment Audience Display
20mm (0.8") Red Solid Segment Caller's Display

Features

- 5 digit machine generating random numbers from 1-99,999
- 1-90 numbered bingo check board & game indicators with 5mm red LEDs
- Dust & moisture proof long-life keyboard with clearly labelled keys
- Numerical pad 0-9 with "Error Clear", "Total Game Recall" settings and verification of "Start" and "Finish" numbers

Game Check Facilities:

- | | |
|-----------------------------------|-----------------------------------|
| - Number of calls made/draws made | - Raffle tickets roll-over |
| - Number of tickets sold | - Ready & check back |
| - Snowball audio & LED indicators | - Raffle numbers repeat indicator |
| - Tote Double numbers indicator | |

Height = 149mm (6")
Width = 369mm (14¼")
Depth = 235mm (9¼")
Weight = 3½ Kg



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Raffle & Tote Number Selectors

One In A Million



Height = 180mm (7")
Width = 369mm (14")
Depth = 159mm (6¼")
Weight = 3 Kg

57mm (2¼") High Red Seven Segment Display

- Raffle 6 Digits (1-999,999)
- Tote Double & Tote Treble (1-99)
- Full game recall
- Guaranteed 100 non repeating draw numbers
- Hand held remote plunger & carry handle
- Clearly marked instructive keys
- Robust construction, with integral storage compartment for leads and plunger

Little Lucy



Height = 145mm (5¾")
Width = 315mm (12½")
Depth = 65mm (2½")
Weight = 1 Kg

20mm (0.8") High Red Seven Segment Display

- Raffle 5 Digits (1-99,999), Tote Double (1-99)
- Facility to set start and finish numbers of the draw
- Error clear
- Check last 10 numbers drawn, draw clear, and number of tickets sold
- LED status with prompt indicators of Power, Raffle, Tote, Start Number, Finish Number, Ready & Numbers
- Repeat
- Guaranteed 10 non repeating draw numbers
- Robust construction
- Side spin button
- Desktop, mains supply with mains switch



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Grand Event Key Games

Treasure Chest



57mm (2¼") High Red Seven Segment Display

- Raffle Machine with 5 digits (1-99,999)
- Tote Double (01-99)
- Guaranteed 100 non repeating draw numbers
- Facility to set start & finish numbers of the draw
- Check back facility of last 100 numbers drawn, draw counter & number of tickets sold
- Clearly marked instructive keys
- Robust construction with dirt & moisture proof sealed keys
- Desktop with mains supply and switch
- Storage compartment for mains lead & plunger
- Includes 13 Keys & extra Master Key

Height = 380mm (15")
Width = 530mm (20¾")
Depth = 150mm (6")
Weight = 7 Kg

Optional Extra: Display Plaque

Make your event known with this display stand!
Plaque with sliding numbers and letters for use as audience display or to advertise up & coming events

Height = 175mm (7")
Width = 350mm (13¾")
Depth = 10mm (½")
Weight = ½ Kg



Take Your Pick



Ideal for running events in places such as pubs, clubs & many other establishments. A classic product for use after a main event as a random prize picker.

- Contestants choose which box is to be opened.
- The host takes out the sealed envelope containing the name of one of the twelve prizes.
- The host can try to buy back the envelope using increasing amounts of money or alternative prizes, until either the contestant gives in or the host refuses to offer any more money.
- If the contestant chooses the prize within the envelope the prize belongs to the contestant.
- If the hosts offer is selected, the envelope is still opened by the host to reveal what could have been won.
- There is a 12 to 1 chance of the top prize being won.

Each Box is 150mm (6") x 150mm (6") x 120mm (5")

Comes complete with:

- 12 Numbered Boxes
- 12 Keys

Height = 790mm (31")
Width = 500mm (20")
Depth = 150mm (6")
Weight = 10 Kg



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Dart & Snooker Scorers - Touch Pad

Clubman Mini



20mm (0.8") High Red Seven Segment Displays

Height = 140mm (5½")
Width = 255mm (10")
Depth = 38mm (1½")
Weight = 0.8 Kg

Compact & inexpensive - great for when you just can't do the maths!

- Suitable for any game upto 1001, with add individual darts facility
- Automatic changeover of sides with LED indicators
- Error correction & score recall facilities
- Wall mounted
- 230V mains supply via a mains adapter

Tornado Snooker Scorer



20mm (0.8") High Seven Segment Displays

Height = 130mm (5")
Width = 270mm (10½")
Depth = 35mm (1½")
Weight = 0.4 Kg

A must for every snooker table!

- Compact, easy to use seven colour score entry keys
- Facility to enter fouls
- 6 digit (3 on each side), players' indicators
- View total score and frames won
- Durable touchpad keyboard
- Dirt & moisture proof, sealed long life keyboard
- Wall mounted
- 230V mains supply via mains adapter



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Dart Scorers - Push Button

A range of professional quality dart scoring equipment for all venues, with quick entry push button keyboards.

DS180



Height = 235mm (9 1/4")
Width = 270mm (10 1/2")
Depth = 40mm (1 1/2")
Weight = 1 1/2 kg

Retains memory of current game in event of power loss

20mm (0.8") High Displays

- Any game upto 9999
- Error recall and correction
- Upto 9 players per team
- Automatic team throw indicators
- Automatic change over of sides
- Rejection of bust scores
- One touch selection of 501 and 301 games
- Option of home game only play for solo practice
- Long-life button keyboard
- Wall mounted

Continuous display of:

- Last throw
- Scores & totals
- Wins/legs of both teams
- Games played

Dartwrite



Height = 365mm (14 1/2")
Width = 290mm (11 1/2")
Depth = 40mm (1 1/2")
Weight = 2 kg

20mm (0.8") & 15mm (0.6") High Displays

- Any game up to 9999
- Error recall and correction
- Up to 9 players per team
- Indication of number of darts entered in a throw
- Automatic team throw indicators
- Automatic change over of sides
- Rejection of bust scores
- One touch selection of 501 and 301 games
- Option of home game only play for solo practice
- Long-life button keyboard
- Wall mounted

Continuous display of:

- Last 5 throw scores & totals
- Wins & Legs of both teams
- Games played



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

ELITE 2 - 2 Column Pull Tab Ticket Dispenser


ELITE 2

Modern design coupled with innovative, cutting edge dispensing technology, the ELITE 2 is the benchmark in the Pull Tab market, bringing together distinction & security to your customers' venue & a quality of excellence to your reputation.



Attractive, classy look & design.
Superb quality, compact wall mounted unit.
Latest reliable & maintenance free "active jockey"
dispensing mechanism.

UK designed and manufactured at EME Ltd,
The Leaders in Pull Tab Ticket Dispensing Technology.



Columns Capacity: 2 x 450 tickets
Maximum Tickets Size: 120mm x 49mm
Tickets Thickness: 0.6mm

Height = 603mm (23¾")
Width = 292mm (11½")
Depth = 197mm (7¾")
Weight = 17Kg

Main Supply = 230V / 50Hz

Available with a Wall Mounted Bracket.

Model ELITE 2CA - 2 Column with Coin Acceptor
Model ELITE 2BV - 2 Columns with Bank Note Acceptor
Model ELITE 2CABV - 2 Columns with Coin Acceptor & Bank Note Acceptor

Features

- 4 Digit credit display, format £99.99
- Internal lockable cashbox
- Individual removable dispensing columns
- Coin acceptor: Mars Cashflow
- Bank note acceptor: GBA ST2
- Cash and tickets non-resettable counters
- Adjustable tickets prices
- Self-explanatory credit and machine status display panel
- Test facility
- Optional flare card holder

Customised versions of EME ELITE 2 can be supplied.

Made By EME Ltd To Last



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235

Email: sales@emeltd.com Website: www.emeltd.com

ELITE 4 - 4 Column Pull Tab Ticket Dispenser

ELITE 4

Modern design coupled with innovative, cutting edge dispensing technology, the ELITE 4 is the benchmark in the Pull Tab market, bringing together distinction & security to your customers' venue & a quality of excellence to your reputation.



Attractive, classy look & design.
Superb quality, compact wall mounted unit.
Latest reliable & maintenance free "active jockey"
dispensing mechanism.

UK designed and manufactured at EME Ltd,
The Leaders in Pull Tab Ticket Dispensing
Technology.

Columns Capacity: 4 x 450 tickets
Maximum Tickets Size: 120mm x 49mm
Tickets Thickness: 0.6mm

Height = 603mm (23³/₄"")
Width = 425mm (16³/₄"")
Depth = 197mm (7³/₄"")
Weight = 21Kg

Main Supply = 230V / 50Hz

Available with a Wall Mounted Bracket.

Model ELITE 4CA - 4 Column with Coin Acceptor
Model ELITE 4BV - 4 Columns with Bank Note Acceptor
Model ELITE 4CABV - 4 Columns with Coin Acceptor & Bank Note Acceptor

Features

- 4 Digit credit display, format £99.99
- Internal lockable cashbox
- Individual removable dispensing columns
- Coin acceptor: Mars Cashflow
- Bank note acceptor: GBA ST2
- Cash and tickets non-resettable counters
- Adjustable tickets prices
- Self-explanatory credit and machine status display panel
- Test facility
- Optional flare card holder

Customised versions of EME ELITE 4 can be supplied.

Made By EME Ltd To Last



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235

Email: sales@emeltd.com Website: www.emeltd.com

ELITE 6 - 6 Column Pull Tab Ticket Dispenser

ELITE 6

Modern design coupled with innovative, cutting edge dispensing technology, the ELITE 6 is the benchmark in the Pull Tab market, bringing together distinction & security to your customers' venue & a quality of excellence to your reputation.



Attractive, classy look & design.
Superb quality, compact wall mounted unit.
Latest reliable & maintenance free "active jockey"
dispensing mechanism.

UK designed and manufactured at EME Ltd,
The Leaders in Pull Tab Ticket Dispensing
Technology.

Columns Capacity: 6 x 450 tickets
Maximum Tickets Size: 120mm x 49mm
Tickets Thickness: 0.6mm

Height = 603mm (23³/₄"")
Width = 555mm (21³/₄"")
Depth = 197mm (7³/₄"")
Weight = 24Kg

Main Supply = 230V / 50Hz

Available with a Wall Mounted Bracket.

Model ELITE 6CA - 6 Column with Coin Acceptor
Model ELITE 6BV - 6 Columns with Bank Note Acceptor
Model ELITE 6CABV - 6 Columns with Coin Acceptor & Bank Note Acceptor

Features

- 4 Digit credit display, format £99.99
- Internal lockable cashbox
- Individual removable dispensing columns
- Coin acceptor: Mars Cashflow
- Bank note acceptor: GBA ST2
- Cash and tickets non-resettable counters
- Adjustable tickets prices
- Self-explanatory credit and machine status display panel
- Test facility
- Optional flare card holder



Customised versions of EME ELITE 6 can be supplied.

Made By EME Ltd To Last



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

ELITE Adjustable Advertising Frames

ELITE ADJUSTABLE ADVERTISING FRAMES

Increase the ticket selling potential by showing the value of the highest jackpot available from the machine.
Advertise your company's name, services.



The two part frames are adjustable for the thickness of the artwork media.

The frames are secured to the top of the ELITE machines by means of 2 off M4 screws and matching threaded nut inserts which are fitted to all ELITE machines enclosures as standard.



Custom Designs Available.

Frame Sizes:

ELITE 2FR
Length = 270mm (10.6")
Height = 100mm (4")

ELITE 4FR
Length = 405mm (16")
Height = 100mm (4")

ELITE 6FR
Length = 530mm (21")
Height = 100mm (4")

A CD Rom Disc ELITE FR containing a range of standard artworks for you to print / modify to your requirements is available.
The Jackpot values for each model are: £50, £75, £100, £105, £150, £200, £250, £300, £400, £500, £501, £1000.

- Customised frames manufactured to special order.
- Customised artworks can be designed.






Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Pull Tab Tickets - £1



501 - £1

Ticket Price: £1
Set Size: 2700 Tickets
Game Income: £2700.00
Total Prizes: 2 x £501
2 x £180
3 x £60
10 x £20
300 x 50p
Prize Payout: £1,892.00
Payout: 70.07%
Winner Ratio: 1 in 8.5



At The Movies - £1

Ticket Price: £1
Set Size: 2700 Tickets
Game Income: £2700.00
Total Prizes: 5 x £250
4 x £50
20 x £5
50 x £2
240 x £1
Prize Payout: £1,890.00
Payout: 70.00%
Winner Ratio: 1 in 8.5



Bountiful Booty - £1

Ticket Price: £1
Set Size: 2700 Tickets
Game Income: £2700.00
Total Prizes: 5 x £200
4 x £100
10 x £10
20 x £5
580 x 50p
Prize Payout: £1,890.00
Payout: 70.00%
Winner Ratio: 1 in 4.4



Cash Craze - £1

Ticket Price: £1
Set Size: 2700 Tickets
Game Income: £2700.00
Total Prizes: 2 x £300
2 x £100
6 x £25
30 x £10
300 x £2
Prize Payout: £1,850.00
Payout: 68.82%
Winner Ratio: 1 in 7.9



Fun In The Sun - £1

Ticket Price: £1
Set Size: 2700 Tickets
Game Income: £2700.00
Total Prizes: 4 x £300
2 x £50
8 x £25
100 x £1
580 x 50p
Prize Payout: £1,890.00
Payout: 70.00%
Winner Ratio: 1 in 3.9

Overprinting Available With Club Names



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Pull Tab Tickets - 50p




Casino Gold - 50p

Ticket Price: 50p
Set Size: 2700 Tickets
Game Income: £1350.00
Total Prizes:
2 x £200
1 x £100
10 x £10
20 x £2
315 x £1
Prize Payout: £955.00
Payout: 71.06%
Winner Ratio: 1 in 7.7



Diner Dosh - 50p

Ticket Price: 50p
Set Size: 2700 Tickets
Game Income: £1350.00
Total Prizes:
4 x £150
2 x £50
5 x £10
50 x £2
190 x 50p
Prize Payout: £945.00
Payout: 70.00%
Winner Ratio: 1 in 10.8



Lucky 7 - 50p

Ticket Price: 50p
Set Size: 2700 Tickets
Game Income: £1350.00
Total Prizes:
10 x £50
5 x £20
25 x £5
55 x £1
350 x 50p
Prize Payout: £955.00
Payout: 71.01%
Winner Ratio: 1 in 6.0



Mr Fruity - 50p

Ticket Price: 50p
Set Size: 2700 Tickets
Game Income: £1350.00
Total Prizes:
4 x £100
4 x £25
10 x £10
100 x £2
145 x £1
Prize Payout: £945.00
Payout: 70.00%
Winner Ratio: 1 in 10.3



Wild Wild West - 50p

Ticket Price: 50p
Set Size: 2700 Tickets
Game Income: £1350.00
Total Prizes:
2 x £200
8 x £25
30 x £5
145 x £1
100 x 50p
Prize Payout: £945.00
Payout: 70.00%
Winner Ratio: 1 in 9.5



You're Nicked - 50p

Ticket Price: 50p
Set Size: 2700 Tickets
Game Income: £1350.00
Total Prizes:
3 x £200
1 x £100
10 x £5
25 x £2
145 x £1
Prize Payout: £945.00
Payout: 70.00%
Winner Ratio: 1 in 14.7

Overprinting Available With Club Names



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Pull Tab Tickets - 25p



Bingo Bash - 25p

Ticket Price: 25p
Set Size: 2700 Tickets
Game Income: £675.00
Total Prizes: 2 x £100
2 x £20
6 x £5
20 x £1
250 x 50p
Prize Payout: £415.00
Payout: 61.76%
Winner Ratio: 1 in 9.6



Mr Lucky's Allotment - 25p

Ticket Price: 25p
Set Size: 2700 Tickets
Game Income: £675.00
Total Prizes: 3 x £75
2 x £25
10 x £5
50 x £1
100 x 50p
Prize Payout: £425.00
Payout: 62.96%
Winner Ratio: 1 in 16.3




Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Pull Tab Tickets - Society Lottery

EME Pull Tab Tickets - Society Lottery



Treasure Chest - 50p

Ticket Price: **50p**
Set Size: **2700 Tickets**
Game Income: **£1350.00**
Total Prizes: **3 x £100**
5 x £20
10 x £5
25 x £2
350 x 50p
Prize Payout: **£675.00**
Payout: **50.00%**
Winner Ratio: **1 in 6.8**



Hatrick - £1

Ticket Price: **£1**
Set Size: **2700 Tickets**
Game Income: **£2700.00**
Total Prizes: **4 x £200**
5 x £50
5 x £10
10 x £5
400 x 50p
Prize Payout: **£1,350.00**
Payout: **50.00%**
Winner Ratio: **1 in 6.4**

Overprinting Available With Club Names



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Manual Bingo


Bingo Cage Size 2



Height = 310mm (12¼")
Base Width = 340mm (13½")
Base Depth = 340mm (13½")
Drum Diameter = 220mm (8¾")
Weight = 1¼ Kg

- Includes Small Checkboard & 22mm Balls 1-90

Bingo Cage Size 3



Height = 480mm (19")
Base Width = 480mm (19")
Base Depth = 480mm (19")
Drum Diameter = 350mm (14")
Weight = 2 Kg

- Includes Large Checkboard & 38mm Balls 1-90

Bingo Balls



1



2

- 1 22mm Plastic Balls 1-90 (for Cage sizes 1 & 2)
- 2 38mm Plastic Balls 1-90 (for Cage size 3)

Bingo Boards



1



2



3

- 1 **Chip Checkboard** (for Wooden Chips)
285mm x 285mm
- 2 **Small Checkboard** (for 22mm Balls)
285mm x 285mm
- 3 **Large Checkboard** (for 38mm Balls)
285mm x 285mm



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK


Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Raffle Drums

Harlequin Raffle Drums



Easy To Open Lids



1

2

Twist Handle For Larger Drums



1

2

3

- An eye-catching, six sided, multicoloured design
- Easy slide opening on Sizes 1, 2 and 3
- Twist lid on Size 4 drums with smooth rotation
- Weighted drum to keep the opening on top position when tickets are drawn
- Constructed from aluminium and plastic, making them lightweight and durable

Special Gold coloured versions available in Sizes 2 & 3.
Customisation of Sizes 2, 3 and 4 available, with a choice of the below colours for the six sides.

Orange	Brown	Silver Gray
Red	Lilac	White
Green	Blue	Cream
Black	Purple	Yellow
		Clear
		Gold (Extra Cost)

Logo's and artwork welcome for an extra charge.

Raffle Drum	Dimensions	Volume	Capacity *	Your Logo & Colours
Harlequin Desktop 2	Height = 331mm (13") Length = 418mm (16½") Diameter = 313mm (12¾") Weight = 3.6 Kg	22¼ Litres (39 Pints)	9,000 Cloakroom Tickets or 4,000 Business Cards	Customisation Available
Harlequin Desktop 3	Height = 490mm (19¼") Length = 665mm (26¼") Diameter = 515mm (20¼") Weight = 12 Kg	103 Litres (181¼ Pints)	45,000 Cloakroom Tickets or 20,000 Business Cards	Customisation Available
Harlequin Floor Stand 3	As Above Except: Height = 1490mm (58½")	-	-	Customisation Available

* Figures shown for capacity of cloakroom tickets and business cards are approximate.



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Wheels of Fortune

- If you run raffles in your club or pub why not add another dimension to your raffle by incorporating the Wheel of Fortune into the prize selection process!
- Players get to spin the wheel to determine what prize they have won. Will it be the Grand Prize, Boobie Prize, or something in between? Just a few ideas you could use this great product for!
- The wheel can either be spun by hand or by using a unique "turning wheel" behind the board. Once you stop spinning the wheel, it will start to slow down.
- The smooth rotation is thanks to the use of ball bearings.
- The Wheel can be mounted on a 1m high desktop stand, a wall mounted frame or MAGNETO pro stand.
- Available in 480mm, 700mm and 980mm diameters.



Stock Design Wheels of Fortune



Wheel 1



Wheel 2




Wheel 3



Wheel 4

- Choose from one of the above standard designs that fit in with the venues game style.
- You can change the prizes whenever you need to.
- You also have the choice of either a floor stand for your wheel or a wall mounted frame.

Examples of Customised Wheels of Fortune



- We can provide a Customised Wheel with your own colours, images & logos.
- You can have one off or multiple designs - We can do whatever you need!
- You also have the choice of either a floor stand for your wheel or a wall mounted frame.



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Terms & Conditions

Page 1

Conditions of Sale and Associated Services

1. Definitions

- "Company" means EME (Electronic & Mechanical Engineering) Limited
"Contract" means any contract between the Company and the Customer for the sale and purchase of Goods
"Customer" means the person(s) or company whose order for the Goods is accepted by the Company
"Goods" means any goods or services which the Company is to supply to the Customer

2. Conditions

All orders are accepted by the Company subject to and in accordance with the following Conditions of Sale which override and exclude any other terms stipulated or incorporated or referred to by the Company and the Customer. No variations to these Conditions of Sale are permitted unless expressly authorized in writing by a director of the Company.

3. Prices

The Company reserves the right to change prices without notice at any time. Prices charged will be those prevailing when an order is placed. The price for Goods placed on scheduled delivery will be charged at the time of order at the price for the total quantity ordered. For scheduled deliveries over a period of more than 90 days, the Company reserves the right to charge the Customer further amounts in the event that the price of the Goods increases.

4. Payment

Payment is due no later than 20th of the month following the month of dispatch, without any deductions whatsoever. If the Customer fails to make payment by the due date then, without prejudice to any other right or remedy, the Company shall be entitled to:

- i) Cancel the order or suspend any further deliveries;
- ii) appropriate any payment made by the Customer to such of the Goods (or the Goods supplied under any other contract) as the Company may think fit; and
- iii) Charge interest (both before and after any judgment) on the amount unpaid at the rate of 8% per annum from time to time until payment is made in full.

The Company reserves the right to charge for copy invoices or credit notes at the rate of £10.00 per copy where the original has been lost or misplaced by the Customer. If legal action is taken to recover monies due to the Company then the Company reserves the right to charge the Customer an administrative fee to cover all and any costs incurred. Time for payment shall be of the essence.

5. New Accounts

A Customer wishing to open a credit account must furnish such information as requested by the Company and the Company will make a search with a credit reference agency. The Company reserves the right in its absolute discretion to grant, refuse or discontinue any credit facilities or reduce any credit limit at any time.

6. Orders

The Company reserves the right to decline to trade with any company or person. To avoid duplication, written confirmation of orders must be clearly marked "Confirmation only". The Company will not accept liability for orders not so marked and duplicate orders will be charged accordingly. The Company reserves the right to set a minimum order value.

7. Delivery

Delivery will be made to the address specified by the Customer. The Company may use any method available to it. The Company reserves the right to charge for delivery for any Goods supplied. The Company will use reasonable endeavours to meet delivery estimates but in no circumstances shall it be liable to compensate the Customer for non-delivery or late delivery. The Company reserves the right to deliver by installments. Failure to meet a delivery date where deliveries are by installment shall not preclude the Company's right to make further deliveries by installment under the relevant contract. The Customer may request delivery by installments for a maximum period of 12 months from the date of order. The price of Goods shall remain fixed for a minimum of 90 days from the date of receipt of the order by the Company.

8. Inspection

The Customer must inspect the Goods as soon as it is reasonably practicable after delivery and the Company shall not be liable for any defects in the Goods unless written notice is given within 10 days of delivery. The quantity of any consignment of Goods as recorded by the Company upon dispatch from the Company's place of business shall be conclusive evidence of the quantity received by the Customer on delivery, unless the Customer can provide conclusive evidence to the contrary. The Company will not be liable for any non-delivery of Goods unless written notice is given to the Company within 10 days of the date when Goods should have been delivered in the ordinary course of events. Any liability of the Company for non-delivery or defective Goods shall be limited to replacing the Goods within a reasonable time or refund any monies already paid in respect of the Goods.

9. Returns

The Customer must contact the Company prior to returning the Goods. No order can be cancelled or accepted for credit without previous written agreement from a director of the Company. Any Goods returned must be received by the Company within 30 days of the original invoice date and must be undamaged in original packaging. Goods returned after 30 days as 'unwanted' or 'incorrectly ordered' will be accepted at the discretion of the Company and will be subject to a restocking fee representing 20% of the invoice value of the Goods. The Customer is responsible for returning Goods to the Company and for providing proof of delivery of such return. Goods will be returned at the Customer's expense.



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Terms & Conditions

Page 2

10. Description

All specifications, drawings and particulars of weights, dimensions, capacity, measures of performance or other details contained in any Company's documentation are intended to give general idea of the Goods, but will not form part of the Contract. If the description of any goods differs from the manufacturer's description, the latter shall be deemed to be correct. The Company shall take all reasonable steps to ensure the accuracy of technical details relating to Goods, but accepts no liability in contract or tort or under statute or otherwise for any error or omission in such technical details whether caused by the Company's negligence or otherwise. The Company may make changes to the Goods as part of a continuous programme of improvement or to comply with legislation.

11. Risk of Ownership

The risk of ownership to or loss of Goods will pass to the Customer when the Goods are unloaded from the Company's carriers at the Customer's premises. Ownership of the Goods shall not pass to the Customer until the Company has received in full (in cash or cleared funds) all sums due in respect of the Goods. Until ownership passes to the Customer, the Customer must hold the Goods on a fiduciary basis as the Company's bailee. If payment is not received in full by the due date, or the Customer passes a resolution for winding up or a court shall make an order to that effect, or a receiver is appointed over any assets or the undertaking of the Customer or an execution or distress is levied against the Customer, the Company shall be entitled, without previous notice, to take possession of the Goods and for that purpose to enter upon any premises used, occupied or owned by the Customer.

12. Performance & Fitness for Purpose

Unless any performance figures, tolerances of characteristics have been specifically and expressly warranted by a director of the Company in writing, the Company accepts no liability for any failures of the Goods to obtain such figures, whether attributable to the Company's negligence or otherwise. The responsibility for ensuring that Goods are sufficient and suitable for a particular purpose is the Customer's unless specifically stated by a director of the Company. Any advice or recommendation given by an employee of the Company is acted entirely at the Customer's risk and the Company shall not be liable for any such recommendation that is not confirmed.

13. Guarantee

The Company will endeavour to transfer to the Customer the benefit of any warranty or guarantee given to it by the manufacturer of the Goods. Any defects which, under proper use, appear in the Goods within a period of 12 months (unless otherwise stated by the Company) and which are due to faulty materials, workmanship or design will be made good by the Company either by repair, or at the Company's option replacement (which is the Company's sole obligation and the Customer's sole remedy under this provision). The Company's guarantee is accepted by the Customer in substitution for all express or implied representations, conditions or warranties, statutory or otherwise, as to the satisfactory quality, fitness for purpose or performance of the Goods (or any materials used in connection therewith) or the standard of workmanship of any services provided, and all such representations, conditions and warranties are excluded. The Company shall not be liable for defective Goods if the defect arises because the Customer alters or repairs such Goods without the written consent of the Company or because the Customer did not follow the manufacturer's instructions for usage, storage, installation or maintenance of the Goods. Any Goods replaced or repaired under this paragraph will be guaranteed on these terms for any unexpired portion of the guarantee given on the original Goods.

14. Liability

The Company shall not be liable whatsoever for any damage, loss or expense resulting from any failure of the Goods or from the failure to give advice or information or the giving of incorrect advice or information whether or not due to the negligence of the Company, its employees, agents or subcontractors. These conditions set out the entire liability of the Company to the Customer in respect of the Goods and shall be in lieu and to the exclusion of all other warranties, conditions, and other terms implied by statute or common law save for any implied terms which by law cannot be excluded. The Company's total liability in contract, tort (including negligence of statutory duty), misrepresentation or otherwise shall be limited at the Company's option to repairing, replacing or refunding monies paid in respect of the Goods. The Company shall not be liable to the Customer for any direct, indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise) costs, expenses or other claims for consequential compensation whatsoever (whether caused by the negligence of the Company, its employees, agents or subcontractors) which arise out of or in connection with any Contract.

15. Country of Origin

Unless otherwise confirmed by the Company in writing, nothing in Company's literature and catalogues is to be taken as representation of the source of origin, manufacturer or production of the Goods purchased from such material.

16. Export

Separate Conditions of Sale apply to export transactions and are available on request from the Company. The Customer is responsible at its own expense for obtaining any licence and complying with any export regulations in force within the United Kingdom and in the country to which the Goods are destined.



Registered No. 1172103
VAT Reg No. 221 7863 67

EME (Electronic & Mechanical Engineering) Ltd
25 Mead Business Centre, Mead Lane
Hertford, Herts, SG13 7BJ, UK

Tel: 01992 552151 Fax: 01992 501235
Email: sales@emeltd.com Website: www.emeltd.com

Terms & Conditions

Page 3

17. Custom Services

Any custom services such as design, development, programming, calibration will be provided to the Customer subject to these Conditions of Sale and any additional terms set out on an order form, quotation and/or specification sheet issued by the Company in respect of the particular service. The Company accepts no liability whatsoever whether in contract, tort or otherwise and whether or not resulting from the Company's negligence or of its employees, agents or subcontractors in respect of defective design, development, programming, calibration, reports, analysis or for any damage or loss resulting there from or from the failure to give advice or information in connection with the provision of such services. In no event shall any breach of contract or negligence or failure of any kind on the part of the Company or its employees, subcontractors or agents be accepted as liability for any direct loss or damage or loss of revenue or loss of profits or any other consequential loss or damage arising from any cause whatsoever.

18. Installation of Equipment

It is the Customer's responsibility to provide:

- Adequate, safe and tested electricity supply and power points
- Safe, secure and suitable location where the Goods are to be installed or fitted
- Information on the location services such as wiring, water and gas pipes, etc., invisible or hidden below surfaces of the locations where the Goods are to be installed or fitted

The Company shall not be liable whatsoever for any damage, failures, loss or expense resulting from the installation or the installation process of the Goods.

19. Force Majeure

The Company shall not be liable to the Customer in any manner or be deemed to be in breach of these Conditions of Sale because of any delay in performing or any failure to perform any of the Company's obligations under these Conditions of Sale if the delay or failure was due to any cause beyond the Company's reasonable control (which shall include, but not limited to government actions, war, fire, explosion, flood, import or export regulations or embargoes, labour disputes or inability to obtain or a delay in obtaining supplies of Goods, components, materials or any other services). The Company may, at its option, delay the performance of, or cancel the whole or any part of a Contract.

20. Distributors, Dealers & Agents

Distributors and dealers are not agents of the Company by any express or implied undertaking or representation. It is at the Company's sole discretion to appoint or rescind the appointment of agents, distributors and dealers.

21. Legal Construction

All Contracts shall be governed by and interpreted in accordance with English Law and the Customer submits to the jurisdiction of the English Courts, but the Company may enforce such Contract in any court of competent jurisdiction.

22. General

Any provision of these Conditions of Sale which is held by any competent authority to be invalid, void, voidable, unenforceable or unreasonable (in whole or in part) shall to the extent of such invalidity, voidness, voidability, unenforceability or unreasonableness be deemed severable and the other provisions of these Conditions of Sale and the remainder of such provisions shall not be affected. Failure by the Company to enforce or partially enforce any provisions of these conditions of Sale will not be constrained as a waiver of any rights under these Conditions of Sale.

THESE CONDITIONS OF SALE AND ASSOCIATED SERVICES SUPERSEDE
ALL PREVIOUS ISSUES
June 2002

EME (Electronic & Mechanical Engineering) Limited, 25 Mead Business Centre, Mead Lane, Hertford, Herts SG13 7BJ
Registered No. 1172103 (England) Telephone: 01992 552151 Fax.: 01992 501235