# LANIER

# MP C4504 MP C6004

#### **Multifunction Color**

✓ Copier
✓ Printer
✓ Facsimile
✓ Scanner



### Improve productivity in your own way

You take your work personally. Why not use it to your advantage? Use what you know about your everyday tasks to customize digital workflows on the LANIER" MP C4504/MP C6004 Color Multifunction Printer (MFP) with our Workstyle Innovation Technology. Choose from multiple user interfaces for intuitive fingertip control on an oversized 10.1" Wide Super VGA Smart Operation Panel. Create one-touch shortcuts to automate manual tasks. Place your own information-rich widgets on the control panel and check settings and critical details with a single glance. Produce more types of jobs in more formats — including brilliant color prints on a wide range of paper stocks — with speed and convenience without compromising security or wasting resources. Add user authentication to protect information and to encourage more responsible printing. And take advantage of mobile technologies to remain productive from anywhere.

- Print up to 60 color prints/copies per minute
- Use flick, pinch and swipe motions to navigate an interactive user interface
- Customize your own automated workflows to reduce manual tasks
- Use your personal mobile device to print and share information anywhere
- Showcase your work in brilliant colors with professional finishing
- Take advantage of eco-friendly features to lower operating costs and reduce overall environmental impact without sacrificing business productivity



### Do it all with speed and convenience

Perform more tasks with fewer hassles

### Expedite every task, every day

Decisions have to be made. You might as well ensure they're the right ones by getting information where it needs to be — on time. A built-in motion sensor activates the Smart Operation Panel as you approach, so you can begin working the moment you arrive at the MFP. Print up to 60 pages per minute for incredibly fast turnarounds, even when producing full-color brochures, presentations, spreadsheets and more. Add optional paper trays to extend paper capacity up to 4,700 sheets, and remove paper jams quickly via an animated guide to keep jobs moving. Scan full-color originals and deliver them at breakneck speeds with a host of scan-to capabilities, including access to your LDAP directory for email delivery. Send and receive paperless faxes to ensure contracts, forms and other important documents arrive at the right destination at the right time.



### Leave your mark with brilliant colors

Make an unforgettable impression by producing compelling images and documents with densely rich colors for more lifelike reproductions at up to 1200 dpi resolution. The Lanier MP C4504/MP C6004 recalibrates itself as it processes files, which means colors never deteriorate and text and lines stay incredibly sharp page after page. Expand your reach by printing on a wider, thicker range of paper stocks — up to 12" x 18" sizes and 300 gsm/80 lb. Bond. You can even create posters and banners that would normally be reserved for wide-format devices by combining multiple pages into one image. Want to save on outsourcing costs? Choose the new Fiery<sup>®</sup> E-23C Color Controller and produce spot-color professional output using the gamut of RGB, CMYK and PANTONE<sup>®</sup> colors.

### Make your mark from anywhere

With your smartphone or tablet in hand, productivity remains within your grasp. Download the Smart Device Connector app to connect to the MP C4504/MP C6004 without software, utilities, drivers or delays. Simply touch your mobile device to the MFP's Near Field Communication (NFC) tag to print, scan and share documents, photos and more instantly. Send information to your phone just as easily. Scan originals at the device, deliver them to your smartphone and tablet and take them with you. Use your personal address book to bypass manual entry tasks and send emails to any recipient in a single action. Plus, you can use the dual optional network port to connect to multiple networks simultaneously.







# A new way to work is within your reach

### Slide from one job to the next with ease

Searching for ways to be more productive? Look right in front of you, it's at your fingertips with our revolutionary Workstyle Innovation Technology. Use the same motions you use on your smartphone or tablet — including swipe scrolling, drag-and-drop and pinch-and-flick gestures — to toggle between jobs and check settings quickly. Take advantage of the dynamic user interface layout on the oversized 10.1" Wide Super VGA Smart Operation Panel to access information instantly. Because there are no hard keys, you simply tap icons to navigate from one task to the next. The user interface even lets you print, scan, copy and fax using convenient one-touch controls. Don't worry, we didn't forget about what's worked in the past. You can opt to use a touchscreen version of the legacy user interface found on previous Lanier devices.

### Use intuition to work smarter

Decisions are easier when you have the right information. Workstyle Innovation Technology lets you access information at any time. Choose to use the "smart apps" user interface so you can access details quickly and intuitively with a single glance. Click on your choice of iconic apps to automate everyday print, copy, scan and fax workflows and reduce time-consuming manual entry that can derail even your best ideas. Check any setting — from the number of prints to scan-to destinations to finishing options — with a tap of your finger. Need to make changes to settings or workflows? Touch the interactive Smart Operation Panel again to make adjustments in only moments. Looking for more features and functions? Download additional apps from our Application Site and place them as one-touch widgets on the Home Screen.

# Customize workflows to simplify information flow

You have a lot of work to do. Who says you have to spend a lot of time doing it? Simplify your workday and deploy workflow applications that streamline business via Lanier Workstyle Innovation Technology and use what you know about everyday tasks to create unique, customized solutions powered by the Smart Operation Panel. Do you routinely print the same types of spreadsheets? Do you scan and share notes after the weekly meeting? Integrate multiple processes and simplify complex tasks, so you can simply press an icon and complete these tasks faster without repeating steps or recreating the work. You can use the interactive user interface as a one-touch path for special tasks, too. Tap the ID Card Copy icon to scan two-sided identity documents, such as licenses and insurance cards, onto a single-sided document. For more complex workflows, add your choice of plug-and-play workflow software to simplify your workday.







## Empower users to work quickly, collectively

### Grab and share information automatically

Move information to the right people in the right format quickly. Access up to 3,000 frequently used documents stored in the Document Server. Use the built-in browser to capture files and images in the cloud without servers, system integration and software updates. With embedded Optical Character Recognition (OCR) software, you can place keyword-searchable metadata on that information for easier retrieval. Ready to share with others? Scan originals at up to 180 ipm via the 220-sheet Single Pass Document Feeder and use scan-to capabilities to send digital files to any recipient, anywhere. Or, use Device Software Manager to simplify print driver installation and begin using the device in moments. You can also track everything in real time with web-enabled tools, or have Lanier knowledgeable support desk staff operate and configure your Smart Operation Panel remotely for faster, better outcomes.

### Hold yourself and others accountable

You're responsible for getting company information to the right people. So make certain the right people are sending it. With user authentication, you can track activity for every user, set print quotas, restrict access to specific functions and more. Each user logs in to the MP C4504/MP C6004 by entering a passcode or billing code — or by passing an ID card over an optional NFC card reader at the device. With Locked Print, users can release jobs for printing only when standing at the MFP, which reduces unnecessary printing and helps protect confidential information. You can also place a watermark on specific printed documents if unauthorized users try to recreate them. Take advantage of encryption protection and automatic overwrites to prevent access to information residing on the hard drive.

### Plan to save

The MP C4504/MP C6004 is designed specifically to simplify workloads while reducing expenses. Because the MFP meets EPEAT<sup>®</sup> Gold criteria and ENERGY STAR<sup>™</sup> certifications, you can realize incredibly low Typical Electricity Consumption (TEC) rates — as low as 1.8 kWh/week. Use duplex printing as the default to reduce paper costs. Program the MFP to power down automatically when you know the office will be empty. And use the Eco-Friendly widget to send users hints and tips for conserving energy. You can even track how much energy you're saving. The system is also equipped with an innovative motion sensor, which senses an approaching user by detecting the differences in body temperature versus the surrounding environment. The system will awake from Sleep mode and turn on the operation panel within one second so it is ready to begin job programming by the time the user arrives at the machine.







To view detailed features of our multifunction products online go to www.lanier.com/products

EPEAT Gold rating is applicable only in the USA.

## Perform more jobs with fewer hassles



- **Smart Operation Panel:** Choose from multiple intuitive user interfaces to customize and automate workflows on the 10.1" wide Super VGA Smart Operation Panel. Create iconic shortcuts. Add convenient widgets. And access information with one-touch control using the same motions you use on your smartphone or tablet.
- 2 **220-Sheet Single Pass Document Feeder (SPDF):** Feed color and black-and-white documents with high-speed copying and scanning in a single pass.
- 3 User authentication: Monitor the activity for every MFP user with personal passcodes or billing codes. Or, with embedded Near Field Communication (NFC) technology and an optional NFC Card Reader, you can require users to gain access via proximity card.
- Paper Trays (Standard): With two 550-sheet paper trays, one of which can accommodate paper sizes up to 12" x 18", you can produce more jobs with fewer reloads.
- 5 **100-Sheet Bypass Tray:** Accommodate a wider range of paper stocks — from envelopes to 12.6" x 49.6" banner sizes — to impress audiences with versatile output. Add an optional banner paper guide tray for convenient, affordable banner printing.

- **Document Server:** Create up to 200 shared or passcode-protected personal folders to store up to 3,000 frequently used digital documents on the MFP's hard drive.
- 7 Tandem Large Capacity Trays (Optional): Extend runs for 8.5" x 11" paper sizes with two 1,000-sheet paper trays.
- 8 **1,500-Sheet Side Large Capacity Tray (Optional):** Minimize interruptions by adding up to an additional 1,500 sheets of letter-sized paper.
- 9 **125-Sheet One Bin Tray (Optional):** Separate output quickly for easier retrieval when printing multiple jobs.
- **2,000 Sheet External Booklet Finisher:** Produce up to 20-sheet saddle-stitched booklets cost-effectively. Available with an optional Hole Punch Unit.
- **Dual Network Support (Optional):** Connect to multiple networks simultaneously via the additional network interface port.
- **Web Browser:** Use the built-in web browser on the MFP touch panel to search for web pages.
- **Motion Sensor:** Senses approaching users and awakens the MFP from Sleep mode so it is ready by the time the user arrives at the machine.

### Put it all together at the end

Bring your best ideas together by finishing them in style. With the External Hybrid Stapleless + Stapler Finisher, you can conserve resources by getting rid of staples entirely for document sets of 2 - 5 pages. For document sets from 6 – 50 pages, the finisher can automatically convert to staples. It is ideal for educational, manufacturing and healthcare environments.

You can choose other finishing options, too. Each is specifically designed to simplify paper handling, stacking and stapling, so you can concentrate on other core tasks. Choose the one that meets your unique requirements and give your projects an affordable, impressive professional-grade look.



Finisher	Paper Capacity (LT)	Hole-Punch	Saddle Stitch	Stapleless
SR3130 Internal	500 Sheets	Option	N/A	N/A
SR3210 External	1,000 Sheets	Option	N/A	Stapleless – Up to 5 Sheets Stapled – Up to 50 Sheets LTR
SR3220 External	1,000 Sheets	Option	Up to 15 Sheets	N/A
SR3240 External	2,000 Sheets	Option	Up to 20 Sheets	N/A
SR3230 External	3,000 Sheets	Option	N/A	N/A

#### General Specifications

General Specifica Printing Process Output Speed (Copy/Print) Warm-Up Time Recovery from Sleep Mode First Copy Time (FC/8&W) Copy Resolution Quantity Indicator Single Pass Document Feeder (SPDF) Paper Capacity Supported Paper Sizes	4-Drum Method MP C4504: 45-ppm B&W & FC (LTR) MP C6004: 60-ppm B&W & FC (LTR) 24 seconds Approximately 1.0 second (motion sensor activated) MP C4504: 5.7/4.0 seconds MP C6004: 4.5/3.1 600 dpi Up to 999 copies Original Size: 5.5" x 8.5" – 11" x 17" (A5 – A3) Paper Weights: Simplex: 11 – 34 lb. Bond (40 – 128 g/m') Standard: 2 x 550 sheets + 100-Sheet Bypass Tray, Maximum: 4,700 sheets (w/Tandem LCT + Side LCT) 1st Paper Tray: 8.5" x 11" (A4) 2nd Paper Tray: 5.5" x 8.5" – 12" x 18"	Dimensions (WxDxH) Weight Power Requirements Power Consumption TEC Value** *Bypass Tray Only **Typical Electricity Consump Equipment Test Procedure <b>Printer Specificat</b> CPU Memory/HDD Page Description Languages Font Support Max. Print Resolution	26.3" x 29.1" x 47.5" (668 x 738 x 1205 mm) (includes SPDF and Two-Tray Paper Bank) 228 lbs. (103 kg) 120V – 127V, 60Hz, 15A 1,584W or less; Sleep Mode: .79W MP C4504: 1.8 kWh/week MP C6004: 2.8 kWh/Week tion by ENERGY STAR Qualified Imaging <b>ions (Standard)</b> Intel Atom Processor Bay Trail 1.75 GHz 2 GB RAM/320GB HDD Standard & 4GB RAM/320GB HDD Option Standard: PCL5c, PCL6, PDF Optional: Adobe PostScript3, XPS, IPDS & PictBridge Standard: PCL: 45 Scalable fonts + International 13 fonts Optional: PostScript 3: 136 Roman fonts; IPDS: 108 Roman fonts 1200 x 1200 dbi	Max. Stored Documents Max. Pages/Document Max. Pages/Document Max. Number of Folders Scanner Specificar Scanner Resolution Scanning Speed (B&W & Color LTR) Scan Area Compression Method Supported File Formats Scan Modes	2,000 9,000 200 tions (Standard) B&W and FC scanning at 100 – 600 dpi, Up to 1200 dpi for TWAIN scanning 200/300 dpi: 110 ipm Simplex/ 180 ipm Duplex 11.7" x 17" (297 mm – 432 mm) B&W TIFF: MH, MR, MMR, JBIG2 Color: JPEG Single/Multi-Page TIFF, PDF, High Compression PDF & PDF/A, Single Page JPEG Scan-to-Email (with LDAP support) Scan-to-IRL Scan-to-URL Scan-to-URL Scan-to-URL
Supported Paper Weights	Bypass: Up to 12" x 18", Envelopes Custom Sizes: Width: 3.5" - 12.6" (90 - 320 mm), Length: 5.8" - 49.6" (148 - 1260 mm) Standard Trays: 16 - 80 lb. Bond/ 166 lb. Index (60 - 300 g/m <sup>2</sup> )	Network Interfaces	Standard: 1000Base-T/100Base-TX/ 10Base-T Ethernet, USB2.0 Type A (3 Ports), SD Slot on Operation Panel Option: IEEE1284/ECP; IEEE802.11a/b/g/n; USB2.0 Type B	Facsimile Specifica Type Circuit Resolution Modem Speed	ITU-T (CCITT) G3 PSTN, PBX 200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi (with optional SAF memory) 33.6K – 2,400 bps w/Auto Fallback
	Bypass Tray: 14 – 80 lb. Bond/ 166 lb. Index (52 – 300 g/m <sup>3</sup> ) Duplex Unit: 14 – 68 lb. Bond/ 142 lb. Index (52 – 256 g/m <sup>3</sup> )	Network Protocol Support Network/OS	TCP/IP (IPv4, IPv6) Windows Vista/7/8/8.1/10/Server 2008/ Server 2008R2/ Server2012/	Compression Method Transmission Speed	MH, MR, MMR, JBIG G3: Approximately 2 seconds/page (JBIG)
Paper Types	Plain, Recycled, Special Paper 1 – 3, Letterhead, Cardstock, Preprinted Paper, Bond Paper, High-Gloss Coated Paper, Color Paper, Envelopes, Coated,		Server 2012R2 Unix; Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX, Citrix Presentation Server 4.5, XenApp 5.0	Scanning Speed Auto Dialing Memory Capacity (SAF)	Up to 81 spm 2,000 Quick/Speed Dial numbers; 100 Group Dial numbers Standard: 4 MB (approx. 320 pages),
Auto Duplex	Labels* & OHP* Standard		Mac OS X v.10.7 or later, SAP R/3, IBM iSeries AS/400-using OS/400		Optional: 64 MB (approx. 4,800 pages) with optional SAF memory
Output Capacity	Standard: 500 sheets Maximum: 3,625 sheets	Utilities	Host Print Transform Device Manager NX, Web Image	Security Features	· · · · · · · · · · · · · · · · · · ·
Zoom	25% – 400% in 1% increments		Monitor, @Remote	SNMP v3 Support, Encrypt	em (DOSS), HDD Encryption, User Codes, ion, Locked Print, User Authentication, on, Quota Setting/Account Limit, Digitally

Signed PDF, and more

#### Lanier MP C4504/MP C6004

#### SYSTEM SPECIFICATIONS

Staple CapacityStaple CapacityS		orios	Stapleless Capacity	2 – 5 sheets/set	
Two-Tray CapacitySingle Paper VisionSingle Paper VisionSingle Paper VisionPaper Vision7.25 × 10.5 * 10.2 × 18 * (A5 – A3)Single Paper Vision14 – 30.15. Individual VisionPaper Vision2.21 * 227 × 12.7 × 12.7 * (S7 × 655 × 2247 mm)14 – 30.15. Individual Vision14 – 20.15. Individual VisionPaper Vision7.25 × 10.5 * 10.2 × 18 * (A5 – A3)Paper VisionPaper Vision14 – 20.15. Individual VisionPaper Vision2.21 * 227 × 12.7 × 12.7 * (S7 × 655 × 12.0 m)Paper VisionPaper Vision14 – 20.15. Individual VisionPaper Vision2.11 * 227 * x 12.7 * (S7 × 655 × 12.0 m)Paper VisionPaper VisionPaper VisionPaper Vision2.11 * 227 * x 12.7 * (S7 × 655 × 12.0 m)Paper VisionPaper VisionPaper VisionPaper Vision2.31 * x 27 * x 37 * (S7 × 655 × 22.7 mm)Paper VisionPaper VisionPaper VisionPaper Vision3.31 * x 27 * x 37 * (S7 × 655 × 22.7 mm)Paper VisionPaper VisionPaper VisionPaper Vision3.31 * x 27 * x 37 * (S7 × 655 × 22.7 mm)Stack CapacityPaper VisionPaper VisionDimensions (WoDxH)2.31 * x 27 * x 37 * (S7 × 655 × 22.7 mm)Stack CapacityPaper VisionPaper VisionDimensions (WoDxH)2.31 * x 27 * x 37 * (S7 × 655 × 22.7 mm)Stack CapacityPaper VisionPaper VisionDimensions (WoDxH)2.31 * x 27 * x 37 * (S7 × 655 × 22.7 mm)Staple Paper VisionPaper VisionPaper VisionPaper Vision1.4 - 28 Ib. Bondrif 66 Ib. IndexS * 11 * 10.12 * x 18 * 10.12 * 11 * 10.12 * 11 * 1	Hardware Accessories Paper Handling Options			50 sheets (8.5" x 11") (A4)	
Tray Capacity Paper Size1.100 sheets (S5 molests x Tray) Paper SizeStaple Paper Weight 14 - 80 b. Bond/166 b. Index (S2 - 300 gm²)Staple Paper Weight 10. Bond/167 b. Index (S2 - 100 Sheet 50 soft Finisher (S2 Soft X S0 x 960 (Ad - A3)Dimensions (WXD4H)23.1° x 27° x 37° (S87 x 685 x 247 mm) Paper SizeDimensions (WXD4H) 23.1° x 27° x 37° (S87 x 685 x 120 mm)Dimensions (WXD4H) 23.1° x 27° x 37° (S87 x 685 x 120 mm) Bequere instabilition of Caser Table Type (S32 molecular (S2 - 300 gm²)Paper SizePaper Size (Md - A3) (S2 - 100 gm²)Paper SizePaper Size0.000 sheet 50.000 sheets x 20 Paper SizeS5 mole Paper Size (S2 - 300 gm²)Paper Size (S2 - 300 gm²)Paper Size (S2 - 300 gm²)Paper Size8.5° x 11° (Ad) (S2 - 300 gm²)Paper Size (S2 - 300 gm²)Paper Size (S2 - 300 gm²)Dimensions (WXD4H)23.1° x 27° x 37° (S87 x 685 x 247 mm) Size Large Capacity (S2 - 300 gm²)Stack Capacity (S2 - 300 gm²)Dimensions (WXD4H)23.1° x 27° x 37° (S87 x 685 x 247 mm) (S2 - 300 gm²)Stack Capacity (S2 - 300 gm²)Dimensions (WXD4H)23.1° x 27° x 37° (S87 x 685 x 247 mm) (S2 - 300 gm²)Stack Capacity (S2 - 300 gm²)Dimensions (WXD4H)23.1° x 27° x 37° (S87 x 685 x 247 mm) (S2 - 300 gm²)Stack Capacity (S2 - 300 gm²)Dimensions (WXD4H)53.1° (Ad - A3) (S2 - 300 gm²)Stack Capacity (S2 - 300 gm²)Dimensions (WXD4H)53.1° (Ad - A3) (S2 - 300 gm²)Dimensions (WXD4H)53.2° x 85° to 12.5° x 11° (Ad - A3) (S2 - 300 gm²)Cancot the instable (M2 = A3) (S2 - 300 gm²)<					
paper Size7.25 'x 10.5' to 12' x 18'' (A5 - A3)Paper Vieight1.4 - 80 b. Bond/16 b. IndexDimensions (WxDxH)2.31' x 27' x 87' x 65' x 62' x 247 mmOne-Tray Capacity550 brets x 1 trayPaper Vieight1.4 - 80 b. Bond/16 b. IndexDimensions (WxDxH)2.31' x 27' x 67' x 65' x 120' mmDimensions (WxDxH)2.31' x 27' x 67' x 65' x 120' mmDimensions (WxDxH)2.31' x 27' x 67' x 65' x 120' mmDimensions (WxDxH)2.31' x 27' x 67' x 65' x 120' mmDimensions (WxDxH)2.31' x 27' x 67' x 65' x 120' mmDimensions (WxDxH)2.31' x 27' x 67' x 65' x 65' x 120' mmDimensions (WxDxH)2.31' x 27' x 67' x 67' x 68' x 247' mmDimensions (WxDxH)2.31' x 27' x 67' x 67' x 68' x 247' mmStagle Paper Vieight1.4 - 80 b. Bond/16 b. IndexTray Capacity2.000 sheetsPaper Size5'' x 11' (23' x 18'' (A5 - A3)Paper Vieight1.34' x 21 x 14' x 14.4' 40 k 24 s 253' x 200 mmDimensions (WxDxH)2.31' x 27' x 67' x 67' x 68' x 247' mmDimensions (WxDxH)2.31' x 27' x 67' x 67' x 68' x 247' mmStaple Paper Vieight1.4' - 80 b. Bond/16 b. IndexCapacity2.000 sheetsPaper Vieight1.4' - 80' b. Bond/16 b. IndexCapacity2.000 sheetsPaper Vieight1.4' - 80' b. Bond/16 b. IndexCapacity2.00 sheets (5' x 11' or analle/ (A4 - A3)Paper Vieight1.4' - 80' b. Bond/16 b. IndexCapacity2.00 sheets (5' x 11' or analle/ (A4 - A3)Paper Vieight1.4' - 80' b. Bond/16 b.		3160)'			
Paper Weight         (1.4. = 0.0). Bond/166 [b. Index (S2 - 300 gm <sup>2</sup> )         Dimensions (Wb2kH)         22.2* x24* x24* x257* (S25* x252* v24* x25* x25* v15* v15* v15* v15* v15* v15* v15* v1					
$ \begin{array}{llllllllllllllllllllllllllllllllllll$					
Dimensions (WbXH) $23 + x 2^7 \times 8.7 (87 \times 685 \times 247 mm)$ Tray Capacity 550 sheets x 1 mg Paper Size $7.55 \times 8.5^5 \ln 12^* x 18^- (65 - A3)$ Paper Vieight $14 - 80$ h. Bond/166 h. Index $(52 - 800 \text{ gm})$ Tray Capacity 2, 2000 sheets (1,000 sheets x 2) Paper Size $8.5^* x 11^* (A4)$ Dimensions (WbXH) $231 \times x27 \times 8.7 (87 \times 685 \times 120 \text{ mm})$ Request installator of the Caster balle type M 3 Tray Capacity 79 (PB3230) Tray Capacity 2, 2000 sheets (1,000 sheets x 2) Paper Size $8.5^* x 11^* (A4)$ Dimensions (WbXH) $231 \times x27 \times 8.7 \cdot (87 \times 685 \times 120 \text{ mm})$ Stack Capacity Tray (PB3230) Tray Capacity (2,000 sheets (1,000 sheets x 2) Paper Size $8.5^* x 11^* (A4)$ Dimensions (WbXH) $231 \times x27 \times 8.7 \cdot (87 \times 685 \times 247 mm)$ Side Large Capacity Tray (PB320) Tray Capacity (1,500 sheets (2,7 x 8.7 \cdot (87 \times 685 \times 247 mm)) Side Large Capacity Tray (FB300) Tray Capacity (1,500 sheets (2,7 x 8.7 \cdot (87 \times 685 \times 247 mm)) Requere installator of the Tray (PB320) Output Tray S 2 finisher (CPTions) Internal Shift Sor Tray (SB300) Tray Capacity (1,500 sheets (8.5 \times 11^1 con 1000 s	Paper Weight				
One-Tray CapacitySolution 12 * 11° (A5 - A3)Paper Size7.25 * 10.5 * 10.2 * 11° (A5 - A3)Paper Vieght1.4 = 80.1b. Bond/166 lb. IndexTray Capacity2.000 sheets (X 200 sheets X)Paper Size8.5 * 11° (A4)Paper Size8.5 * 10.2 * 18° (A5 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A5 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A5 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A5 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A5 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3)Paper Size5.5 * 8.5 * to 12 * 18° (A6 - A3) <td>D: : (M/ D //)</td> <td></td> <td></td> <td></td>	D: : (M/ D //)				
Tray CapacityS50 sheets x1 trayShift Tray: 55 x 8.5 * to 12* x18* (A4 - A3)Paper Size7.25* x105* to 12* x18* (A2 - A3)Shift Tray: 55 x 8.5 * to 12* x18* (A4 - A3)Paper Weight1.4 - 80 b. Bond/156 b. Index (S2 - 300 g/m)Shift Tray: 55 x 8.5 * to 12* x18* (A4 - A3)Paper Weight1.4 - 80 b. Bond/156 b. Index (S2 - 300 g/m)Shift Tray: 55 x 8.5 * to 12* x18* (A4 - A3)Paper Weight1.4 - 80 b. Bond/156 b. Index (S2 - 300 g/m)Shift Tray: 55 x 8.5 * to 12* x18* (A4 - A3)Side Large Capacity Tray (R1230)2.1* x27* x 9.7* (S37 x 685 x 247 mm) (S2 - 300 g/m)Stack CapacitySide Large Capacity Tray (R1230)Side Large Capacity Tray: (R1300)Stack CapacityDimensions (WxDxH)2.1* x21* x 11* (S47 x 4.3)* (S47 x 4.3)*Stack CapacityOutput Tray: Sa Finisher Options (S2 - 300 g/m)Stack CapacityStaple CapacityOutput Tray: Sa Finisher Options (S2 - 300 g/m)Staple CapacityStaple CapacityOutput Tray: Sa Finisher Options (S2 - 300 g/m)Staple Paper WeightStaple Paper SizeOne bin Tray (B8310)Sa Sa S	Dimensions (WxDxH)	23.1" x 27" x 9.7" (587 x 685 x 247 mm)	Paper Size	Proof Tray: 5.5" x 8.5" to 12" x 18"	
Paper Size7.25 × 10.5 * to 12 × 18' (A5 - A3) Paper Weight(A6 - A3) Booklet Hay, 8.5 × 11' to 12 × 18 (A4 - A3)Dimensions (WXDAH)2.1 * x 27 * x 4.7 * (SB7 x 685 x 120 mm) Request instatution of Cater Hale hype M3Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Booklet Hay, 8.5 * x 11' to 12 × 18 Harger SizePaper SizeS 5 * x 11 * 0 smaller) (A4 - A3) Booklet Hay, 8.5 * x 11 * 0 smaller) (A4 - A3) Booklet Hay, 2.5 * x 8.5 * to 12 × 18' Booklet Hay, 2.5 * x 8.5 * to 12 × 18' Booklet Hay, 2.5 * x 8.5 * to 12 × 18' Booklet Hay, 2.5 * x 8.5 * to 12 × 18' Booklet Hay, 2.5 * x 8.5 * to 12 × 18' Booklet Hay, 2.5 * x 8.5 * to 12 × 18' Booklet Hay, 2.5 * x 8.5 * to 12 × 18' Booklet Hay, 2.5 * x 8.5 * to 12 × 18' 	<b>One-Tray Paper Bank (PE</b>	3150)'			
Paper Weight1410Booket Tay, 25 x 11" to 12" x 18(J2 - 300 g/m)(J4 - 43)Poor Tay, 14 - 43 b. Bond (25 - 163Tanden Large Capacity Tay (P83230)(J4 - 43)Shift Tay, 14 - 28 b. Bond (25 - 163Tay Capacity2.000 sheets (1,000 sheets x 2)Paper Weight(J4 - 43)Paper Weight14 - 80 b. Bond/166 b. Index(J2 - 105 g/m)Dimensions (WADAH)2.1" x 27" x 9.7" (SB7 x 685 x 247 mm)Booket Tay, 14 - 28 b. BondSide Large Capacity Tay (R1303)Statk CapacityStoth Bond/166 b. IndexDimensions (WDAH)2.1" x 21" x 11" (S1 x 400 x 545 x 290 mm)Booket Tay, 12 - 28 b. BondPaper Size8.5" x 11" (S1 x 400 x 545 x 290 mm)Booket Tay, 12 - 58 bestOutput Tays & Finisher OptionsStaple CapacityStaple CapacityPaper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J5 - A3)Paper Size5.5" x 8.5" to 12.6" x 17.7" (J6 - A3)Paper	Tray Capacity				
$ \begin{array}{llllllllllllllllllllllllllllllllllll$					
Dimensions (WoDAH) $23.1^{+}x27^{+}x47^{-}x17^{+}x67 x 685 x 120 mm)$ Equires installed of Caser Bale pre M3 Tray Capacity 2,000 sheets (1,000 sheets x 2) Paper Size 8.5 × 11^{+}(Ad) Paper Size 10 b mod 166 lb. Index (52 - 300 g/m) Dimensions (WoDAH) 23.1^{+}x27^{+}x97^{-}x87 x 685 x 247 mm) Side Large Capacity 7 (873 x 685 x 247 mm) Side Large Capacity 1,500 sheets (8,5 × 11^{+}(Ad) Paper Size 8.5 × 11^{+}(Ad) Paper Size 8.5 × 11^{+}(Ad) Paper Size 8.5 × 11^{+}(Ad) Paper Size 8.5 × 11^{+}(Ad) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A5) Paper Size 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A3) Paper Weight 1.4 - 80 lb. Bond/166 lb. Index (52 - 300 g/m) Stack Capacity 5.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad - A3) Paper Size 5.5 × 110 × 11 × 11 × (Ad - A3) Paper Size 7.5 × 8.5 <sup>+</sup> to 12 × 118^{+}(Ad -	Paper Weight				
Seques installation of Catter table Type M3Tandem Large Capacity Tay (PB3230)Shift Tay: 1.4.2 ab lb. Bond/166 lb. IndexTay Capacity2.000 sheets (1.000 sheets x.2)Booklet Tay: 1.4.2 ab lb. Bond/166 lb. IndexPaper Vieght1.4.2 ab lb. Bond/166 lb. IndexStack CapacityStack CapacitySide Large Capacity Tray (RT0300)Stack CapacityStack CapacityStack CapacityPaper Vieght1.5.7 x 10 lb. Bond/166 lb. IndexStack CapacityStack CapacityPaper Vieght1.3.4 x 2.1.4' x 11.4' GA0 x 545 x 200 nm?Stack CapacityStack CapacityPaper Vieght1.3.4' x 2.1.4' x 11.4' GA0 x 545 x 200 nm?Staple CapacityStaple CapacityPaper Vieght1.3.4' x 2.1.4' x 11.4' gan ranger) (8.4 - A3)Staple CapacityStaple CapacityPaper Vieght1.4 = 00 lb. Bond/166 lb. IndexStaple Paper SizeS.5' x 8.5' to 12.2' x 11' to 12' x 11' gan ranger) (8.4 - A3)Paper Size5.5' x 8.5' to 12.6' x 1.7'' (A5 - A3)Staple Paper SizeS.5' x 8.5' to 12' x 18' (A5 - A3)Paper Size5.5' x 8.5' to 12' x 18' (A5 - A3)Staple Paper SizeS.5' x 8.5' to 12' x 18' (A5 - A3)Paper Size5.5' x 8.5' to 12' x 18' (A5 - A3)Staple Paper SizeS.5' x 8.5' to 12' x 18' (A5 - A3)Paper Size5.5' x 8.5' to 12' x 18' (A5 - A3)Staple Paper SizeS.5' x 8.5' to 12' x 18' (A5 - A3)Paper Vieght1.4 = 80 lb. Bond/16 lb. IndexStaple Paper SizeS.5' x 8.5' to 12' x 18' (A5 - A3)Paper Vieght1.4 = 80 lb. Bond/16 lb. IndexStaple Paper SizeS.5' x 8.5' to 12'			Daman Mainhat		
Tray Capacity 72 (PF932a) Tray Capacity 72 (PF932a) Dimensions (WADxH) (22 - 300 g/m) Dimensions (WADxH) (22 - 300 g/m) Dimensions (WADxH) (22 - 300 g/m) Dimensions (WADxH) (23 - 1* 27 * 11 * (24 - 43) Stack Capacity 72 (W13030) Tray Capacity 1,500 sheets 8.5* x 11 * (A4) Paper Size 8.5* x 11 * (A4) Paper Size 8.5* x 11 * (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Size 5.5* x 8.5* to 12* x 18* (A5 - A3) Paper Weight 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m) Cannot be installed with any finaher Consolution 400 sheets (8.5* x 11* to 12* x 18* (A5 - A3) Paper Weight 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m) Tray Capacity 50 sheets (8.5* x 11* to 12* x 18* (A5 - A3) Paper Weight 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m) Stack Capacity 50 sheets (8.5* x 11* to 12* x 18* (A6 - A3) Staple Paper Size 5.5* x 8.5* to 12* x 18* (A6 - A3) Staple Paper Weight 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m) Stack Capacity 50 sheets (8.5* x 11* to 12* x 18* (A6 - A3) Staple Paper Weight 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m) Staple Capacity 50 sheets (8.5* x 11* to 12* x 18* (A6 - A3) Staple Paper Size 7.25* x 10.5* to 11* x 17* (A4 - A3) Staple Paper Weight 14 - 28 lb. Bond(22 - 105 g/m) Staple Capacity 50 sheets (8.5* x 11* to 12* x 18* (A6 - A3) Staple Paper Weight 14 - 81 lb. Bond(27 - 105 g/m) Staple Paper Size 7.25* x 10.5* to 11* x 17* (A4 - A3) Staple Paper Size 7.25* x 10.5* to 11* x 17* (A4 - A3) Staple Paper Size 7.25* x 10.5* to 11* x 17* (A5 - A3) Paper Weight 74* a 72 lb. Bond(22 - 105 g/m) Staple Paper Size 7.25* x 10.5* to 11* x 17* (A4 - A3) Staple Paper Size 7.25* x 10.5* to 11* x 17* (A4 - A3) Staple Paper Si			Paper Weight		
lancem Large Lapacity 1ray (rb3230) Paper Size $85^{+} \times 11^{+} (Ad)$ Paper Viejft $14 - 80$ ib. Bond/166 ib. Index (52 - 300 g/m) Stack Capacity $2(300 \text{ sheets} (8.5^{+} \times 11^{+} (Ad) + 231^{+} \times 17^{+} (837 \times 685 \times 247 \text{ mm})$ Side Large Capacity T 15,000 sheets $85^{+} \times 11^{+} (Ad)$ Paper Viejft $14 - 80$ ib. Bond/166 ib. Index (52 - 300 g/m) Cutput Trays & Finisher Options Internal Shift-S5^{+} \times 12^{+} (Ad) + (243 \times 545 \times 220 \text{ mm}) Requires installation of two-Tray Paper Bark (B3160) or Tandem LCT (PB3230) Output Trays & Finisher Options Internal Shift-S5^{+} \times 13^{+} (ad) \times 545 \times 220 \text{ mm}) Requires installation of two-Tray Paper Bark (B3160) or Tandem LCT (PB3230) Output Trays & Finisher Options Internal Shift-S5^{+} \times 13^{+} or larger) (B4 - A5) Paper Viejft 14 - 80 ib. Bond/166 ib. Index (52 - 300 g/m) Tray Capacity 250 sheets (8.5^{+} \times 11^{+} or smaller) (A4 - A5) Paper Size 55^{+} \times 8.5^{+} to 12^{+} \times 11^{+} or smaller) (A4 - A3) Staple Paper Weight 14 - 80 ib. Bond/166 ib. Index (52 - 300 g/m) Tray Capacity 125 sheets 500-Sheet Internal Shift-S5^{+} \times 8.5^{+} to 12^{+} \times 11^{+} or smaller) (A4 - A3) Staple Paper Weight 14 - 80 ib. Bond/166 ib. Index (52 - 300 g/m) Tray Capacity 125 sheets 500-Sheet Identify Bindles Sha210 or Sh3201 or Sh32201 or Sh	Requires installation of Caster	Table Type M3			
Tray Capacity       2,000 sheets       <	Tandem Large Capacity				
Paper Visit Paper Visit Paper Visit Dimensions (WXDAH) 23.1* x27 * s9.7* (687 x 685 x 247 mm)Stack Capacity Stack Capacity Tay (Capacity Stack Capacity Tay Capacity Stack Capacity 1,500 sheets (S2 - 300 g/m)Stack Capacity Stack Capacity State Stack Capacity State State Capacity State Sta					
Paper Weight 14 – 60 /b. Bond/166 lb. Index (32 – 300 g/m) Dimensions (WXDXH) 23.1" x 27" x 97" (587 x 685 x 247 mm) Side Large Capacity Tray (K3030) Tray Capacity 1, 1500 sheets (8 Paper Size 8.5" x 11" (Ad) (Ad) (S 0 sheets (8.5" x 11") Requess installance of hou-tray page mark (P81300) Tray Capacity 250 sheets (8.5" x 11" (G 0 x 545 x 290 mm) Requess installance of hou-tray page mark (P81300) or famel LCT (P83230) Staple Capacity 250 sheets (8.5" x 11" or farge) (B4 – A3) Paper Size 55" x 8.5" to 12" x 11" or smaller) (Ad – A5) Tray Capacity 250 sheets (8.5" x 11" or smaller) (Ad – A5) Cannot be installed with any finider (S2 – 300 g/m) Tray Capacity 250 sheets (8.5" x 11" or smaller) (Ad – A5) Paper Vieight 14 – 80 lb. Bond/166 lb. Index (S2 – 300 g/m) Tray Capacity 250 sheets (8.5" x 11" or smaller) (Ad – A5) Cannot be installed with any finider (S2 – 300 g/m) Tray Capacity 125 Sheets So Sheet S(8.5" x 11" or smaller) (Ad – A3) Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3) Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3) Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3) Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3) Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3) Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3) Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3) Paper Size 7.55" x 8.5" to 12" x 18" (A6 – A3) Staple Paper Weight 14 – 28 lb. Bond/166 lb. Index (S2 – 300 g/m) Stack Capacity 50 sheets (8.5" x 11" or smaller) (Ad) 2/3-Hole Punch Unit (PU300NA) Staple Paper Weight 14 – 28 lb. Bond/166 lb. Index (S2 – 300 g/m) Stack Capacity 50 sheets (8.5" x 11" or smaller) (Ad) 2/3-Hole Punch Unit (PU300NA) Staple Paper Size 7.25" x 10.5" to 11" x 17" (A6 – A3) Staple Paper Size 7.25" x 10.5" to 11" x 17" (A6 – A3) Staple Paper Size 7.25" x 10.5" to 11" x 17" (A6 – A3) Staple Paper Weight 14 – 28 lb. Bond/166 lb. Index (S2 – 300 g/m) Stack Capacity 7.50 sheets (8.5" x 11" or smaller) (Ad) 2/3-Hole Punch Unit (PU300NA) Staple Paper Size 7.25" x 10.5" to 11" x 17" (A6 – A3) Shift Tray:			Stack Capacity		
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	Paper Weight				
Side Large Capacity Tray (CR13030)Tray CapacityTay (Capacity (Tay (Capacity))Tray Capacity16.5 × 111 (Ad)Paper Size8.5 × 111 (Ad)Paper Size8.5 × 111 (Ad)Paper Size9.5 × 113 (Ad) (Ad) x 545 x 290 mm)Request installation of hor-Tay Pape Bark (PB160) or Tandem LCT (PB230)Output Trays & Finisher OptionsInternal Shift-Sort Tay (SH3070)Tray Capacity250 sheets (8.5 × 111 ° or smaller) (Ad - A5)125 sheets (8.5 × 111 ° or smaller) (Ad - A5)125 sheets (8.5 × 111 ° or smaller) (Ad - A5)125 sheets (8.5 × 111 ° or smaller) (Ad - A5)Paper Size5.5 × 8.5 * to 12 × 11 ° or smaller) (Ad)Paper Size5.5 × 8.5 * to 12 × 11 ° or smaller) (Ad)Paper Size5.5 × 8.5 * to 12 × 11 ° or smaller) (Ad)Paper Size5.5 × 8.5 * to 12 × 11 ° or smaller) (Ad)Paper Size5.5 × 8.5 * to 12 × 11 ° or smaller) (Ad)Paper Size5.5 × 8.5 * to 12 × 11 ° or smaller) (Ad)Staple Paper Veight14 - 80 lb. Bond/166 lb. Index(52 - 300 g/m)53 sheets (8.5 × 111 ° or smaller) (Ad)Staple Paper Veight14 - 88 lb. Bond/126 lb. Index(52 - 300 g/m)53 sheets (8.5 × 111 ° or smaller) (Ad)Staple Paper Veight14 - 28 lb. Bond/126 lb. Index(52 - 300 g/m)53 sheets (8.5 × 111 ° or smaller) (Ad)Staple Paper Veight14 - 45 lb. Bond/92 lb. Index (52 - 169 g/m)Staple Paper Veight14 - 45 lb. Bond/92 lb. Index (52 - 169 g/m)Staple Paper Veight14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m) <t< td=""><td></td><td></td><td></td><td></td></t<>					
Tray Capacity1,500 sheets $ arger   (Ba - A3)$ Paper Size8,5* x 11* (A4)Paper Weight1.4 - 80 lb. Bond/166 lb. Index(52 - 300 g/m)3.4* x 21.4* (14* (240 x 545 x 290 mm)Requires instalation of two-Tray Pape Bank (PB3160) or Tandem LCT (PB3230) <b>Output Trays &amp; Finisher Options</b> Internal Shift-Sor Tray (SH3070)Tray Capacity250 sheets (8.5* x 11* or argen) (B4 - A3)Paper Size5.5* x 8.5* to 12* x 18* (A5 - A3)Paper Veight1.4 - 80 lb. Bond/166 lb. Index(52 - 300 g/m)(52 - 300 g/m)Cannot be insalled with any FinisherOne Bin Tray (BN3110)Paper Size5.5* x 8.5* to 12* x 18* (A5 - A3)Paper Weight1.4 - 80 lb. Bond/166 lb. Index(52 - 300 g/m)Tray Capacity255 sheetsStaple Capacity50 sheets (8.5* x 11* or argult)Yaper Size5.5* x 8.5* to 12* x 18* (A5 - A3)Paper Weight1.4 - 80 lb. Bond/166 lb. Index(52 - 300 g/m)2.000-Sheet Booklet Tiny: 250 sheets (8.5* x 11* or argult)Tray Capacity50 sheets (8.5* x 11* or argult)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 - A3)Staple Paper Size7.25* x 10.5* to 12* x 18* (A5 - A3)Paper Size7.25* x 10.5* to 12* x 18* (A5 - A3)Paper Size7.25* x 10.5* to 12* x 18* (A5 - A3)Paper Size7.25* x 10.5* to 11* x 17* (A4 - A3)Staple Paper Weight1.4 - 45 lb. Bond/36 lb. Index(52 - 300 g/m)50 sheets (8.5* x 11* or arguet) (MStaple Paper Weight1.4 - 45 lb. B				Shift Tray: 1,000 sheets (8.5 " x 11 " or	
Paper Size8.5" × 11" (A4)Booklet Tay: 20 Sets ( $2 - 5$ sheets), ( $52 - 300 \ gm$ )Paper Weight14 - 80 lb. Bond/166 lb. Index ( $52 - 300 \ gm$ )10 Sets ( $6 - 105 \ sm$ , $11^* \ othest$ ), $87 \ smaller)$ Cutput Trays & Finisher OptionsStaple CapacitySobeets ( $8.5^* \times 11^* \ or smaller)$ (A4 - A5)Paper Size5.5" × 8.5" to 12" x 18" (A5 - A3)Paper Size5.5" x 8.5" to 12.5" x 18" (A5 - A3)Paper Size5.5" x 8.5" to 12.5" x 11" or smaller) (A4 - A3)Paper Size5.5" x 8.5" to 12.5" x 11" or smaller) (A4 - A3)Paper Size5.5" x 8.5" to 12.5" x 11" or smaller) (A4 - A3)Paper Size5.5" x 8.5" to 12.5" x 11" or smaller) (A4 - A3)Paper Size5.5" x 8.5" to 12.5" x 11" or smaller) (A4 - A3)Paper Size5.5" x 8.5" to 12" x 18" (A5 - A3)Paper Size5.5" x 8.5" to 12.5" to 11" x 17" (A4 - A3)Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Weight14 - 45 lb. Bond/32 lb. Index (52 - 165 gm)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Weight14 - 45 lb. Bond/32 lb. Index (52 - 165 gm)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 - A3)Staple Paper Weight14 - 45 lb. Bond/32 lb. Index (52 - 165 gm)Stapl				smaller) (A4); 500 sheets (8.5" x 14" or	
Paper Weight14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m)10 Stable Space10 Stable Space11 Stable Space11 Sta					
$ \begin{array}{c} (52 - 300 \ gm) \\ \mbox{Dimensions} (WXDH) \\ \mbox{Dimensions} (WZDH) \\ \mbox{Dimensions} (WZD$					
Dimensions (WxDxH) $(34^{+} \times 11^{+} (34) \times 345 \times 290 mm)$ Staple CapacityStaple Speets (8.5 * x 14 * or larger) (84-Output Trays & Finisher OptionsInternal Shift-Sort Tray (FM3070)*Staple Paper SizeNormal Staple: $8.5^{+} \times 11^{+}$ to $12^{+} \times 11^{+}$ Paper Size $5.5^{+} \times 8.5^{+}$ to $12^{-} \times 18^{+}$ ( $A5 - A3$ )Staple Paper Weight $14 - 28$ lb. Bond/166 lb. Index ( $52 - 300 g/m$ )Staple Paper Weight $14 - 28$ lb. Bond/166 lb. Index ( $52 - 300 g/m$ )Cannot be installed with any Finaber $5.5^{+} \times 8.5^{+}$ to $12.6^{+} \times 17.7^{+}$ ( $A5 - A3$ )Paper Weight $14 - 28$ lb. Bond/166 lb. Index ( $52 - 300 g/m$ )Paper Kize $5.5^{+} \times 8.5^{+}$ to $12.6^{+} \times 17.7^{+}$ ( $A5 - A3$ )Paper Weight $14 - 28$ lb. Bond/124 lb. Index ( $52 - 300 g/m$ )Tray Capacity $12.5^{+} \times 8.5^{+}$ to $12.6^{+} \times 17.7^{+}$ ( $A5 - A3$ )Paper Weight $14 - 28$ lb. Bond/124 lb. Index ( $52 - 300 g/m$ )Tray Capacity $12.5^{+} \times 8.5^{+}$ to $12.6^{+} \times 17.7^{+}$ ( $A5 - A3$ )Paper Weight $14 - 80$ lb. Bond/166 lb. Index ( $52 - 300 g/m$ )Tray Capacity $12.5^{+} \times 8.5^{+}$ to $12^{+} \times 18^{+}$ ( $A6 - A3$ )Paper Size $760^{-} Tary, 14 - 28$ lb. Bond/124 lb. Index ( $52 - 300 g/m$ )Paper Weight $14 - 28$ lb. Bond/122 lb. CapacityStaple Paper Weight $14 - 28$ lb. Bond/122 lb. CapacityStaple Paper Weight $14 - 28$ lb. Bond/122 lb. CapacityPorof Tary, 14 - 28 lb. Bond/122 lb. ( $22 - 300 g/m$ )Staple Paper Weight $14 - 28$ lb. Bond/122 lb. CapacityPorof Tary, 14 - 28 lb. Bond/122 lb. ( $46 - 43$ )Paper Weight $14 - 45$ lb. Bond/23 lb. Index (	Paper Weight				
Bequires installation of Two-Tray Paper Black (#B3160) or Tandem LCT (#B3230)Solution of Two-Tray (SH3070)Tray CapacitySolution of Stables (8,5* x 11* or smaller) (A4 – A5)Tray CapacitySolution Singles (8,5* x 11* or smaller) (A4 – A3)Stables (8,5* x 11* or smaller) (A4 – A5)Stable Solution Singles (B,5* x 11* or smaller) (A4 – A3)Staple Paper Weight14 – 80 lb. Bond/166 lb. Index(5,5* x 8,5* to 12,6* x 17,7* (A5 – A3)Paper SizeSolution Singles (B,5* x 11* or smaller) (A4)Constent Internal Finisher (SR3130)*Paper SizeSolution Single (B,1 - A3)Solution Single Paper Weight14 – 80 lb. Bond/166 lb. Index(Solution Single Paper Weight14 – 80 lb. Bond/166 lb. Index(Solution Single Paper Weight14 – 80 lb. Bond/166 lb. Index(Solution Single Paper Weight14 – 80 lb. Bond/166 lb. Index(Solution Single Paper SizeSolution Single Paper SizeStaple Paper Weight14 – 28 lb. Bond (52 – 105 g/m)Staple Paper Weight14 – 28 lb. Bond (52 – 105 g/m)Staple Paper Weight14 – 28 lb. Bond (52 – 105 g/m)Staple Paper Weight14 – 28 lb. Bond (52 – 105 g/m)Staple Paper Weight14 – 28 lb. Bond (52 – 105 g/m) <t< td=""><td></td><td></td><td></td><td></td></t<>					
Saddle StitchSaddle StitchStack CapacitySaddle StitchStack CapacityTray Capacity250 sheets (8.5 * x 11* or smaller) (A4 – A5)Stack CapacityStack Capacity <td c<="" td=""><td></td><td></td><td>Staple Capacity</td><td></td></td>	<td></td> <td></td> <td>Staple Capacity</td> <td></td>			Staple Capacity	
Output Trays & Finisher OptionsInternal Shift-Sort Tray (Sh3070)Tray Capacity250 sheets (8.5* x 11* or arger) (84 – A3)Tray Capacity5.5* x 8.5* to 12* x 18* (A5 – A3)Paper Size5.5* x 8.5* to 12.6* x 17.7* (A5 – A3)Paper Size5.5* x 8.5* to 12.6* x 17.7* (A5 – A3)Paper Size5.5* x 8.5* to 12.6* x 17.7* (A5 – A3)Paper Size5.5* x 8.5* to 12.6* x 17.7* (A5 – A3)Paper Size5.5* x 8.5* to 12.6* x 17.7* (A5 – A3)Paper Size5.5* x 8.5* to 12* x 18* (A6 – A3)Staple Paper Weight14 – 80 lb. Bond/166 lb. Index(52 – 300 g/m)(52 – 300 g/m)Tray Capacity125 sheets500-Sheet Internal Finisher (SR3130)*Paper Size5.5* x 8.5* to 12* x 18* (A6 – A3)Paper Size5.5* x 8.5* to 12* x 18* (A6 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Staple Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3)Nucket Sizes (IA4 – A3)Staple Paper SizePunch Paper Size7.25* x 10.5* to 11* x 17* (A4 – A3) <td>Requires installation of Two-Tr</td> <td>ay Paper Bank (PB3160) or Tandem LCT (PB3230)</td> <td></td> <td></td>	Requires installation of Two-Tr	ay Paper Bank (PB3160) or Tandem LCT (PB3230)			
Internal Shift-Sort Tray (SH3070)Tray Capacity250 sheets (8.5" x 11" or smaller) (A4 – A5) 125 sheets (8.5" x 11" or larger) (84 – A3)Paper Size $5.5" x 8.5" to 12" x 18" (A5 – A3)(52 – 300 g/m)Cannot be installed with any FinisherOne Bin Tray (BN3110)Paper Size5.5" x 8.5" to 12.6" x 17.7" (A5 – A3)14 – 80 lb. Bond/166 lb. Index(52 – 300 g/m)Cannot be installed with any FinisherOne Bin Tray (BN3110)Paper Size5.5" x 8.5" to 12.6" x 17.7" (A5 – A3)14 – 80 lb. Bond/166 lb. Index(52 – 300 g/m)Tray Capacity125 SheetsS00-Sheet Internal Finisher (SR320)"Paper Size5.5" x 8.5" to 12" x 18" (A6 – A3)taple Paper SizeStaple Paper Size5.5" x 8.5" to 12" x 18" (A6 – A3)taple Paper SizeStaple Paper Size7.25" x 110" to 11" x 17" (A4 – A3)to sheets (8.5" x 11" or smaller) (A4)20 sheets (8.5" x 11" or smaller) (A4)30 sheets (8.5" x 11" or smaller)Punch Paper Weight7.25" x 10.5" to 11" x 17" (A4 – A3)30 sheets (8.5" x 11" or smaller)Punch Paper Weight7.25" x 10.5" to 11" x 17" (A4 – A3)30 sheets (8.5" x 11"$	Output Travs & Fi	nisher Ontions			
Internal Sinte-Soft intay (SH307)Saddle Stitch: 8.5" x 11" to 12" x 13 (Ad – A3)Saddle Stitch: 8.5" x 11" to 12" x 13 (Ad – A3)Paper Size Paper WeightSaddle Stitch: 8.5" x 11" to 12" x 13 (Ad – A3)Cannot be installed with any FinisherCannot be installed with any FinisherCannot be installed with any FinisherCannot be installed with any FinisherCons Bin Tay (BN3110)Paper Weight 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m)Tay CapacityS5" x 8.5" to 12" x 17" (A5 – A3) Paper WeightPaper Weight 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m)Cance Laboration Signe Paper Weight 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m)Satak Capacity 2.00 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3)Staple Paper Weight 14 – 28 lb. Bond/23 lb. Index (52 – 169 g/m)Staple Paper Weight 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)Paper Weight 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)Staple Paper Size 2.7.5" x 8.5" to 12" x 18" (A6 – A3)Paper Weight 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)Staple Paper Weight 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)Staple Paper Weight 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)Staple Paper Weight 14 – 45 lb. Bond/93 lb. Index (52			Staple Faper Size		
Tray Capacity250 sheets (8.5 * x11* or smaller) (A4 - A5) $(A4 - A3)$ Paper Size5.5 * x8.5 * to 12 * x18* (A5 - A3)Staple Paper Weight $14 - 28$ lb. Bond (52 - 105 g/m)Cannot be installed with any FinisherOne Bin Tray (BN3110)Staple Paper Weight $14 - 28$ lb. Bond (52 - 105 g/m)Paper Size5.5 * x8.5 * to 12.6 * x17.7 * (A5 - A3)Paper Size5.5 * x8.5 * to 12.6 * x17.7 * (A5 - A3)Paper Weight14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m)Staple Paper Size5.5 * x8.5 * to 12.* x18* (A6 - A3)Paper Size5.5 * x8.5 * to 12 * x18* (S2 - 300 g/m)Staple Paper SizeProof Tray: 5.5 * x8.5 * to 12 * x18* (A6 - A3)Paper Size5.5 * x8.5 * to 12 * x18* (S2 - 300 g/m)Staple Paper SizeProof Tray: 5.5 * x8.5 * to 12 * x18* (A6 - A3)Staple Paper Size7.25 * x10.5 * to 11* x17* (A4 - A3)Booklet Tray: 14 - 88 lb. Bond/128 lb. Index (S2 - 300 g/m)Staple Paper Size7.25 * x10.5 * to 11* x17* (A4 - A3)Staple Paper Size7.25 * x10.5 * to 11* x17* (A4 - A3)Staple Paper Weight14 - 28 lb. BondStaple Paper Weight10.9 sheets (8.5 * x14* or larger, and/or Mixed Sizes) (B4 - A3)Morth Paper Size7.25 * x10.5 * to 11* x17* (A4 - A3)Punch Paper Weight14 - 45 lb. Bond/31 lb. Index (S2 - 169 g/m)1,000 Sheet (B,5 * x 14* or larger)Staple Paper Size7.25 * x 0.5 * to 11* x17* (A4 - A3)Paper WeightA = 45 lb. Bond/31 lb. Index (S2 - 169 g/m)1,000 Sheet (B,5 * x 14* or larger) (B4)Staple Paper Size7.25 * x 0.5 * to 12* x					
125 sheets (8.5 * x 14 * or larger) (84 - A3) Staple Paper Weight14 - 28 lb. Bond (52 - 105 g/m)Tay Cannot be installed with any FinisherTay Cannot be installed with any FinisherOne Bin Tray (BN3110)Paper Size5.5 * x 8.5 * to 12.6 * x 17.7 * (A5 - A3)Paper Weight14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m)Tray Capacity125 sheetsSob-heet Internal FinisherColspan="2">Colspan="2"Co	Tray Capacity				
Paper Size5.5 * x 8.5 * to 12 * x 18 * (A5 – A3)Staple PositionsTop, Bottom, 2 Staples, BookletPaper Weight14 – 80 lb. Bond/166 lb. Index $(52 – 300 \text{ g/m})$ $22.2 * x24.4 * x37.8 * (563 x 620 x 960One Bin Tray (BN3110)Paper Size5.5 * x 8.5 * to 12.6 * x 17.7 * (A5 – A3)Punch Paper Weight14 - 80 \text{ lb. Bond/166 lb. Index}Paper Size5.5 * x 8.5 * to 12.6 * x 17.7 * (A5 – A3)Punch Paper Weight14 - 80 \text{ lb. Bond/166 lb. Index}Paper Size5.5 * x 8.5 * to 12 * x 18 * (A6 – A3)Paper Size5.5 * x 8.5 * to 12 * x 18 * (A6 – A3)Paper Size5.5 * x 8.5 * to 12 * x 18 * (A6 – A3)Paper SizeProof Tray. 5.5 * x 8.5 * to 12 * x 18 * (A6 – A3)Paper Size7.25 * x 10.5 * to 11 * x 17 * (A4 – A3)Staple Paper Size7.25 * x 10.5 * to 11 * x 17 * (A4 – A3)Staple Paper Size7.25 * x 10.5 * to 11 * x 17 * (A4 – A3)Paper Weight14 - 28 \text{ lb. Bond} (52 - 105 \text{ g/m})Staple Paper Vieight14 - 28 \text{ lb. Bond} (52 - 105 \text{ g/m})Stack CapacityStaple CapacityStaple Paper Vieight12.5 * x 20.6 * x 6.7 * (546 x 523 x 170 mm)Stack CapacityProof Tray. 250 sheets (8.5 * x 11 * or larger) (B4 – 105 g/m)Not available for MP C50004(52 - 169 \text{ g/m})Staple CapacityNotmal Staple: S0 sheets (8.5 * x 11 * or larger) (B4 – 105 g/m)Not available for MP C5004(52 - 169 \text{ g/m})Staple CapacityNotmal Staple: S0 sheets (8.5 * x 11 * or larger) (B4 – 105 g/m)Punch Paper SizeProof Tray: 5.5 * x 8.5 * to 12 * x 18 * (A6 – A3)Staple CapacityNotmal Staple: S0 shee$			Staple Paper Weight		
Paper Weight14 - 0.01b. Bond/16 (b). Index (52 - 300 g/m')Dimensions (Wx0xH) $222^* x 24.4^* x 37.8^* (563 x 620 x 960 correctly)Cannot be installed with any FinisherOne Bin Tray (BN3110)222^* x 24.4^* x 37.8^* (563 x 620 x 960 correctly)Paper Size5.5^* x 8.5^* to 12.6^* x 17.7^* (A5 - A3)22.3^* Al-lole Punch Unit (PU 3050NA)Paper Weight14 - 80 lb. Bond/166 lb. Index(52 - 300 g/m')5.5^* x 8.5^* to 11^* x 17^* (A5 - A3)Paper Size5.5^* x 8.5^* to 12^* x 18^* (A6 - A3)Paper Size5.5^* x 8.5^* to 12^* x 18^* (A6 - A3)Paper Weight14 - 80 lb. Bond/166 lb. Index(52 - 300 g/m')Stack Capacity500 sheets (8.5^* x 11^* or smaller) (A4)250 sheets (8.5^* x 11^* or larger) (84 - A3)Staple Paper Size7.25^* x 10.5^* to 11^* x 17^* (A4 - A3)Staple Paper Weight14 - 28 lb. Bond/122 lb. Index(52 - 300 g/m')Staple Paper Weight50 sheets (8.5^* x 11^* or larger, and/orMixed Sizes (84 - A3)Staple Paper Size7.25^* x 10.5^* to 11^* x 17^* (A4 - A3)Staple Paper Size7.25^* x 10.5^* to 11^* x 17^* (A4 - A3)Staple Paper Size7.25^* x 10.5^* to 11^* x 17^* (A4 - A3)Paper Weight14 - 45 lb. Bond/32 lb. Index (52 - 169 g/m)Shift Tray: 5.5^* x 8.5^* to 12^* x 18^* (A6 - A3)Paper Weight14 - 45 lb. Bond/32 lb. Index (52 - 169 g/m)Shift Tray: 14 - 80 lb. Bond/166 lb. Index (52 - 169 g/m)Shift Tray: 14 - 80 lb. Bond/166 lb. Index (52 - 169 g/m)Shift Tray: 14 - 80 lb. Bond/166 lb. Index (52 - 169 g/m)Shift Tray: 14 - 80 lb. Bond/32 lb. Index (52 - $					
Cannot be installed with any Finisher Cannot be installed by the cannot be cannot be any finisher cannot be	Paper weight		Dimensions (WxDxH)	22.2" x 24.4" x 37.8" (563 x 620 x 960 mm)	
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	Cannot be installed with any f		2-/3-Hole Punch Unit (Pl	J 3050NA)	
One sin fray (BM310)         Paper Size $5.5^{\circ} \times 8.5^{\circ}$ to $12.6^{\circ} \times 17.7^{\circ} (A5 - A3)$ Paper Weight $14 - 80$ lb. Bond/166 lb. Index $(52 - 300 \text{ g/m})$ Tray Capacity         125 Sheets           S00-Sheet Internal Finisher         (SR3130) <sup>*</sup> Paper Size $5.5^{\circ} \times 8.5^{\circ}$ to $12^{\circ} \times 18^{\circ} (A6 - A3)$ Paper Weight $14 - 80$ lb. Bond/166 lb. Index $(52 - 300 \text{ g/m})$ Stack Capacity         S00 sheets (8.5^{\circ} \times 11^{\circ} or smaller) (A4)         Sobsheets (8.5^{\circ} \times 11^{\circ} or larger) (84 - A3)           Staple Paper Weight $14 - 28$ lb. Bond (25 - 105 g/m)         Staple Paper Weight $14 - 28$ lb. Bond/122 lb. (52 - 200 g/m)           Staple Paper Weight $14 - 28$ lb. Bond (25 - 105 g/m)         Staple Capacity         S0 sheets (8.5^{\circ} \times 11^{\circ} (A4 - A3)           Staple Paper Weight $14 - 28$ lb. Bond/23 lb. Index (52 - 105 g/m)         Stack Capacity         Stack Capacity           Staple Positions         Top, Bottom, 2 Staples         Top, Bottom, 2 Staples         Staple Neight $14 - 45$ lb. Bond/23 lb. Index (52 - 105 g/m)           Not available for MP C6004.         21.5^{\circ} \times 10.5^{\circ} to 11^{\circ} \times 17^{\circ} (A4 - A3)         Read (A2 - 105 g/m)         Stack Capacity         Stack Capacity           Punch Paper Size         Proof Tray: 5.5^{\circ} \times 8.5^{\circ} to 12^{\circ} \times 18^{\circ}<		linsher			
Paper Size       5.5" x 8.5" to 12.6" x 1/.7" (A5 – A3) (A = A0 ib. Bond/166 ib. Index (52 – 300 g/m)       Punch Paper Weight       14 – 68 ib. Bond/142 ib. Index (52 – 256 g/m)         Tray Capacity       125 Sheets       2,000-Sheet Booklet Finisher (SR240) <sup>114</sup> Porof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)         Paper Size       5.5" x 8.5" to 12" x 18" (A6 – A3)       Porof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)         Staple Paper Size       5.05 heet Booklet S(.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or larger, and/or Mixed Sizes) (B4 – A3)       Paper Weight       14 – 28 ib. Bond/166 ib. Index (52 – 300 g/m)         Staple Paper Weight       14 – 28 ib. Bond (52 – 105 g/m) 30 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3)       Paper Weight       Paper Size         Staple Positions       Top, Bottom, 2 Staples       Stack Capacity       Stack Capacity       Proof Tray: 14 – 58 lb. Bond/166 lb. In (52 – 300 g/m)         Dimensions (WxDxH)       21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)       *Nat available for MP cGoud.       Stack Capacity       Proof Tray: 25.5" x 8.5" to 12" x 18" (A6 – A3)         Paper Weight       14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)       Stack Capacity       Normal Staple: So sheets (8.5" x 11" or smaller) (A4)         1,000 Sheet Hybrid Staple + Stapleless Finisher (SR3210) *** (A6 – A3)       Staple Paper Size       Normal Staple: 55." x 8.5" to 12" x 18" (A6 – A3)         Paper Weight					
( $32 - 300 g/m$ )( $32 - 300 g/m$ )Tray Capacity( $32 - 300 g/m$ )Sousheet Internal Finisher(SR330)*Paper Size $5.5^{+} \times 8.5^{+} to 12^{+} \times 18^{+} (A6 - A3)$ Paper Weight( $32 - 300 g/m$ )Stack Capacity500 sheets ( $8.5^{+} \times 11^{+} or larger) (B4 - A3)$ Staple Paper Size $7.25^{+} \times 10.5^{+} to 11^{+} \times 17^{+} (A4 - A3)$ Staple Paper Weight( $14 - 28$ lb. Bond ( $52 - 105 g/m$ )Staple Capacity50 sheets ( $8.5^{+} \times 11^{+} or larger) (B4 - A3)$ Staple PositionsTop, Bottom, 2 StaplesDimensions (WXDXH) $21.5^{+} \times 20.6^{+} \times 6.7^{+} (546 \times 523 \times 170 mm)$ Not available for MP C60042.7.3^+Hole Punch Unit (PU3040NA)Quonc Paper Size $7.25^{+} \times 10.5^{+} to 11^{+} \times 17^{+} (A4 - A3)$ Punch Paper Size $7.25^{+} \times 10.5^{+} to 11^{+} \times 17^{+} (A4 - A3)$ Punch Paper Size $7.25^{+} \times 10.5^{+} to 11^{+} \times 17^{+} (A4 - A3)$ Punch Paper Size $7.25^{+} \times 10.5^{+} to 11^{+} \times 17^{+} (A4 - A3)$ Punch Paper Size $7.25^{+} \times 10.5^{+} to 11^{+} \times 17^{+} (A4 - A3)$ Paper Weight $14 - 45$ lb. Bond/93 lb. Index ( $52 - 169 g/m$ )1,000-sheet Hybrid Staple + Stapleless Finisher (SR3210) ***Paper WeightProof Tray: $5.5^{+} \times 8.5^{+} to 12^{+} \times 18^{+} (A6 - A3)$ Paper WeightProof Tray: $14 - 45$ lb. Bond/93 lb. Index ( $52 - 169 g/m$ )1,000-sheet Hybrid Staple + Stapleless Finisher (SR3210) ***Paper WeightProof Tray: $250$ sheets ( $8.5^{+} \times 11^{+}$ to $12^{+} \times 18^{+} (A6 - A3)$ Staple Paper WeightProof Tray: $14 - 45$ lb. Bond/93 lb. Index ( $52$			Punch Paper Weight	14 – 68 lb. Bond/142 lb. Index	
Tray Capacity125 Sheets2,000-Sheet Booklet Finisher (SR3240)***500-Sheet Internal Finisher (SR3130*Paper SizeProof Tray: 5.5* x 8.5* to 12* x 18* (A6 - A3)Paper Veight14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m)Shift Tray: 5.5* x 8.5* to 12* x 18* (A6 - A3)Stack Capacity500 sheets (8.5* x 11* or smaller) (A4) 250 sheets (8.5* x 11* or larger) (B4 - A3)Staple Paper Weight14 - 28 lb. Bond (52 - 105 g/m)Staple Paper Weight14 - 28 lb. Bond (52 - 105 g/m)Staple Paper Weight50 sheets (8.5* x 11*) (A4) 30 sheets (8.5* x 11* or larger, and/or Mixed Sizes) (B4 - A3)Nota valiable for MP C60021.5* x 20.6* x 6.7* (546 x 523 x 170 mm)*Not available for MP C60050 sheets (8.5* x 11* or larger) (B4 40)2./3-Hole Punch Unit (PU3040NA) (Optional; Installs inside SR3130 Internal Finisher)Punch Paper SizeProof Tray: 5.5* x 8.5* to 12* x 18* (A6 - A3)Paper Weight14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m)1,000-sheet Hybrid Staple + Stapleless Finisher (SR3210)*** Paper SizeStaple Paper SizePaper WeightProof Tray: 5.5* x 8.5* to 12* x 18* (A6 - A3)Paper WeightProof Tray: 1.4 - 45 lb. Bond/93 lb. Index (52 - 300 g/m)Staple Paper WeightProof Tray: 2.55* x 8.5* to 12* x 18* (A6 - A3)Paper WeightProof Tray: 14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m)Staple Paper WeightProof Tray: 2.55* x 8.5* to 12* x 18* (A6 - A3)Paper WeightProof Tray: 2.50* sheets (8.5* x 11*) (A4); So sheets (8.5* x 11* to 12* x 18* (A6 - A3)Paper Weight<	Paper weight			(52 – 256 g/m²)	
Paper SizePaper SizeProof Tray: $5.5^* \times 8.5^*$ to $12^* \times 18^*$ (A6 – A3)Paper Size $5.5^* \times 8.5^*$ to $12^* \times 18^*$ (A2 – A3)Paper SizePaper SizeStack Capacity $500$ sheets $(8.5^* \times 11^* \text{ or larger}) (84 – A3)$ Staple Paper Size $5.5^* \times 8.5^* \times 11^* \text{ or larger}) (84 – A3)$ Staple Paper Weight $14 - 28$ lb. Bond $(52 - 105 \text{ g/m})$ Staple Paper Size $7.25^* \times 10.5^* \text{ to } 11^* \times 17^* (A4 – A3)$ Staple Capacity $500 \text{ sheets} (8.5^* \times 11^* \text{ or larger, and/orMixed Sizes) (84 – A3)$ Staple PositionsTop, Bottom, 2 Staples Dimensions (WxDxH)Top, Bottom, 2 Staples Dimensions (WxDxH)Paper Size $7.25^* \times 10.5^* \text{ to } 11^* \times 17^* (A4 – A3)$ Staple Positions (Qptional; Installs inside SR3130 Internal Finisher) Punch Paper Size $7.25^* \times 10.5^* \text{ to } 12^* \times 18^*$ (A6 – A3)Paper Weight $14 - 45$ lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 5.5^* x 8.5^* to 12^* x 18^* (A6 – A3)Staple CapacityPaper Weight $14 - 45$ lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 5.5^* x 8.5^* to 12^* x 18^* (A6 – A3)Staple CapacityPaper WeightProof Tray: 5.5^* x 8.5^* to 12^* x 18^* (A6 – A3)Staple Paper SizePaper WeightProof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/166 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/166 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/166 lb. Index (52 – 169 g/m) Shift Tray: 14 – 80 lb. Bond/	Tray Capacity		2,000-Sheet Booklet Fin	isher (SR3240) <sup>234</sup>	
Job Sheet international function of the paper Size5.5" x 8.5" to 12" x 18" (A6 – A3)Paper Size5.5" x 8.5" to 12" x 18" (A6 – A3)Stack Capacity500 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4) 250 sheets (8.5" x 11" or smaller) (A4 – A3)Staple Paper Size7.25" x 10.5" to 11" x 17" (A4 – A3)Staple Paper Veight14 – 28 lb. Bond (52 – 105 g/m)Staple Paper Veight14 – 28 lb. Bond (52 – 105 g/m)Staple PositionsTop, Bottom, 2 Staples 100 sheets (8.5" x 11" or 11" x 17" (A4 – A3)Dimensions (WxDxH)21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)*Not available for MP C6004.Staple Paper Vieight2-/3-Hole Punch Unit (PU3040NA) (Optional, Installs inside SR3130 Internal Finisher)Punch Paper Size7.25" x 10.5" to 11" x 17" (A4 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)Paper Weight14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)Paper WeightProof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)Paper WeightProof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)Stack CapacityProof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)Staple Paper SizeProof Tray: 25 sheets (8.5" x 11" (A4); Stopheets (8.5" x 11" to 12" x 18" (A6 – A3)Paper WeightProof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Sto sheets (8.5" x 11" to 12" x 18" (A4 – A3)Paper Weight<					
Paper Weight $14 - 80$ lb. Bond/166 lb. Index $(52 - 300 \text{ g/m})$ Stack CapacityStarle Paper Size $(52 - 300 \text{ g/m})$ Stack Capacity $500$ sheets $(8.5^* \times 11^* \text{ or smaller}) (A4)250 sheets (8.5^* \times 11^* \text{ to } 11^* \times 17^* (A4 - A3)Paper WeightPaper SizePaper VieightStaple Paper Vieight14 - 28 lb. Bond (52 - 105 \text{ g/m})Staple Paper VieightTop, Bottom, 2 Staples(52 - 300 \text{ g/m})Paper VieightPaper VieightPaper VieightStaple PositionsDimensions (WxDxH)Top, Bottom, 2 Staples(27 - 340 \text{ g/m})Stack CapacityStack CapacityStack CapacityStack CapacityStaple PositionsDimensions (WxDxH)Top, Bottom, 2 Staples(27 - 340 \text{ g/m})Stack CapacityStack CapacityStack CapacityStack CapacityStack CapacityTop, Bottom, 2 Staples(27 - 340 \text{ g/m})Stack CapacityStack CapacityStack CapacityStack CapacityStack CapacityTop, Bottom, 2 Staples(27 - 340 \text{ g/m})Staple Paper Vieight(4 - 45 \text{ lb. Bond/93 lb. Index (S2 - 169 \text{ g/m}))Staple Paper Vieight(52 - 300 \text{ g/m})I,000-Sheet Hybrid StapleStaple Size(A6 - A3)Proof Tray: 5.5^* \times 8.5^* to 12^* \times 18^*(A6 - A3)Staple Paper SizeNormal Staple: S0 sheets (8.5^* \times 11^* \text{ or } 11^* \times 17^* \text{ or } 4.4^* \text{ or } 130 \text{ or } 11^* \times 17^* \text{ or } 4.4^* \text{ or } 130 \text{ sheet} (8.5^* \times 11^* \text{ or } 11^* \times 17^* \text{ or } 14^* \times 18^* \text{ or } 130 \text{ or } 130^* \text{ or } 14^* \text{ or } $					
				Shift Tray: 5.5" x 8.5" to 12" x 18"	
Stack Capacity500 sheets $(8.5^{\circ} \times 11^{\circ} \text{ or smaller})$ (A4) 250 sheets $(8.5^{\circ} \times 14^{\circ} \text{ or larger})$ (B4 – A3)Paper WeightDokket Tray: 14 – 58 lb. Bond/122 lb. (52 – 220 g/m)Staple Paper Size7.25^{\circ} \times 10.5^{\circ} to 11^{\circ} \times 11^{\circ} (A4 – A3)Paper Weight14 – 28 lb. Bond (52 – 105 g/m) 30 sheets $(8.5^{\circ} \times 11^{\circ})$ (A4) 30 sheets $(8.5^{\circ} \times 11^{\circ})$ (A4) 30 sheets $(8.5^{\circ} \times 11^{\circ})$ (A4) 30 sheets $(8.5^{\circ} \times 11^{\circ})$ (A4) 21.5^{\circ} $\times 20.6^{\circ} \times 6.7^{\circ}$ (546 $\times 523 \times 170$ mm)Paper WeightPaper WeightShift Tray: 17 – 28 lb. Bond/166 lb. li (52 – 300 g/m)Staple PositionsTop, Bottom, 2 Staples 21.5^{\circ} $\times 20.6^{\circ} \times 6.7^{\circ}$ (546 $\times 523 \times 170$ mm)Stack CapacityProof Tray: 250 sheets $(8.5^{\circ} \times 11^{\circ})$ So sheets $(8.5^{\circ} \times 11^{\circ} \circ 11^{\circ} \times 17^{\circ})$ (A4 – A3)2/3-Hole Punch Unit (PU3040NA) Punch Paper Weight14 – 45 lb. Bond/93 lb. Index $(A6 - A3)$ Staple CapacityStaple CapacityPaper SizeProof Tray: 5.5^{\circ} $\times 8.5^{\circ}$ to 12^{\circ} $\times 18^{\circ}$ $(A6 - A3)$ Staple CapacityStaple CapacityPaper WeightProof Tray: 5.5^{\circ} $\times 8.5^{\circ}$ to 12^{\circ} $\times 18^{\circ}$ $(A6 - A3)$ Staple Paper SizeStaple Paper SizePaper WeightProof Tray: 14 – 45 lb. Bond/93 lb. Index $(52 - 300 g/m)$ Shift Tray: 14 – 45 lb. Bond/166 lb. Index $(52 - 300 g/m)$ Staple Paper WeightStack CapacityProof Tray: 14 – 45 lb. Bond/166 lb. Index $(52 - 300 g/m)$ Staple Paper WeightStaple Paper VieghtProof Tray: 14 – 45 lb. Bond/166 lb. Index $(52 - 300 g/m)$ Staple Paper VieghtProof Tray: 14 – 45 lb. Bond/166 lb. Index $(52 - 300 g/m)$ Staple Paper Vi	Paper Weight			(A6 – A3)	
250 sheets $(8.5^{\circ} \times 14^{\circ} \text{ or larger})$ $(84 - A3)$ Paper WeightPaper SizePaper WeightPaper WeightStaple Paper Weight14 - 28 lb. Bond (52 - 105 g/m)Sheets $(8.5^{\circ} \times 11^{\circ})$ $(A4 - A3)$ Sheets $(8.5^{\circ} \times 11^{\circ})$ $(A4 - A3)$ Sheets $(8.5^{\circ} \times 11^{\circ})$ $(A4 - A3)$ Staple Positions50 sheets $(8.5^{\circ} \times 14^{\circ} \text{ or larger}, and/orMixed Sizes) (84 - A3)Top, Bottom, 2 StaplesBooklet Tray: 14 - 28 lb. Bond (122 lb.(52 - 220 g/m)Staple PositionsTop, Bottom, 2 StaplesTop, Bottom, 2 StaplesBooklet Tray: 17 - 28 lb. Bond(64 - 105 g/m)Dimensions (WxDxH)21.5^{\circ} x 20.6^{\circ} x 6.7^{\circ} (546 x 523 x 170 mm)Stack CapacityProof Tray: 250 sheets (8.5^{\circ} \times 11^{\circ} or larger) (A4 - A3)Vanch Paper Sizes7.25^{\circ} x 10.5^{\circ} to 11^{\circ} x 17^{\circ} (A4 - A3)Staple PositionsStaple Size (8.5^{\circ} x 14^{\circ} or larger) (B4)Paper Size7.25^{\circ} x 10.5^{\circ} to 11^{\circ} x 17^{\circ} (A4 - A3)Staple Size (A6 - A3)Staple Size (A6 - A3)Paper Weight14 - 45 lb. Bond/93 lb. Index(52 - 169 g/m)Staple CapacityStaple CapacityPaper WeightProof Tray: 5.5^{\circ} x 8.5^{\circ} to 12^{\circ} x 18^{\circ} (A6 - A3)Staple Paper SizePaper WeightProof Tray: 14 - 45 lb. Bond/93 lb. Index(52 - 169 g/m)Staple Paper WeightPaper WeightProof Tray: 250 sheets (8.5^{\circ} x 11^{\circ} (A4 - A3))Staple Paper SizeNormal Staple: So sheets (8.5^{\circ} x 11^{\circ} x 10^{\circ} (A4 - A3))Staple Paper SizeNormal Staple: So sheets (8.5^{\circ} x 11^{\circ} x 10^{\circ} (A4 - A3))Staple Paper WeightProof Tray: 250 sheets (8.5^{\circ} x 11^{\circ$	Stack Capacity			Booklet Tray: 8.5" x 11" to 12" x 18"	
Staple Paper Size       7.25* x 10.5* to 11* x 17" (A4 – A3)       Faper Weight       14 – 28 lb. Bond (52 – 105 g/m)       (52 – 220 g/m)         Staple Paper Weight       14 – 28 lb. Bond (52 – 105 g/m)       Shift Tray: 14 – 80 lb. Bond/166 lb. ln (52 – 300 g/m)       Shift Tray: 17 – 28 lb. Bond (64 – 105 g/m)         Staple Positions       Top, Bottom, 2 Staples       Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m)       Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m)         Not available for MP C6004.       2.73-hole Punch Unit (PU3040NA)       Stack Capacity       Stack Capacity       Staple Sailab Internal Finisher)         Punch Paper Sizes       7.25* x 10.5* to 11* x 17" (A4 – A3)       Hold in 42 (A)       Staple Capacity         1,000-Sheet Hybrid Staple       Froof Tray: 5.5* x 8.5* to 12* x 18* (A6 – A3)       Shift Tray: 5.5* x 8.5* to 12* x 18* (A6 – A3)       Staple Capacity       Normal Staple: 50 sheets (8.5* x 11* or 11* x 17* (A4 – A3)         Paper Weight       Proof Tray: 5.5* x 8.5* to 12* x 18* (A6 – A3)       Staple Capacity       Normal Staple: 50 sheets (8.5* x 11* or 11* x 17* (A4 – A3)         Paper Weight       Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)       Staple Paper Size       Normal Staple: 50 sheets (8.5* x 11* to 11* x (A4 – A3)         Staple Paper Size       Proof Tray: 14 – 45 lb. Bond/31b. Index (52 – 169 g/m)       Staple Paper Size       Normal Staple: 8.5* x 11* to 11* x (A4 – A3)         Staple Paper Weight       Stap	Stack Capacity				
Staple Paper Weight $(32 - 200 \text{ g/m})$ Shift Tay: 14 - 28 lb. Bond (52 - 105 g/m)Staple CapacityShift Tay: 14 - 80 lb. Bond/166 lb. liStaple PositionsTop, Bottom, 2 StaplesDimensions (WxDxH) $21.5^{\circ} \times 20.6^{\circ} \times 6.7^{\circ}$ (546 x 523 x 170 mm)Stack CapacityStack CapacityStack CapacityPoof Tray: 250 sheets (8.5 * x 14*Not available for MP (5000Z-3*H 0.5* to 11* x 17* (A4 - A3)Punch Paper Weight $14 - 45 \text{ lb. Bond/93 lb. Index} (52 - 169 g/m)Staple Spane WeightStack CapacityStaple Spane SizeProof Tray: 5.5* x 8.5* to 12* x 18*(A6 - A3)Staple Paper SizePaper WeightProof Tray: 5.5* x 8.5* to 12* x 18*(A6 - A3)Stack CapacityStaple Paper SizePoof Tray: 5.5* x 8.5* to 12* x 18*(A6 - A3)Staple Paper SizeStaple Paper SizePoof Tray: 14 - 45 lb. Bond/93 lb. Index(52 - 169 g/m)Staple Paper SizeStaple Paper SizeNormal Staple: S.5* x 11* to 11* x 17*(A4 - A3)Staple Paper SizeStaple Paper SizeNormal Staple: S.5* x 11* to 11* x 17*(A4 - A3)Staple Size (16 - 20 sheets)Staple Size (22 - 300 g/m)$	Staple Paper Size		Paper Weight		
Staple Capacity50 sheets (8.5* x 11*) (A4) 30 sheets (8.5* x 14* or larger, and/or Mixed Sizes) (B4 – A3)Staple Positions Top, Bottom, 2 StaplesStack CapacityStack CapacityStaple Positions (G4 – 105 g/m)Stack CapacityStaple Size (A4)2/-3-Hole Punch Unit (PU3040NA) (Optional; Installs inside SR3130 Internal Finisher) Punch Paper Sizes7.25* x 10.5* to 11* x 17* (A4 – A3) (A4 – 45 lb. Bond/93 lb. Index (S2 – 169 g/m)Stack CapacityStaple CapacityStaple CapacityPaper WeightProof Tray: 5.5* x 8.5* to 12* x 18* (A6 – A3) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (S2 – 169 g/m)Staple Paper SizeStaple Paper Size (A6 – A3)Staple Paper Size (A6 – A3)Paper WeightProof Tray: 2.5.5* x 8.5* to 12* x 18* (A6 – A3)Staple Paper Size (A6 – A3)Staple Paper Size (A6 – A3)Paper WeightProof Tray: 14 – 45 lb. Bond/93 lb. Index (S2 – 169 g/m)Staple Paper Size (A6 – A3)Staple Paper Size (A6 – A3)Paper WeightProof Tray: 2.5.5* x 11* to 12* x 18* (A6 – A3)Staple Paper Size (A4 – A3)Staple Baper Size (A4 – A3)Paper WeightProof Tray: 2.5.5* x 11* to 12* x 18* (A4 – A3)Staple Paper Size Staple Paper SizeNormal Staple: S0 sheets (8.5* x 11* to 12* x 18* (A4 – A3)Stack CapacityProof Tray: 2.50 sheets (8.5* x 11*) (A4); S0 sheets (8.5* x 11* to 12* x 11* to 12* x 13* (A4 – A3)Staple Paper Size Staple Paper SizePaper SizeProof Tray: 2.50 sheets (8.5* x 11*) (A4); S0 sheets (8.5* x 11* to 12* x 13* (A4 – A3)Staple Paper Size Staple Paper SizePaper SizeProof Tray:					
30 Sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3)(12 – 28 lb. Bond Booklet Tray: 17 – 28 lb. Bond (64 – 105 g/m)Staple Positions Dimensions (WxDxH)21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)Stack CapacityBooklet Tray: 17 – 28 lb. Bond (64 – 105 g/m)Viot available for MP C6004.2.1.5" x 20.6" x 6.7" (546 x 523 x 170 mm)Stack CapacityStack CapacityBooklet Tray: 17 – 28 lb. Bond (64 – 105 g/m)Viot available for MP C6004.2.1.5" x 20.6" x 6.7" (546 x 523 x 170 mm)Stack CapacityStack CapacityBooklet Tray: 2.00 sheets (8.5" x 11" or larger) (84) So sheets (8.5" x 114" or larger) (84) 1,000 sheets (8.5" x 114" or larger) (14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)Staple CapacityStaple CapacityStaple CapacityPaper Weight (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) So sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3)Staple Paper SizeNormal Staple: 8.5" x 11" to 11" x (A4 – A3)Paper Weight (52 – 169 g/m) So sheets (8.5" x 11" (A4); So sheets (8.5" x 11" to 12" x 118" (A4 – A3)Staple Paper Weight Staple Paper Weight Staple Paper Weight Staple Paper WeightStaple Paper Weight Staple Paper Weight Staple Positions Dimensions (WxDxH)Staple Paper Weight Staple Positions Dimensions (WxDxH)Staple Staple Staple Staple, Top Slant, Bo Staple Positions					
Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples Dimensions (WxbxH)Booklet ray: $10^{\circ}$ g/m²Booklet $11^{\circ}$ with $10^{\circ}$ g/m²Staple Positions Dimensions (WxbxH) $21.5^{\circ} \times 20.6^{\circ} \times 6.7^{\circ}$ (546 x 523 x 170 mm)Stack CapacityProof Tray: 250 sheets (8.5° x 11° o smaller) (A4)*Not available for MP C6004. $2.73^{\circ}$ Hole Pounch Unit (PU3040NA)Stack CapacityStack CapacityProof Tray: 250 sheets (8.5° x 11° o smaller) (A4)2.73^{\circ} X 10.5° to 11° x 17° (A4 – A3) $1,000$ sheets (8.5° x 11° o smaller) (A4) $10,000$ sheets (8.5° x 14° or larger) (B4)Punch Paper Size Punch Paper Weight $7.25^{\circ} \times 10.5^{\circ}$ to 11° x 17° (A4 – A3) $1,000$ sheets (8.5° x 14° or larger) (B Booklet Tray: 30 sets (2 – 5 sheets) or sets (6 – 10 sheets) or 10 sets (11 – sheets) or 0 sets (6 – 20 sheets)Paper Weight Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m²) Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 169 g/m²)Staple Paper SizePaper Weight Stack CapacityProof Tray: 250 sheets (8.5° x 11°) (A4); S0 sheets (8.5° x 11° to 12° x 18° (A4 – A3)Staple Paper Weight Staple Paper Weight Staple Paper WeightStack CapacityProof Tray: 14 – 45 lb. Bond/166 lb. Index (52 – 169 g/m²) So sheets (8.5° x 11°) (A4); S0 sheets (8.5° x 11° to 12° x 11° (A4 – A3)Staple Paper Weight Shift Tray: 1,000 sheets (8.5° x 11°) (A4); S0 sheets (8.5° x 11° (A4); S0 sheets (8.5° x 11° (A4); S0 sheets (8.5° x 11°) (A4); S0 sheets (8.5° x 11° (A4); S0 sheets (8.5° x 11°) (A4); S0 sheets (8.5° x 11° (A4); S0 sheets (8.5° x 11° (A4); S0 sheets (8.5°				(52 – 300 g/m)	
Staple PositionsIop, Bottom, 2 StaplesStaplesProof Tray: 250 sheets (8.5" x 11" oDimensions (WxDxH)21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)Stack CapacityProof Tray: 250 sheets (8.5" x 11" o*Not available for MP C6004		30 sheets (8.5" x 14" or larger, and/or		Realdet Travi 17 29 lb Read	
$ \begin{array}{c} \text{Dimensions} (\text{WXDXH}) & 21.5 \times 20.6 \times 8.7^* (546 \times 523 \times 170 \text{ mm}) \\ \text{*Not available for MP C6004.} \\ \text{2-/3-Hole Punch Unit (PU3040NA)} \\ \text{(Optional; Installs inside SR3130 Internal Finisher)} \\ \text{(Optional; Installs inside SR3130 Internal Finisher)} \\ \text{Punch Paper Weight} & 14 - 45 \text{ lb. Bond/93 lb. Index} (52 - 169 g/m) \\ \text{1,000-Sheet Hybrid Staple + Stapleless Finisher (SR3210) **} \\ \text{Paper Size} & \text{Proof Tray: } 5.5 * x 8.5 * to 12 * x 18^* \\ (A6 - A3) & \text{Shift Tray: } 2.5 - 169 g/m) \\ \text{Stack Capacity} & \text{Proof Tray: } 14 - 45 \text{ lb. Bond/93 lb. Index} \\ (52 - 300 g/m) & \text{Stack Capacity} & \text{Proof Tray: } 250 \text{ sheets} (8.5^* x 11^* (A4); \\ 50 \text{ sheets} (8.5^* x 11^* a - 81) \text{ Bond/166 lb. Index} \\ (52 - 300 g/m) & \text{Stark Capacity} & \text{Proof Tray: } 14 - 85 \text{ lb. Bond/166 lb. Index} \\ \text{Staple Paper Weight} & \text{Proof Tray: } 250 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 2100 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 300 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ Shift Tray: } 1000 \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ sheets} (8.5^* x 14^* a^*) \text{ sheets} (8.5^* x 11^*) (A4); \\ 50 \text{ sheets} (8.5^* x 14^* a^*) \text{ sheats} (8.5^* x 11^*) (A4); \\ 50 \text{ sheets} (8.5^* x 14^* a^*) \text{ sheats} (8.5^* x 14^$					
*Not available for MP C6004. 2-/3-Hole Punch Unit (PU3040N) (Optional; Installs inside SR3130 Internal Finisher) Punch Paper Sizes Paper Size Paper Weight Paper Weight Paper Weight Paper Weight Paper Weight Stack Capacity Stack Capacity Proof Tray: 14 – 85 lb. Bond/93 lb. Index (52 – 169 g/m) Stack Capacity Stack C	Staple Positions	Mixed Sizes) (B4 – A3)	Stack Canacity	(64 – 105 g/m²)	
2-/3-Hole Punch Unit (PU3040NA)Shift Tray: 2,000 sheets (8.5" x 11" smaller) (A4)(Optional; Installs inside SR3130 Internal Finisher) Punch Paper Size $7.25" \times 10.5" to 11" \times 17" (A4 - A3)$ Punch Paper Weight $14 - 45$ lb. Bond/93 lb. Index (52 - 169 g/m) $1,000$ sheets (8.5" x 14" or larger) (I Booklet Tray: 30 sets (2 - 5 sheets) o sets (6 - 10 sheets) or 10 sets (11 - sheets) or 6 sets (16 - 20 sheets)1,000-Sheet Hybrid Staple + Stapleless Finisher (SR3210) *** Paper SizeProof Tray: 5.5" x 8.5" to 12" x 18" (A6 - A3)Staple CapacityStaple CapacityNormal Staple: 50 sheets (8.5" x 11" 11" x 17" and Mixed Sizes) (A4 - A3) Saddle Stitch: 20 sheetsPaper WeightProof Tray: 14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m) Shift Tray: 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m)Staple Paper SizeNormal Staple: 5.5" x 11" to 11" x 1 (A4 - A3) Saddle Stitch: 8.5" x 11" to 12" x 13 (A4 - A3) Saddle Stitch: 8.5" x 11" to 12" x 13 (A4 - A3) Staple Paper WeightStack CapacityProof Tray: 250 sheets (8.5" x 11" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11" (A4); S0 sheets (8.5" x 11" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11" (A4); S0 sheets (8.5" x 11" or larger) (B4)		Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples	Stack Capacity	(64 – 105 g/m²) Proof Tray: 250 sheets (8.5" x 11" or	
Punch Paper Sizes         7.25 * x 10.5 * to 11 * x 17 * (A4 – A3)         1,000 sheets (8.5 * x 14 * or larger) (1           Punch Paper Weight         14 – 45 lb. Bond/33 lb. Index (52 – 169 g/m)         Booklet Tray: 3.0 sets (2 – 5 sheets) or 0 sets (11 – sheets) or 10 sets (11 – sheets) or 10 sets (12 – sheets) or 0 sets (16 – 20 sheets)           Paper Size         Proof Tray: 5.5 * x 8.5 * to 12 * x 18 * (A6 – A3)         Normal Staple: 50 sheets (8.5 * x 11 * 11 * x 17 * and Mixed Sizes) (A4 – A3)           Paper Weight         Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)         Staple Paper Size         Normal Staple: 50 sheets (8.5 * x 11 * 11 * x 17 * and Mixed Sizes) (A4 – A3)           Paper Weight         Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)         Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m)         Staple Paper Size         Normal Staple: 8.5 * x 11 * to 11 * x (A4 – A3)           Stack Capacity         Proof Tray: 250 sheets (8.5 * x 11 *) (A4); 50 sheets (8.5 * x 11 *) (A4)	Dimensions (WxDxH)	Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples	Stack Capacity	(64 – 105 g/m²) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4)	
Punch Paper Sizes         7.25* x 10.5" to 11* x 17" (A4 – A3)         1,000 sheets (8.5" x 14" or larger) (I           Punch Paper Weight         14 – 45 lb. Bond/93 lb. Index (S2 – 169 g/m)         Booklet Tray: 30 sets (2 – 5 sheets) or 0 sets (11 – sheets) or 10 sets (11 – sheets) or 10 sets (12 – sheets) or 0 sets (16 – 20 sheets)           Paper Weight         Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)         Normal Staple: 50 sheets (8.5" x 11" 11" x 17" and Mixed Sizes) (A4 – A3)           Paper Weight         Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)         Staple Paper Size         Normal Staple: 50 sheets (8.5" x 11" to 11" x (A4 – A3)           Paper Weight         Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)         Staple Paper Size         Normal Staple: 8.5" x 11" to 11" x (A4 – A3)           Stack Capacity         Proof Tray: 250 sheets (8.5" x 11" (A4); 50 sheets (8.5" x	Dimensions (WxDxH) *Not available for MP C6004.	Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)	Stack Capacity	(64 – 105 g/m²) Proof Tray: 250 sheets (8.5" x 11" or	
Punch Paper Weight         14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)         Booklet Tray: 30 sets (2 – 5 sheets) or sets (6 – 10 sheets) or 10 sets (11 – sheets) or 6 sets (16 – 20 sheets)           Paper Size         Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)         Staple Capacity         Normal Staple: 50 sheets (8.5" x 11" 11" x 17" and Mixed Sizes) (A4 – A2 Saddle Stitch: 20 sheets           Paper Weight         Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m²)         Staple Capacity         Normal Staple: 8.5" x 11" to 11" x 1 (A4 – A3)           Stack Capacity         Proof Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m²)         Staple Paper Weight         Staple Paper Weight         Normal Staple: 8.5" x 11" to 11" x 1 (A4 – A3)           Stack Capacity         Proof Tray: 100 sheets (8.5" x 11" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Weight Staple Positions         Staple Paper Weight Top, Bottom, 2 Staples, Top Slant, Bo Dimensions (WxDxH)	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unit (PL	Mixed Sizes) (84 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) I3040NA)	Stack Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4)	
Stack Capacity         Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 - A3)         Staple Size         Staple Size         Staple Size         Staple Size         Normal Staple: 5 0 sheets (8.5" x 11" 11" x 17" and Mixed Sizes) (A4 - A3)           Paper Weight         Proof Tray: 14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m)         Staple Size         Normal Staple: 5 0 sheets (8.5" x 11" to 11" x (A4 - A3)           Stack Capacity         Proof Tray: 14 - 45 lb. Bond/166 lb. Index (52 - 300 g/m)         Staple Size         Normal Staple: 8.5" x 11" to 11" x (A4 - A3)           Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") 50 sheets (8.5" x 11") (A4); So shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Weight Staple Positions         Staple Paper Weight Top, Bottom, 2 Staples, Top Slant, Bo Dimensions (WxDxH)	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unit (PL (Optional; Installs inside S	Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) IBO40NA) R3130 Internal Finisher)	Stack Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4)	
Paper Size         Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 - A3)         Sheets or 6 sets (16 - 20 sheets)           Paper Weight         Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 - A3)         Staple Capacity         Staple Capacity         Normal Staple: 50 sheets (8.5" x 11" 11" x 17" and Mixed Sizes) (A4 - A2 Saddle Stitch: 20 sheets           Paper Weight         Proof Tray: 14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m <sup>2</sup> )         Staple Paper Size         Normal Staple: 8.5" x 11" to 11" x 1 (A4 - A3)           Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 11" or larger) (B4)         Staple Paper Weight staple Positions         Staple Paper Weight to 2.5.9" x 24.1" x 37.8" (657 x 613 x 960)	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes	Mixed Sizes) (B4 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) I3040NA) R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3)	Stack Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15	
$ \begin{array}{c} (A6 - A3) \\ Paper Weight \\ Proof Tray: 14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m) \\ Shift Tay: 14 - 45 lb. Bond/93 lb. Index (52 - 169 g/m) \\ Shift Tay: 14 - 85 lb. Bond/166 lb. Index (52 - 300 g/m) \\ Stack Capacity \\ Stack Capacity \\ \end{array} \begin{array}{c} Staple Capacity \\ Proof Tray: 250 sheets (8.5" x 11" (A4); \\ 50 sheets (8.5" x 11" (A4); \\ Shift Tay: 1,000 sheets (8.5" x$	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight	Mixed Sizes) (84 – A3) Top, Bottorn, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) <b>IS040NA)</b> R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m')	Stack Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15	
Shift Tray: $5.5^{\circ}$ x 8.5" to $12^{\circ}$ x 18" (A6 - A3)         Shift Tray: $5.5^{\circ}$ x 8.5" to $12^{\circ}$ x 18" (A6 - A3)         Stable Statch: $20$ sheets           Paper Weight         Proof Tray: $14 - 45$ lb. Bond/93 lb. Index ( $52 - 169$ g/m <sup>2</sup> )         Stagle Paper Size         Normal Staple: $8.5^{\circ}$ x 11" to $11^{\circ}$ x 12" (A4 - A3)           Stack Capacity         Proof Tray: $250$ sheets ( $8.5^{\circ}$ x 11") (A4); $50$ sheets ( $8.5^{\circ}$ x 14" or larger) (B4) Shift Tray: 1,000 sheets ( $8.5^{\circ}$ x 11") (A4);         Staple Paper Weight Staple Paper Weight $14 - 28$ lb. Bond ( $52 - 105$ g/m <sup>2</sup> )           Staple Paper Weight $14 - 28$ lb. Bond ( $52 - 105$ g/m <sup>2</sup> )         Staple Paper Weight Staple Positions         Top, Bottom, 2 Staples, Top Slant, Bc Dimensions (WxDxH)	Dimensions (WxDxH) *Not available for MP C6004. 2/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap	Mixed Sizes) (84 – A3) Top, Bottorn, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) <b>I3040NA)</b> R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 Ib. Bond/93 Ib. Index (52 – 169 g/m) <b>Ie + Stapleless Finisher (SR3210)</b> ***		(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets)	
Stack Capacity         Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m²)         Staple Paper Size         Normal Staple: 8.5" x 11" to 11" x 1 (A4 – A3)           Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Size         Normal Staple: 8.5" x 11" to 11" x 1 (A4 – A3)           Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 11" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Weight Shift Tray: 1,000 sheets (8.5" x 11") (A4);	Dimensions (WxDxH) *Not available for MP C6004. 2/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap	Mixed Sizes) (84 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) <b>13040NA)</b> R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') <b>le + Stapleless Finisher (SR3210)</b> <sup>214</sup> Proof Tray: 5.5" x 8.5" to 12" x 18"		(64 - 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5 " x 11" or smaller) (A4) 50 sheets (8.5 " x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5 " x 11" or smaller) (A4) 1,000 sheets (8.5 " x 14" or larger) (B4) Booklet Tray: 30 sets (2 - 5 sheets) or 15 sets (6 - 10 sheets) or 10 sets (11 - 15 sheets) or 6 sets (16 - 20 sheets) Normal Staple: 50 sheets (8.5 " x 11" to	
Proper Weight         Proof Tray: 14 – 45 lb. Bolic/95 lb. Index (52 – 169 g/m <sup>2</sup> )         (A4 – A3)           Stack Capacity         Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m <sup>2</sup> )         (A4 – A3)           Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4)         Staple Paper Weight Shift Tray: 1,000 sheets (8.5" x 11") (A4);           Stack Capacity         Staple Paper Weight Shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Weight Shift Tray: 1,000 sheets (8.5" x 11") (A4);	Dimensions (WxDxH) *Not available for MP C6004. 2/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap	Mixed Sizes) (84 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) <b>I3040NA)</b> R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') <b>le + Stapleless Finisher (SR3210)</b> Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)		(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3)	
Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheet ray: 1,000 sheets (8.5" x 11") (A4); Shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Weight taple Positions         taple Paper Weight Top, Bottom, 2 Staples, Top Slant, Bot Dimensions (WxDxH)	Dimensions (WxDxH) *Not available for MP C6004. 2/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Mixed Sizes) (84 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) B040NA) R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 Ib. Bond/93 Ib. Index (52 – 169 g/m) le + Stapleless Finisher (SR3210) *** Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)	Staple Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets	
Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Weight Staple Positions         14 – 28 lb. Bond (52 – 105 g/m²) Top, Bottom, 2 Staples, Top Slant, Bc Dimensions (WxDxH)	Dimensions (WxDxH) *Not available for MP C6004. 2/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Mixed Sizes) (84 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) B040NA) R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') le + Stapleless Finisher (SR3210) <sup>314</sup> Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 14 – 45 lb. Bond/93 lb. Index	Staple Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5 " x 11" or smaller) (A4) 50 sheets (8.5 " x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5 " x 11" or smaller) (A4) 1,000 sheets (8.5 " x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17"	
Stack Capacity         Proof Tray: 250 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 1,000 sheets (8.5" x 11") (A4);         Staple Paper Weight Staple Positions         14 – 28 lb. Bond (52 – 105 g/m) Top, Bottom, 2 Staples, Top Slant, BC Dimensions (WxDxH)	Dimensions (WxDxH) *Not available for MP C6004. 2/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Mixed Sizes) (84 – A3) Top, Bottorn, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) <b>IB040NA)</b> R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) <b>Ie + Stapleless Finisher (SR3210)</b> ** Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m)	Staple Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17" (A4 – A3)	
State Capacity         Flob indy: 250 sheets (6.5 × 14 ° / clarger) (84)         Staple Positions         Top, Bottom, 2 Staples, Top Slant, Bc           50 sheets (8.5 × 14 ° / clarger) (84)         Shift Tray: 1,000 sheets (8.5 ° x 11 °) (A4);         Dimensions (WxDxH)         25.9 ° x 24.1 ° x 37.8 ° (657 x 613 x 960)	Dimensions (WxDxH) *Not available for MP C6004. 2/3-Hole Punch Unit (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size	Mixed Sizes) (84 – A3) Top, Bottorn, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) B040NA) R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) He + Stapleless Finisher (SR3210) *** Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 80 lb. Bond/166 lb. Index	Staple Capacity	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5 " x 11" or smaller) (A4) 50 sheets (8.5 " x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5 " x 11" or smaller) (A4) 1,000 sheets (8.5 " x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5 " x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5 " x 11" to 11" x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18"	
Shift Tray: 1,000 sheets (8.5" x 11") (A4);	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unt (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size Paper Weight	Mixed Sizes) (84 – A3) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) B040NA) R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') le + Stapleless Finisher (SR3210) <sup>314</sup> Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m')	Staple Capacity Staple Paper Size	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3)	
	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unt (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size Paper Weight	Mixed Sizes) (84 – A3) Top, Bottorn, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) <b>I3040NA)</b> <b>R3130</b> Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') <b>Ie + Stapleless Finisher (SR3210)</b> ** Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5 lb. Bond/93 lb. Index (52 – 169 g/m) Shift Tray: 14 – 45 lb. Bond/166 lb. Index (52 – 300 g/m) Proof Tray: 250 sheets (8.5" x 11") (A4);	Staple Capacity Staple Paper Size Staple Paper Weight	(64 – 105 g/m <sup>-</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3)	
	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unt (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size Paper Weight	Mixed Sizes) (84 – A3) Top, Bottorn, 2 Staples 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm) B040NA) R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" (A4 – A3) 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') He + Stapleless Finisher (SR3210) *** Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3) Proof Tray: 14 – 45 lb. Bond/93 lb. Index (52 – 169 g/m') Shift Tray: 14 – 80 lb. Bond/166 lb. Index (52 – 300 g/m') Proof Tray: 25 sheets (8.5" x 11") (A4); 50 sheets (8.5" x 14" or larger) (B4)	Staple Capacity Staple Paper Size Staple Paper Weight Staple Positions	(64 – 105 g/m <sup>2</sup> ) Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) 50 sheets (8.5" x 14" or larger) (B4) Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) 1,000 sheets (8.5" x 14" or larger) (B4) Booklet Tray: 30 sets (2 – 5 sheets) or 15 sets (6 – 10 sheets) or 10 sets (11 – 15 sheets) or 6 sets (16 – 20 sheets) Normal Staple: 50 sheets (8.5" x 11" to 11" x 17" and Mixed Sizes) (A4 – A3) Saddle Stitch: 20 sheets Normal Staple: 8.5" x 11" to 11" x 17" (A4 – A3) Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3) 14 – 28 lb. Bond (52 – 105 g/m <sup>2</sup> )	
	Dimensions (WxDxH) *Not available for MP C6004. 2-/3-Hole Punch Unt (PL (Optional; Installs inside S Punch Paper Sizes Punch Paper Weight 1,000-Sheet Hybrid Stap Paper Size Paper Weight	Mixed Sizes) ( $84 - A3$ ) Top, Bottom, 2 Staples 21.5" x 20.6" x 6.7" ( $546 \times 523 \times 170 \text{ mm}$ ) <b>B040NA</b> ) R3130 Internal Finisher) 7.25" x 10.5" to 11" x 17" ( $A4 - A3$ ) 14 - 45 lb. Bond/93 lb. Index ( $52 - 169 \text{ g/m}$ ) <b>le + Stapleless Finisher (SR3210)</b> <sup>334</sup> Proof Tray: 5.5" x 8.5" to 12" x 18" ( $A6 - A3$ ) Shift Tray: 5.5" x 8.5" to 12" x 18" ( $A6 - A3$ ) Proof Tray: 5.5" x 8.5" to 12" x 18" ( $A6 - A3$ ) Proof Tray: 14 - 45 lb. Bond/93 lb. Index ( $52 - 169 \text{ g/m}$ ) Shift Tray: 14 - 80 lb. Bond/166 lb. Index ( $52 - 300 \text{ g/m}$ ) Proof Tray: 250 sheets ( $8.5" \times 11"$ ) ( $A4$ ); 50 sheets ( $8.5" \times 14"$ or larger) ( $B4$ ) Shift Tray: 1,000 sheets ( $8.5" \times 11"$ ) ( $A4$ );	Staple Capacity Staple Paper Size Staple Paper Weight Staple Positions	$\begin{array}{l} (64 - 105 \ g/m^{2}) \\ Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4) \\ 50 sheets (8.5" x 14" or larger) (B4) \\ Shift Tray: 2,000 sheets (8.5" x 11" or smaller) (A4) \\ 1,000 sheets (8.5" x 14" or larger) (B4) \\ Booklet Tray: 30 sets (2 - 5 sheets) or 15 \\ sheets) or 6 sets (16 - 20 sheets) (11 - 15 \\ sheets) or 6 sets (16 - 20 sheets) (11" x 17" and Mixed Sizes) (A4 - A3) \\ Saddle Stitch: 20 sheets \\ Normal Staple: 50 sheets (A4 - A3) \\ Saddle Stitch: 8.5" x 11" to 11" x 17" (A4 - A3) \\ Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 - A3) \\ 14 - 28 \ lb. Bond (52 - 105 \ g/m^{2}) \\ Top, Bottom, 2 \ Staples, Top \ Slant, Booklet \\ \end{array}$	



neets/set	3,000-Sheet Finisher (SR	,000-Sheet Finisher (SR3230) <sup>234</sup>			
ets (8.5" x 11") (A4)	Paper Size	Proof Tray: 5.5" x 8.5" to 12" x 18"			
ets (8.5" x 14" or larger) (B4)		(A6 – A3)			
11" to 12" x 18" (A4 – A3) 8 lb. Bond (52 – 105 g/m²)		Shift Tray: 5.5" x 8.5" to 12" x 18"			
ttom, 2 Staples	Dapar Waight	(A6 – A3) Proof Tray 14 – 58 lb Bond (122 lb Index			
24.4" x 37.8" (563 x 620 x 960 mm)	Paper Weight	Proof Tray: 14 – 58 lb. Bond/122 lb. Index (52 – 220 g/m <sup>2</sup> )			
		(52 – 220 g/m) Shift Tray: 14 – 80 lb. Bond/166 lb. Index			
3220) <sup>234</sup>		(52 – 300 g/m <sup>2</sup> )			
ray: 5.5" x 8.5" to 12" x 18"	Stack Capacity	Proof Tray: 250 sheets (8.5" x 11" or			
3) 	statest capacity	smaller) (A4)			
ay: 5.5" x 8.5" to 12" x 18" 3)		50 sheets (8.5" x 14" or larger) (B4)			
Tray: 8.5" x 11" to 12" x 18"		Shift Tray: 3,000 sheets (8.5" x 11") (A4)			
3)		1,500 sheets (8.5" x 14" or larger) (B4)			
ay: 14 – 45 lb. Bond (52 – 169 g/m²)	Staple Capacity	50 sheets (8.5" x 11" to 11" x 17") or			
ay: 14 – 80 lb. Bond/166 lb. Index		Mixed Sizes (A4 – A3)			
00 g/m²)	Staple Paper Size	8.5" x 11" to 11" x 17" (A4 – A3)			
Tray: 14 – 28 lb. Bond	Staple Paper Weight	14 – 28 lb. Bond (52 – 105 g/m²)			
05 g/m²)	Staple Positions	Top, Bottom, 2 Staples, Top Slant			
ay: 250 sheets (8.5" x 11" or	Dimensions (WxDxH)	25.9" x 24.1" x 37.8" (657 x 613 x 960 mm)			
(A4); 50 sheets (8.5" x 14" or	2-/3-Hole Punch Unit (PU3060NA)				
(B4 – A3)	(Optional; Installs inside S	R3230 or SR3240 Finishers)			
ay: 1,000 sheets (8.5" x 11" or	Punch Paper Sizes	5.5" x 8.5" to 11" x 17" (A5 – A3)			
(A4); 500 sheets (8.5" x 14" or	Punch Paper Weight	14 – 68 lb. Bond/142 lb. Index			
(B4 – A3)		(52 – 256 g/m²)			
Tray: 20 Sets (2 – 5 sheets), (6 – 10 sheets) & 7 Sets (11 –	Color Controller	-330			
ets)					
Staple: 50 sheets (8.5" x 11") (A4);	Controller Type Fiery Platform	Embedded Type FS150			
ets (8.5" x 14" or larger) (B4 – A3)	CPU	Intel Processor G850 2.9GHz			
ets	Host Interface	1000Base-T/100Base-TX/10Base-T			
Staple: 8.5" x 11" to 12" x 18"	Memory	2 GB			
3)	Internal HDD	500 GB			
Stitch: 8.5" x 11" to 12" x 18"	Operating System	Linux			
3)	Network Protocol	TCP/IP (IPv4/IPv6), SMB, Bonjour			
3 lb. Bond (52 – 105 g/m²)	Printer Description	Standard: PostScript 3 & PCL6/5c			
ttom, 2 Staples, Booklet	Language				
24.4" x 37.8" (563 x 620 x 960 mm)	Max Print Resolution	Up to 1200 dpi (2 bit)			
.)	Max Scan Resolution	Up to 600 dpi			
SR3220 Finisher)	Fonts	PS3: 138 fonts/PCL: 81 AGFA fonts			
8.5" to 11" x 17" (A5 – A3)	Utilities	Standard: Command WorkStation <sup>®</sup> 5, Fiery <sup>®</sup>			
B lb. Bond/142 lb. Index		Scan, Printer Delete Utility, Fiery Web Tools,			
56 g/m²)		Fiery Bridge, Secure Erase and Fiery VUE			
3240)234		Optional: Fiery Impose, Fiery Compose, Fiery Auto Trap, EFI Spot-On <sup>™</sup> , Fiery Hot			
ay: 5.5" x 8.5" to 12" x 18"		Folders, Fiery Color Profiler Suite v4.0,			
3)		Fiery ES-2000 Spectrophotometer and			
ay: 5.5" x 8.5" to 12" x 18"		EFI Productivity Pack			
3)	Color Management	ICC Profile, Color Chart, CMYK Color			
Tray: 8.5" x 11" to 12" x 18"	Tools	Reference Pages, RGB Color Tests,			
3)		Trapping Support and ColorWise® Pro Tools			
ay: 14 – 58 lb. Bond/122 lb. Index					

#### **Additional Accessories**

Banner Paper Guide Tray Type M19, Caster Table Type M3, Bridge Unit BU3070, Cabinet Type F, Camera Direct Print Card Type M19, Card Reader Bracket Type 3352, Extended USB Board Type M19, External Keyboard Bracket Type M19, Fax Connection Unit Type M20, Fax Memory Unit Type M19 64MB, File Format Converter Type M19, G3 Interface Unit Type M20, HotSpot MFP Option Type S, IEEE 802.11a/g/n Interface Unit Type M19, IEEE 1284 Interface Board Type M19, Imageable Area Extension Unit Type M19, Key Counter Bracket Type M3, Memory Unit Type M19 4GB, NFC Card Reader Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Postscript3 Unit Type M19, Power Filter ESP XG-PCS-15D, Smart Card Reader Built-in Unit Type M19, USB Device Server Option Type M19, XPS Direct Print Option Type M19

<sup>1</sup>Either the Cabinet Type F or one of the paper options must be installed. <sup>2</sup>Requires configuration with Bridge Unit BU3070.

Cannot be installed together.

Requires installation of Two-Tray Paper Bank (PB3160) or Tandem Large Capacity Tray (PB3230).

Some options may not be available at the time of market release.

Specifications are subject to change without notice.

For maximum performance and yield, we recommend using genuine Lanier parts and supplies.

#### www.lanier.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-855.5-LANIER Lanier' and the Lanier logo are trademarks of Ricoh USA, Inc. Ricoh\* and the Ricoh Logo are registered trademarks of Ricoh Company Ltd. All other trademarks are the property of their respective owners. @2016 Ricoh USA, Inc. All rights reserved. Lanier products and services are offered by Ricoh USA, Inc. and its affiliates. The content of this document, and the appearance, features and specifications of Lanier products and services are subject to change from time to time without notice. Products are shown with optional Returnes. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual regults will avay depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Lanier products and services are as set forth in the express warranty statements accompanying them. L3643-C1