

# Tiling Essentials

Cutters | Tools | Trims & Seals

2018/2019




*Designed for better tiling.*



*For the professional.*




Tileasy Ltd, Unit 14, Dakota Business Park, Downley Road, Havant, PO92NJ  
Tel: 02392455050, Fax: 02392455070, sales@tileasy.com, www.tileasy.com



www.tileasy.com

Tiling Essentials 2018/2019



# Tiling Essentials



Cutters | Tools | Trims & Seals



**Tim Murphy**  
Managing Director

# Welcome to the Tileasy brochure 2018/2019 edition

Welcome to the new Tileasy catalogue that features an abundance of high quality tiling tool essentials, catering for both the professional tradesman and the DIY enthusiast.

This year we are celebrating 20 years as one of the country's leading suppliers of tiling tools and accessories to the trade.

The tiling market has seen many changes over the years and has become increasingly more intricate and sophisticated. Tiles are viewed as much a fashion statement today as they are a functional product and as a result, the volume of interior design and home improvements projects just continues to increase, year on year.

Over the past two decades we have also observed the introduction of some exciting new materials used in the production of tiles as well as the plethora of formats and sizes that we now see in stores. These exciting advances in tile production have also meant the development of the tools and products required for tile cutting, fixing and fitting has had to move with the times too.

In our quest to ensure we are providing

the best possible selection of products for our customers we continuously review and update our portfolio of tools and accessories. We listen to our customers and are influenced by the needs of today's trade professionals, all of which aids us in the growth of our range and development of our high quality tiling tools.

Our latest range features the best selection of tiling tools and accessories that we have ever offered. It includes our relaunched ProTools range with a striking new yellow design to make selecting the right tool or accessory for the professional tradesman even easier. The diversity of our lines, many of which are either new, improved or products exclusive to Tileasy, ensure that we are able to offer today's tradesman a complete and robust range of tiling products to cater for every part of the job. At Tileasy we value our customers and place the utmost importance on customer care which is why we have a team of experienced sales managers operating throughout the UK. We also have experienced sales support staff available to answer questions, take orders and assist with general enquiries so if you need any help please just get in touch.



We're open Monday – Friday,  
8:30 a.m. – 5:00 p.m.



Tileasy Ltd - Unit 14, Dakota Business Park, Downley Road, Havant, PO92NJ  
Telephone: 02392 455050 - Fax: 02392 455070 - Email: sales@tileasy.com



# PROTOOLS

Our PROTOOLS brand is going from strength to strength.

*For the professional.*

We had noticed for some time that our current tool portfolio contained many specialised products used regularly by trade professionals. It was clear that this was showing growth and the popularity warranted them to become more accessible for our consumers. From this the 'PROTOOLS' label was born.

Our promise is for PROTOOLS to continue to deliver a range of products directly influenced by our customers. We are constantly paying attention to the industry and to any feedback given from our clients, and we will strive to react with solutions to better aid the professional.



# WHAT IS INSIDE THE 2018/2019 EDITION

Tile Measuring Tools	
Spirit Level 600mm	10
Spirit Level 900mm	10
Line Marker	10
Tape Measure	11
Profile Gauge	11
China Markers	11
Tile Cutting Tools	
Flat Bed Cutters	14 - 15
Electric Tile Cutter 450	16
Cutting Blades	17 - 19
Ishii Tile Cutting Machines	20 - 24
Ishii Tile Nipper	25
Tile Nippers	26 - 27
Scribes	27 - 28
Saws	28
Blades	29 - 30
Diamond Blades	31
Mitre Block	31
Utility Knife	32
Trim Cutters	32
Tile Shaping Tools	
Files	36
Tile Trimmer	36
Rub Stone	36
Diamond Hand Pad	37
Diamond Tile File	37
Tile Drilling Tools	
Diamond Drill Bits	40 - 42
Glass/Tile Drill Bits	43

Triangular Drill Bit	43
Dry Drill Bits	44 - 45
Dry Angle Drill Bits	45 - 47
Chuck Adapter	47
Cooling/Drill Guides	48 - 49
Water Cooling Drill Guides	50 - 51
Safety Equipment	52
Impact Drill	52
Tile Fixing Tools	
Adhesive Trowels	56 - 58
Left Handed Adhesive Trowels	58
Stainless Steel Adhesive Trowels	59
DIY Trowels	60
Plastic Trowel	60
Thin Bed/Solid Bed Trowel	61
Small Hand Trowels	61 - 62
Adhesive Spreaders	62 - 63
Adhesive Mixers	63 - 64
Rubber Mallet	64
Knee Pads	64 - 65
Spiked Roller	65
Spiked Shoes	65
Electric Mixers	66
Easyfix Mosaic Mesh	67
Tile Spacers	
Loose Tile Spacers	70 - 71
Spacer Pegs	70 - 71
Tile Wedges	70 - 71
Tile T-Spacers	70 - 71
Extra Long Legged Tile Spacers	70 - 71
Bucket Spacers	72 - 73
Trade Easyseal Spacer Bags	72 - 73

Levelling Spacers	74 - 75
Tile Grouting Tools	
Grout Floats	78 - 79
Grout Spreaders	79
Grout Finishers	80
Silicone Smoother	80
Caulking Gun	80
Tile Cleaning Tools/Tile Care	
Washboys & Pads	84 - 88
Sponges	88 - 89
Sealing Roller	89
Mixing Bucket	89
Grout & Adhesive Scourers	90 - 91
Rubber Gloves	91
Shoe Protectors	91
Care Products	94 - 95
Tile Removal Tools	
Grout Rake	96
Grout Remover	96
Sealant Remover	96
Long Handled Floor Scraper	96
Tile Remover	97
Floor Tile Remover	97
Suction Cup	97
Rubble Sacks	97
Plastic Tile Trims & Seals	
Plastic Square Edge Tile Trim	100 - 101
Plastic Contract Tile Trim	102- 103
Plastic Contract Tile Trim Corners	104 - 105
Plastic Pro Tile Trim	106 - 107
Plastic Pro Tile Trim Corners	108 - 109
Worktop Tile Trim	110
Plastic Tile To Vinyl Trim	111


Contract Bath Seal	112
Overtile Bath Seal	113
Metal Tile Trims & Bars	
Metal Square Edge Tile Trim	116 - 117
Metal Contract Tile Trim	118 - 119
Metal Contract Tile Trim Corners	120 - 121
Metal Box Tile Trim	122 - 123
Metal Box Tile Trim Corners	124 - 125
Polished Stainless Steel Tile Trim	126 - 127
Metal Pencil & Listello Bars	128
Metal Square Pencil & Listello Bars	129
Carpet To Tile (2 pc screw down)	130
Carpet To Tile (1 pc knock down)	131
Adjustable Floor Transition (Carpet to tile)	132
Expansion Joints	133
Stair Edging	134
Overtile Stair Edging	135
Transition Ramp	136
Transition T Bar	137
Protective Edging	138
Point Of Sale & Display	
Single Tool Stand	142
Double Tool Stand	142
Single Trim Stand	143
Double Trim Stand	143
Pro Tool Stand	144
Other POS	145
Index	
Sales Coverage	147
Terms & Conditions	148 - 152
Index	153 - 156
Notes	156 - 159



*“Setting out is very important, always be sure to measure your area accurately before fixing.”*

#### Tile Measuring Tools

Spirit Level 600mm .....	10
Spirit Level 900mm .....	10
Line Marker .....	10
Tape Measure .....	11
Profile Gauge .....	11
China Markers .....	11



*China Marker*



▶ Spirit Level 600mm



When indicating whether your working surface is level, our spirit levels are an ideal solution.

PRODUCT CODE: SL600	PK QTY: 1
Extruded Aluminium	✓
1 Vertical Vial	✓
1 Horizontal Vial	✓
1 Adjustable Vial	✓
Metric & Imperial Measurements	✓
Length	600mm

▶ Spirit Level 900mm



PRODUCT CODE: SL900	PK QTY: 1
Extruded Aluminium	✓
1 Vertical Vial	✓
1 Horizontal Vial	✓
1 Adjustable Vial	✓
Metric & Imperial Measurements	✓
Length	900mm

▶ Line Marker



**Create quick and easy straight lines for wall measurements prior to tiling.**

A handy little tool which leaves chalked lines when pulled taut and plucked against the desired area. Chalk refill sold separately.



Chalk Refill 225g



Vertical Line

PRODUCT CODE: LM	PK QTY: 1
Metal Case	✓
Folding Metal Handle	✓
Chalk Line	✓
Length	130 x 80mm
<b>CHALK REFILL CLR</b>	

▶ Tape Measure



**Perfect for all your general measuring requirements whilst tiling.**

Our tape measure incorporates 3 handy stop and release locks for whatever position is required.

PRODUCT CODE: TAME	PK QTY: 1
3 Rivet Tip	✓
Magnetic Hook	✓
1 x Horizontal Blade Lock	✓
1 x Adjustable Blade Lock	✓
1 x Quick Hold Blade Button	✓
Tape Length	5m

▶ Profile Gauge



**Marking out difficult shapes prior to cutting tiles can be a tricky process.**

With our Profile Gauge you can easily transfer shapes to your tiles. Perfect for situations such as around pipe work.

PRODUCT CODE: PG	PK QTY: 1
Plastic Construction	✓
Integral Measuring Rule	✓
Guide Width	127mm

Making template

Transferring Shape

▶ China Marker

For marking out positions or measurements on to tiles. A two piece pack in two water resistant colours.



PRODUCT CODE: CM	PK QTY: 5
Water Resistant	✓
2 x Pencils Per Pack	✓
Pencil Length	175mm

*“From scoring to nibbling, making cuts into all materials has never been easier.”*

#### Tile Cutting Tools

Flat Bed Cutters .....	14 - 15
Electric Tile Cutter 450 .....	16
Cutting Blades .....	17 - 19
Ishii Tile Cutting Machines .....	20 - 24
Ishii Tile Nipper .....	25
Tile Nippers .....	26 - 27
Scribes .....	27 - 28
Saws .....	28
Blades .....	29 - 30
Diamond Blades .....	31
Mitre Block .....	31
Utility Knife .....	32
Trim Cutters .....	32



**BIG JAKE**  
600 mm Cutter



## Budget Tile Cutter 300mm

For cutting through small ceramic wall and floor tiles, this is a must have for any DIY enthusiast. Carbide wheel included.



Cutting a ceramic tile



Replaceable carbide wheel

PRODUCT CODE: BTC	PK QTY: 1
Ceramic Tiles	✓
Measurement Guide	✓
Metal Base	✓
Tungsten Carbide Wheel	✓
Max Cutting Thickness	10mm
Cutting Bed	300mm
<b>REPLACEMENT WHEEL</b>	<b>BW</b>

## Budget Tile Cutter 500mm

Similar features to the 300mm and 400mm cutters, with the addition of an adjustable measuring guide.



Adjustable guide



Replaceable carbide wheel

PRODUCT CODE: BTC500	PK QTY: 1
Ceramic Tiles	✓
Adjustable Measurement Guide	✓
Metal Base	✓
Tungsten Carbide Wheel	✓
Max Cutting Thickness	10mm
Cutting Bed	500mm
<b>REPLACEMENT WHEEL</b>	<b>BW</b>

## Budget Tile Cutter 400mm

The same features as the BTC300 but suitable for cutting slightly larger tiles.



Cutting a ceramic tile



Replaceable carbide wheel

PRODUCT CODE: BTC400	PK QTY: 1
Ceramic Tiles	✓
Measurement Guide	✓
Metal Base	✓
Tungsten Carbide Wheel	✓
Max Cutting Thickness	10mm
Cutting Bed	400mm
<b>REPLACEMENT WHEEL</b>	<b>BW</b>

## Big Jake 600 & 1000mm

**BIG JAKE**



**BIG JAKE XL**



Designed to take on more rigorous work the JTC600 and JTC1000 will perform favourably on ceramic wall and floor tiles and some porcelain. Carbide wheel included.



Adjustable guide



Replaceable carbide wheel

PRODUCT CODE: JTC600/JTC1000	PK QTY: 1
Ceramic & Porcelain Tiles	✓
Adjustable Measurement Guide	✓
Bearing Handle Carriage	✓
Metal Base	✓
Tungsten Carbide Scoring Wheel	✓
Max Cutting Thickness	14mm
Cutting Beds	600,1000mm
<b>REPLACEMENT WHEEL</b>	<b>SW</b>

## ▶ Electric Tile Cutter 450



The EC450 is a DIY product suitable for smaller tiling jobs. Capable of cutting through ceramic and some porcelain tiles.

PRODUCT CODE: EC450	PK QTY: 1
Diamond Sintered Wheel	✓
Height Adjustable Splash Guard	✓
Lockable Cutting Guide	✓
Flip-up Guide Plate (45° Mitres)	✓
Integral Carry Handle	✓
Wattage	450
Table Extension	65mm
Table Size	335 x 315mm
<b>REPLACEMENT WHEEL</b>	<b>EC450W</b>




Flip-up guide



Cutting guide

## ▶ Diamond Sintered Wheel


For quick smooth cutting of hard tiles, such as porcelain, granite and marble.



PRODUCT CODE: EC450W	PK QTY: 1
Diamond Sintered Wheel	✓
Diamond Cutting Rim	6mm
Bore Hole Size	22.2 or 16mm
Wheel Size	110mm

## ▶ Diamond Turbo Wheel

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.




PRODUCT CODE: DTB	PK QTY: 1
Wet Cutting	✓
Dry Cutting	✓
Reinforced Steel Core	✓
Diamond Cutting Rim	10mm
Bore Hole Size	22.2 or 16mm
Wheel Size	115mm
<b>A PROTOOLS PRODUCT</b>	<b>PROTOOLS</b>

## ▶ Diamond Glass Blade

For cutting glass tiles and mosaics (For wet cutting only).



PRODUCT CODE: DGB	PK QTY: 1
Wet Cutting	✓
Diamond Cutting Rim	1.3mm
Bore Hole Size	22.2mm
Wheel Size	110mm
<b>A PROTOOLS PRODUCT</b>	<b>PROTOOLS</b>



Diamond Glass Blade cutting glass tiles



### ▶ Professional Wet and Dry Turbo Blade 150mm

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.



PRODUCT CODE: PWD150	PK QTY: 1
Wet Cutting	✓
Dry Cutting	✓
Reinforced Steel Core	✓
Diamond Cutting Rim	10mm
Bore Hole Size	22.3 or 16mm
Wheel Size	150mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Professional Wet and Dry Turbo Blade 180mm

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.



PRODUCT CODE: PWD180	PK QTY: 1
Wet Cutting	✓
Dry Cutting	✓
Reinforced Steel Core	✓
Diamond Cutting Rim	10mm
Bore Hole Size	22.2 or 16mm
Wheel Size	180mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Professional Wet and Dry Turbo Blade 200mm

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.



PRODUCT CODE: PWD200	PK QTY: 1
Wet Cutting	✓
Dry Cutting	✓
Reinforced Steel Core	✓
Diamond Cutting Rim	10mm
Bore Hole Size	22.2 or 16mm
Wheel Size	200mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Professional Wet Continuous Blade 150mm

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.



PRODUCT CODE: PW150	PK QTY: 1
Wet Cutting	✓
Diamond Cutting Rim	10mm
Bore Hole Size	22.2 or 16mm
Wheel Size	150mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Professional Wet Continuous Blade 180mm

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.



PRODUCT CODE: PW180	PK QTY: 1
Wet Cutting	✓
Diamond Cutting Rim	10mm
Bore Hole Size	22.2 or 16mm
Wheel Size	180mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Professional Wet Continuous Blade 200mm

For quick smooth cutting of hard tiles, such as porcelain, granite and marble.



PRODUCT CODE: PW200	PK QTY: 1
Wet Cutting	✓
Diamond Cutting Rim	10mm
Bore Hole Size	22.2 or 16mm
Wheel Size	200mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

Professionals can now tap into this proven superior range of cutters previously not available in the UK .

Tileasy offer an exclusive range of Ishii brand Japanese tile cutting machines, designed especially to cut porcelain and other hard materials.

Our offer consists of 5 different types of tile cutter

- Ishii 350 Professional (350mm bed)
- Ishii 525 Professional (525mm bed)
- ishii 625 Professional (625mm bed)
- Ishii 620 Professional (620mm bed)
- Ishii 1040 Premium (1040mm bed)
- Ishii 1240 Premium (1240mm bed)



The Ishii IPC620 is ideal for popular-sized tiles such as 600x300mm and 600x600mm. The top section of the base is spring loaded to ensure quality and precision.

The Ishii IPC1040 and IPC1240 are premium products, with cutting beds 1040 and 1240mm long and the base is split into six, individual spring loaded sections. The single bar provides exceptional precision and its sturdy case with wheels can be used as a table.

## ▶ Ishii 350 Tile Cutting Machine

A robust cutter suitable for smaller tiling projects. Titanium wheel included.

PRODUCT CODE: IPC350	PK QTY: 1
Ceramic Tiles & Most Hard Tiles	✓
Measurement Guide	✓
Metal Base	✓
Titanium Wheel	✓
Max Cutting Thickness	14mm
Cutting Bed	350mm
<b>REPLACEMENT WHEEL</b>	<b>IW2</b>



Cutting guide

Replaceable titanium wheel

## ▶ Ishii 525 Tile Cutting Machine

A robust cutter suitable for smaller tiling projects. The IPC525 tile cutting machine increases the bed size of the IPC350. Titanium wheel included.



Cutting guide

Replaceable titanium wheel

PRODUCT CODE: IPC525	PK QTY: 1
Ceramic Tiles & Most Hard Tiles	✓
Measurement Guide	✓
Metal Base	✓
Titanium Wheel	✓
Max Cutting Thickness	14mm
Cutting Bed	525mm
<b>REPLACEMENT WHEEL</b>	<b>IW2</b>

## ▶ Ishii 625 Tile Cutting Machine

Similar to the IPC350 and IPC525. Suitable for larger tiles, with the added feature of a bearing carriage. Titanium wheel included



Close up of features

Replaceable titanium wheel

PRODUCT CODE: IPC625	PK QTY: 1
Ceramic Tiles & Most Hard Tiles	✓
Adjustable Measurement Guide	✓
Metal Base	✓
Titanium Wheel	✓
Max Cutting Thickness	14mm
Cutting Bed	625mm
<b>REPLACEMENT WHEEL</b>	<b>IW2</b>



▶ **Ishii Professional 620**



Ball bearing carriage



Cutting guide



22mm titanium coated wheel

PRODUCT CODE: IPC620	PK QTY: 1
Ceramic, Porcelain & Quarry Tiles	✓
22mm Titanium Coated Wheel	✓
Twin Bar Rail	✓
Aluminium Alloy Base	✓
Ball Bearing Sliding	✓
Aluminium Soft Grip Handle	✓
Aluminium Alloy Side Extension	✓
Max Cutting Thickness	16mm
Cutting Bed	620mm
Measuring Gauge	300mm

A superior quality cutting machine. Suitable in particular for the professional tiler. This high quality Japanese designed cutter is precision made to give years of reliable service. Titanium wheel included.



Plastic wheel case with integral handles and wheels

**REPLACEMENT WHEEL IW**

▶ **Ishii Premium 1040**



Quick release



Cutting guide



22mm titanium coated wheel

PRODUCT CODE: IPC1040	PK QTY: 1
Ceramic, Porcelain & Quarry Tiles	✓
22mm Titanium Coated Wheel	✓
H Shaped Rail	✓
Aluminium Extruded Base	✓
Bearing Sliding	✓
Aluminium Soft Grip Handle	✓
Spring Steel Side Extension	✓
Max Cutting Thickness	16mm
Cutting Bed	1040mm
Measuring Gauge	500mm

The IPC1040 is made to the same exacting high standards of the IPC620 but capable of cutting larger tiles.



Plastic wheel case with integral handles and wheels

**REPLACEMENT WHEEL IW**

▶ Ishii Premium 1240



Flip-up guide



Cutting guide



22mm titanium coated wheel

The IPC1240 is made to the same exacting high standards of the IPC1040 but capable of cutting larger tiles.



Fabric case

PRODUCT CODE: IPC1240	PK QTY: 1
Ceramic, Porcelain & Quarry Tiles	✓
22mm Titanium Coated Wheel	✓
H Shaped Rail	✓
Aluminium Extruded Base	✓
Bearing Sliding	✓
Aluminium Soft Grip Handle	✓
Spring Steel Side Extension	✓
Max Cutting Thickness	16mm
Cutting Bed	1240mm
Measuring Gauge	500mm

REPLACEMENT WHEEL

IW

▶ Ishii Premium Tile Nipper



Replaceable blades



Adjustment settings



Soft grip handle

PRODUCT CODE: ITN	PK QTY: 1
2 x Tungsten Carbide Straight Blades	✓
2 x Tungsten Carbide Curved Blades	✓
2 x Tungsten Carbide Scoring Wheels	✓
Cuts Ceramic & Glass Tiles	✓
Tile Thickness Adjustment Setting	✓
Adjustable Depth Stopper	✓
Soft Grip Handles	✓
1 x Hex Wrench (changing blades)	✓
REPLACEMENT CARBIDE WHEELS	ITNW
REPLACEMENT CARBIDE BLADES	ITNB

The Ishii premium tile nippers are a must have for any professional.

Expertly crafted, you can immediately feel the quality from the first nibble. With both replaceable tungsten carbide scoring wheels and tungsten carbide cutting blades, with a little care, there is serious longevity in these nippers. They boast great flexibility with 3 position thickness settings and also an adjustable depth stopper which allows speedy repeat cutting for multiple cuts of the same size. All this is combined with a comfortable soft grip handle to minimize tension over prolonged use.

### ▶ Quarry Tile Nippers

For nibbling narrow strips and shapes.



PRODUCT CODE: QTN	PK QTY: 1
Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	255mm

### ▶ Heavy Duty Tile Nippers

For nibbling narrow strips and shapes.



PRODUCT CODE: HDN2	PK QTY: 5
Tungsten Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	195mm

A **PROTOOLS** PRODUCT **PROTOOLS**

### ▶ Cut & Snap

A dual purpose tool for cutting and breaking small wall tiles.



PRODUCT CODE: CS4	PK QTY: 5
Carbide Wheel	✓
Metal Alloy Construction	✓
Plastic Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	210mm

### ▶ Parrot Beak Nippers

For nibbling intricate shapes and mosaic tiles.



PRODUCT CODE: PBN	PK QTY: 1
Tungsten Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	8mm
Tool Size	195mm

### ▶ Mosaic Tile Nippers

For nibbling intricate shapes from mosaic tiles.



PRODUCT CODE: MN1	PK QTY: 1
Tungsten Carbide Tipped	✓
Dropped Forged	✓
PVC Handle Grips	✓
Max Cutting Thickness	12mm
Tool Size	210mm

### ▶ Wheel Mosaic Nippers

For cutting through the smallest of mosaic tiles.



PRODUCT CODE: WMN	PK QTY: 1
Double Titanium Wheels	✓
Dropped Forged	✓
Soft Grip Handle	✓
Max Cutting Thickness	12mm
Tool Size	195mm

### ▶ Tile Scribe

For scoring tiles prior to breaking. Use the opposite end to snap the tile in the scribed position.



PRODUCT CODE: HDS2	PK QTY: 10
Tungsten Carbide Tipped	✓
Plastic Handle	✓
Protective Cap	✓
Tool Size	140mm

### ▶ Metal Scribe

For scoring tiles prior to breaking. Use the opposite end to snap the tile in the scribed position.



PRODUCT CODE: MS1	PK QTY: 10
Tungsten Carbide Tipped	✓
Metal Construction	✓
Protective Cap	✓
Tool Size	120mm



▶ **Heavy Duty Metal Scribe** ▶ **6" Tile Saw Budget**

For scoring tiles prior to breaking. Use the opposite end to snap the tile in the scribed position.



PRODUCT CODE: HMS	PK QTY: 10
Tungsten Carbide Tipped	✓
Metal Construction	✓
Protective Cap	✓
Tool Size	135mm

A lighter weight tile saw for cutting slots, angles and curves into ceramic tiles.



PRODUCT CODE: SFS6	PK QTY: 5
Tungsten Carbide Blade	✓
Soft Grip Handle	✓
Blade Size	113mm
<b>REPLACEMENT BLADE SB6</b>	

▶ **6" Tile Saw Standard**

For cutting slots, angles and curves into ceramic tiles, made more comfortable with a soft grip handle.



PRODUCT CODE: FS6	PK QTY: 5
Tungsten Carbide Blade	✓
Soft Grip Handle	✓
Blade Size	113mm
<b>REPLACEMENT BLADE SB6</b>	

▶ **12" Tile Saw With Drill**

For cutting slots, angles and curves into ceramic tiles, with the added feature of a tile drill.



PRODUCT CODE: CS12	PK QTY: 5
Tungsten Carbide Blade	✓
Integral Tile Drill	✓
Plastic Handle	✓
Blade Size	260mm
<b>REPLACEMENT BLADE SB12</b>	

▶ **6" Carbide Blade**

Replacement blade for the 6 inch tile saw budget and standard.



PRODUCT CODE: SB6	PK QTY: 10
Tungsten Carbide Blade	✓
Blade Size	113mm
<b>USED IN CONJUNCTION WITH FS6/SFS6</b>	

▶ **6" Carbide Blade With Pins**

Replacement blade for 6 inch tile saws with unique pin attachment.



PRODUCT CODE: SBP6	PK QTY: 10
Tungsten Carbide Blade	✓
Pin attachment	✓
Blade Size	113mm

▶ **10" Carbide Blade**

Replacement blade for 10 inch tile saws.



PRODUCT CODE: SB10	PK QTY: 10
Tungsten Carbide Blade	✓
Tool Size	213mm

▶ **12" Carbide Blade**

Replacement blade for the 12 inch tile saw with drill.



PRODUCT CODE: SB12	PK QTY: 10
Tungsten Carbide Blade	✓
Tool Size	260mm
<b>USED IN CONJUNCTION WITH CS12</b>	

## ▶ 12" Hacksaw Blade

Replacement blade for 12 inch hacksaws.



PRODUCT CODE: 12HB		PK QTY: 5
Tungsten Carbide Blade		✓
Blade Size		300mm

## ▶ Jigsaw Blade (Black & Decker)

Replacement jigsaw blade for Black & Decker power jigsaws. Designed for cutting most ceramic tiles.



PRODUCT CODE: JSB		PK QTY: 5
Tungsten Carbide Coated Blade		✓
2 x Blades in Pack		✓
Blade Size		55mm

## ▶ Diamond Jigsaw Blade

Replacement diamond jigsaw blade for Black & Decker power jigsaws. Designed for cutting most ceramic and porcelain tiles.



PRODUCT CODE: DJBBD		PK QTY: 1
Diamond Electro Plated Blade		✓
1 x Blade in Pack		✓
Blade Size		60mm

## ▶ Diamond Jigsaw Blade

Replacement diamond jigsaw blade for Bosch power jigsaws. Designed for cutting most ceramic and porcelain tiles.



PRODUCT CODE: DJBB		PK QTY: 1
Diamond Electro Plated Blade		✓
1 x Blade in Pack		✓
Blade Size		60mm

## ▶ Jigsaw Blade (Bosch)

Replacement jigsaw blade for Bosch power jigsaw. Designed for cutting most ceramic tiles.



PRODUCT CODE: BJSB		PK QTY: 5
Tungsten Carbide Coated Blade		✓
2 x Blades in Pack		✓
Blade Size		50mm

## ▶ Jigsaw Blades (Mixed)

Replacement jigsaw blade for Bosch and Black & Decker power jigsaws. Designed for cutting most ceramic tiles.



PRODUCT CODE: JSBM		PK QTY: 5
Tungsten Carbide Coated Blade		✓
2 x Blades in Pack		✓
Blade Size Bosch		50mm
Blade Size Black & Decker		55mm

## ▶ Diamond Rod Saw Blade

Replacement diamond blade for the 6 inch tile saw budget and standard. Designed for cutting most ceramic and some porcelain tiles.



PRODUCT CODE: DSB6		PK QTY: 1
Diamond Electro Plated Blade		✓
Blade Size		113mm
<b>USED IN CONJUNCTION WITH</b>		<b>FS6/SFS6</b>

## ▶ Mitre Block

To assist with the cutting of accurate mitres in most pvc and metal tile trims.



PRODUCT CODE: MBL		PK QTY: 1
Metal Construction		✓
3 x Mitre Angles		✓
Tool Size		115mm x 105mm

► **Utility Knife**

For general cutting requirements, such as slicing through mosaic mesh.



<b>PRODUCT CODE: UKN</b>	<b>PK QTY: 5</b>
Aluminium Body	✓
Retractable Blade	✓
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>RBUKN</b>

► **Trim Cutter With Mitre Anvil**

For cutting precise mitres in plastic tile trims.



<b>PRODUCT CODE: TCMA</b>	<b>PK QTY: 1</b>
Replaceable Forged Steel Blade	✓
Universal Mitre Adjustment	✓
Soft Grip Handles	✓
Blade Size	63mm
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>SBTC</b>

► **Budget Trim Cutter**

For cutting precise mitres in plastic tile trims.



<b>PRODUCT CODE: BTRC</b>	<b>PK QTY: 1</b>
7 x Preset Mitre Angles	✓
Replaceable Utility Blade	✓
Soft Grip Handles	✓
Blade Size	63mm
<b>REPLACEMENT BLADES AVAILABLE</b>	<b>SBTC</b>



Our trim cutters are designed to cut PVC trim

**PROTOOLS**

*For the professional.*



Look out for the logo on selected products.



*“Always neaten cut tile edges by smoothing them down with the appropriate tool.”*

#### Tile Shaping Tools

Files .....	36
Tile Trimmer .....	36
Rub Stone .....	36
Diamond Hand Pad .....	37
Diamond Tile File .....	37



*Heavy Duty Hand File*

## ▶ Heavy Duty Hand File

For smoothing down rough tile edges.



PRODUCT CODE: HDHF	PK QTY: 5
Carbide Coated	✓
Flat Side	✓
Round Side	✓
Plastic Handle	✓
Tool Size	230mm

## ▶ Flat Rasp and File

Featuring coarse and fine grit on either side, for smoothing rough tile edges.



PRODUCT CODE: FRF	PK QTY: 5
1 x Coarse Grit Side	✓
1 x Fine Grit Side	✓
PVC Handle	✓
Tool Size	330mm

## ▶ Rub Stone

A solid grit block designed to shape and smooth cut tiles.



PRODUCT CODE: RUS	PK QTY: 1
Coarse Grit All Sides	✓
Size	200 x 50 x 25mm

## ▶ Tile Trimmer

Designed to shape and smooth cut tile edges.



PRODUCT CODE: TTR	PK QTY: 5
Tungsten Carbide Coated	✓
2 x Mesh Per Pack	✓
Mesh Size	180 x 60mm

## ▶ Diamond Hand Pad

For polishing and grinding cut tile edges made from tough materials such as glass and porcelain.



Diamond grit mesh



Smoothing a glass tile

PRODUCT CODE: DHP	PK QTY: 1
1 x 200 Grade Diamond	✓
1 x Grit Mesh Side	✓
Soft Foam Pad	✓
Pad Size	200 x 50 x 25mm
A PROTOOLS PRODUCT	
PROTOOLS	

## ▶ Diamond Tile File

For polishing and grinding cut tile edges made from tough materials such as glass and porcelain.



Smoothing a glass tile

PRODUCT CODE: DTF	PK QTY: 1
Diamond Electro Plated Blade	✓
Flat Side	✓
Round Side	✓
Wooden Handle	✓
Blade Size	150mm
Tool Size	250mm
A PROTOOLS PRODUCT	
PROTOOLS	



*“The most common reasons for drilling into tiles is for either pipework or fixing bathroom and kitchen accessories”*

#### **Tile Drilling Tools**

Diamond Drill Bits .....	40 - 42
Glass/Tile Drill Bits .....	43
Triangular Drill Bit .....	43
Dry Drill Bits .....	44 - 45
Dry Angle Drill Bits .....	45 - 47
Chuck Adapter .....	47
Cooling Guides/ Drill Guides .....	48 - 49
Water Cooling Drill Guides .....	50 - 51
Safety Equipment .....	52
Impact Drill .....	52





Diamond drill bits are available in a wide variety of sizes and offer an economical method of drilling a hole in the hardest of tiles. However, in order to produce a good result and ensure long life of the drill bit, it is important to observe the recommended drill speed and only use in conjunction with our relevant cooling system.

▶ **4mm Diamond Drill Bit** ▶ **6mm Diamond Drill Bit**



PRODUCT CODE: DDB4		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		4mm
Tool Size		55mm

PRODUCT CODE: DDB6		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		6mm
Tool Size		55mm

▶ **8mm Diamond Drill Bit** ▶ **10mm Diamond Drill Bit**



PRODUCT CODE: DDB8		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		8mm
Tool Size		55mm

PRODUCT CODE: DDB10		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		10mm
Tool Size		55mm

▶ **12mm Diamond Drill Bit** ▶ **18mm Diamond Drill Bit**



PRODUCT CODE: DDB12		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		12mm
Tool Size		55mm

PRODUCT CODE: DDB18		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		18mm
Tool Size		55mm

▶ **25mm Diamond Drill Bit** ▶ **35mm Diamond Drill Bit**



PRODUCT CODE: DDB25		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		25mm
Tool Size		55mm

PRODUCT CODE: DDB35		PK QTY: 1
Electro Plated		✓
Diamond Rim		✓
Discharge Hole		✓
Drill Hole Size		35mm
Tool Size		55mm

▶ 44mm Diamond Drill Bit ▶ 50mm Diamond Drill Bit



PRODUCT CODE: DDB44	PK QTY: 1
Electro Plated	✓
Diamond Rim	✓
Discharge Hole	✓
Drill Hole Size	44mm
Tool Size	55mm



PRODUCT CODE: DDB50	PK QTY: 1
Electro Plated	✓
Diamond Rim	✓
Discharge Hole	✓
Drill Hole Size	50mm
Tool Size	55mm

▶ 115mm Diamond Drill Bit ▶ Diamond Drill Bit Set



PRODUCT CODE: DDB115	PK QTY: 1
Electro Plated	✓
Diamond Rim	✓
Discharge Hole	✓
Drill Hole Size	115mm
Tool Size	55mm



PRODUCT CODE: DDS	PK QTY: 1
Electro Plated	✓
Diamond Rim	✓
Discharge Holes	✓
Includes x 5 Drill Bits	5,6,7,8,10mm
Tool Sizes	55mm

▶ 6mm Glass/Tile Drill Bit ▶ 8mm Glass/Tile Drill Bit

For drilling holes in ceramic and glass tiles



PRODUCT CODE: DB6MM	PK QTY: 5
Arrow Head	✓
Tungsten Carbide Tipped	✓
Drill Hole Size	6mm
Tool Size	65mm

For drilling holes in ceramic and glass tiles



PRODUCT CODE: DB8MM	PK QTY: 5
Arrow Head	✓
Tungsten Carbide Tipped	✓
Drill Hole Size	8mm
Tool Size	65mm

▶ 10mm Glass/Tile Drill Bit ▶ Triangular Drill Bit

For drilling holes in ceramic and glass tiles



PRODUCT CODE: DB10MM	PK QTY: 5
Arrow Head	✓
Tungsten Carbide Tipped	✓
Drill Hole Size	10mm
Tool Size	65mm

For drilling large holes in most hard tiles .



PRODUCT CODE: TDB	PK QTY: 1
Two Sided	✓
Tungsten Carbide Edge	✓
Multi Size Drilling	✓
Drill Hole Size	2-73mm
Tool Size	110mm

A very convenient way of drilling even the hardest of tiles, such as porcelain, granite etc, as with this drill bit there is no need for water, just ensure that the correct drill speed is used. (2000 - 3000 RPM)

▶ **6mm Dry Drill Bit**



PRODUCT CODE: DRY6	PK QTY: 1
Wax Filled Core	✓
Brazed Diamond Rim	✓
Drill Hole Size	6mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

▶ **8mm Dry Drill Bit**



PRODUCT CODE: DRY8	PK QTY: 1
Wax Filled Core	✓
Brazed Diamond Rim	✓
Drill Hole Size	8mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

▶ **10mm Dry Drill Bit**



PRODUCT CODE: DRY10	PK QTY: 1
Wax Filled Core	✓
Brazed Diamond Rim	✓
Drill Hole Size	10mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

▶ **18mm Dry Drill Bit**



PRODUCT CODE: DRY18	PK QTY: 1
Wax Filled Core	✓
Brazed Diamond Rim	✓
Drill Hole Size	18mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

▶ **25mm Dry Drill Bit**



PRODUCT CODE: DRY25	PK QTY: 1
Wax Filled Core	✓
Brazed Diamond Rim	✓
Drill Hole Size	25mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

▶ **35mm Dry Drill Bit**



PRODUCT CODE: DRY35	PK QTY: 1
Brazed Diamond Rim	✓
Discharge Hole	✓
Drill Hole Size	35mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

For use with an angle grinder. The M14 dry drill bits are a very convenient way of drilling even the hardest of tiles, such as porcelain, granite etc, as with this drill bit there is no need for water, just ensure that the correct drill speed is used (2000 - 3000 RPM).

▶ **8mm Dry Angle Drill Bit**



PRODUCT CODE: DRY8A	PK QTY: 1
Wax Filled Core	✓
Brazed Diamond Rim	✓
Drill Hole Size	8mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

▶ **10mm Dry Angle Drill Bit**



PRODUCT CODE: DRY10A	PK QTY: 1
Wax Filled Core	✓
Brazed Diamond Rim	✓
Drill Hole Size	10mm
Tool Size	80mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	



▶ 18mm Dry Angle Drill Bit



PRODUCT CODE: DRY18A		PK QTY: 1
Brazed Diamond Rim		✓
Drill Hole Size		18mm
Tool Size		80mm
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ 25mm Dry Angle Drill Bit



PRODUCT CODE: DRY25A		PK QTY: 1
Brazed Diamond Rim		✓
Drill Hole Size		25mm
Tool Size		80mm
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ 65mm Dry Angle Drill Bit



PRODUCT CODE: DRY65A		PK QTY: 1
Brazed Diamond Rim		✓
Drill Hole Size		65mm
Tool Size		80mm
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ 75mm Dry Angle Drill Bit



PRODUCT CODE: DRY75A		PK QTY: 1
Brazed Diamond Rim		✓
Drill Hole Size		75mm
Tool Size		80mm
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ 35mm Dry Angle Drill Bit



PRODUCT CODE: DRY35A		PK QTY: 1
Brazed Diamond Rim		✓
Drill Hole Size		35mm
Tool Size		80mm
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ 45mm Dry Angle Drill Bit



PRODUCT CODE: DRY45A		PK QTY: 1
Brazed Diamond Rim		✓
Drill Hole Size		45mm
Tool Size		80mm
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ M14 Chuck Adapter



To be used in conjunction with M14 Tileasy dry drill bits, to allow drill bits to be used in most standard hand held power drills.

PRODUCT CODE: M14CA		PK QTY: 1
Tool Size		10 x 57mm
A PROTOOLS PRODUCT		<b>PROTOOLS</b>



## ▶ Universal Guide & Cooling System

The universal guide and cooling system is capable of guiding the drill bit between 6mm to 50mm. The suction cup ensures that the guide is firmly held in position throughout drilling, whilst the water cooling system maintains the correct drill bit temperature.



Suction cup & guide 1.1 ltr bottle

PRODUCT CODE: UGCS	PK QTY: 1
Universal Guide	✓
Suction Cup	✓
1.1 Ltr Cooling System	✓
Adjustable Guide	✓
Bottle Size	1.1 Ltr
<b>USED IN CONJUNCTION WITH DIAMOND DRILL BITS</b>	

## ▶ Small Guide & Cooling System

Similar features to the UGCS, with limitation between 4 and 12mm drill size.



7 x drill hole guide 0.5 ltr bottle

PRODUCT CODE: SGCS	PK QTY: 1
Drill Guide	✓
Suction Cup	✓
0.5 Ltr Cooling System	✓
Drill Holes	4,5,6,7,8,10,12mm
Bottle Size	0.5 Ltr
<b>USED IN CONJUNCTION WITH DIAMOND DRILL BITS</b>	

## ▶ Pro Drill Guide



PRODUCT CODE: PDG	PK QTY: 1
Wall and Floor Tiles	✓
Stainless Steel Guide Plate	✓
Foam Pad	✓
Universal Drill Guide	4 - 120mm
Individual Drill Holes	4,6,8,10,12mm
<b>USED IN CONJUNCTION WITH DRY DRILL BITS</b>	
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

## ▶ 6mm Disposable Drill Guide ▶ 8mm Disposable Drill Guide

For locating drill position, with added water cooling feed.



PRODUCT CODE: DDG6	PK QTY: 10
Self Adhesive Backing	✓
Drill Hole Size	6mm
Tool Size	70 x 40mm
<b>USED IN CONJUNCTION WITH UGCS/SGCS</b>	

For locating drill position, with added water cooling feed.



PRODUCT CODE: DDG8	PK QTY: 10
Self Adhesive Backing	✓
Drill Hole Size	8mm
Tool Size	70 x 40mm
<b>USED IN CONJUNCTION WITH UGCS/SGCS</b>	

## ▶ 10mm Disposable Drill Guide ▶ Circular Tile Cutter

For locating drill position, with added water cooling feed.



PRODUCT CODE: DDG10	PK QTY: 10
Self Adhesive Backing	✓
Drill Hole Size	10mm
Tool Size	70 x 40mm
<b>USED IN CONJUNCTION WITH UGCS/SGCS</b>	

For drilling large holes in ceramic tiles.



PRODUCT CODE: TCC	PK QTY: 1
Any Variable Speed Drill	✓
Tungsten Carbide Blade	✓
Safety Guide	✓
Drill Hole Size	20-94mm

## Water Cooling Drill Guide



Drill guide

Reservoir

Adhesive pads


Radically improve the process of drilling into hard tiles with our innovative Water Cooling Drill Guide.

Designed in-house, this new product prevents the drill bit from overheating whilst allowing accurate drilling into floor and wall tiles of hard construction.

Ideal for both the DIY enthusiast and the professional. This system features a precise water cooling guide in four drill sizes with fixing pads and reservoir. The guide can be purchased individually with the choice of 6mm, 8mm, 10mm or 12mm drill sizes. The guide can also be purchased as a kit inclusive of all four drill bits.

This unique product ensures the water feed hole delivers the right flow and speed of water to keep the drill bit at a cool and safe temperature. The Drill Guide can also be purchased individually along with additional fixing pads.


## Water Cooling Drill Guide



PRODUCT CODE: WCDG	PK QTY: 1
Wall & Floor Tiles	✓
Reservoir Cooling	✓
Adhesive Pads	5pcs
Drilling Guide	6,8,10 & 12mm
<b>DIAMOND DRILL BITS ONLY SEE PAGE 40-42</b>	

## Water Cooling Drill Guide


& 6mm Diamond Drill Bit



PRODUCT CODE: WCDG6	PK QTY: 1
Wall & Floor Tiles	✓
Reservoir Cooling	✓
1 x 6mm Diamond Drill Bit	✓
Adhesive Pads	5pcs
Drilling Guide	6,8,10 & 12mm
<b>DIAMOND DRILL BITS ONLY SEE PAGE 40-42</b>	

## Water Cooling Drill Guide

& 8mm Diamond Drill Bit



PRODUCT CODE: WCDG8	PK QTY: 1
Wall & Floor Tiles	✓
Reservoir Cooling	✓
1 x 8mm Diamond Drill Bit	✓
Adhesive Pads	5pcs
Drilling Guide	6,8,10 & 12mm
<b>DIAMOND DRILL BITS ONLY SEE PAGE 40-42</b>	

## Water Cooling Drill Guide

& 10mm Diamond Drill Bit



PRODUCT CODE: WCDG10	PK QTY: 1
Wall & Floor Tiles	✓
Reservoir Cooling	✓
1 x 10mm Diamond Drill Bit	✓
Adhesive Pads	5pcs
Drilling Guide	6,8,10 & 12mm
<b>DIAMOND DRILL BITS ONLY SEE PAGE 40-42</b>	

## Water Cooling Drill Guide

& 12mm Diamond Drill Bit



PRODUCT CODE: WCDG12	PK QTY: 1
Wall & Floor Tiles	✓
Reservoir Cooling	✓
1 x 12mm Diamond Drill Bit	✓
Adhesive Pads	5pcs
Drilling Guide	6,8,10 & 12mm
<b>DIAMOND DRILL BITS ONLY SEE PAGE 40-42</b>	

## Water Cooling Drill Guide

& Diamond Drill Bit Set (6,8,10,12mm)



PRODUCT CODE: WCDGS	PK QTY: 1
Wall & Floor Tiles	✓
Reservoir Cooling	✓
1 x 6,8,10 & 12mm Diamond Drill Bit	✓
Adhesive Pads	10pcs
Drilling Guide	6,8,10 & 12mm
<b>DIAMOND DRILL BITS ONLY SEE PAGE 40-42</b>	

## Spare Adhesive Pads

(Pack of 10)



PRODUCT CODE: AP10	PK QTY: 5
<b>FOR USE WITH WCDG</b>	



*We are continually adding to our vast range of tile finishing accessories.*

▶ **Safety Spectacles**

For protecting your eyes when cutting and breaking tiles.



PRODUCT CODE: SSPE	PK QTY: 5
Adjustable Arm Length	✓
Comfortable & Light Weight	✓
Size	150 x 55mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

▶ **Safety Goggles**

For protecting your eyes when cutting and breaking tiles.



PRODUCT CODE: SGO	PK QTY: 5
Soft Flexible PVC Frame	✓
Size	185 x 75mm

▶ **Corded Impact Drill**

For general tile drilling requirements such as, pipe work, cabinet fixing etc.



PRODUCT CODE: CID	PK QTY: 1
2 x Level Gear Speeds	✓
Impact Functions	✓
Variable Speed	✓
Aluminium Gear Box & Handle	✓
7 x Drill Bit Set	✓
Plastic Carry Case	✓
Power	230 - 710w

▶ **Dust Masks (10 Pack)**

A light weight mask for protection against dust inhalation when cutting or fixing tiles.



PRODUCT CODE: DM10	PK QTY: 5
Soft Flexible Nose Piece	✓
Facial Adjustment	✓



*Designed for better tiling.*



*Expansion joints*



*Stair edging*



*Trims, Transitions, Listellos & much more.*

*Chrome Adjustable Floor Transtion*

*“A general rule of thumb is to use a small notched trowel for walls and a larger one for floors.”*

#### Tile Fixing Tools

Adhesive Trowels .....	56 - 58
Left Handed Adhesive Trowels .....	58
Stainless Steel Adhesive Trowels .....	59
DIY Trowels .....	60
Plastic Trowel .....	60
Thin Bed/Solid Bed Trowel .....	61
Small Hand Trowels .....	61 - 62
Adhesive Spreaders .....	62 - 63
Adhesive Mixers .....	63 - 64
Rubber Mallet .....	64
Knee Pads .....	64 - 65
Spiked Roller .....	65
Spiked Shoes .....	65
Electric Mixers .....	66
Easyfix Mosaic Mesh .....	67



*Round Notched Trowel*

### ▶ 2mm Notched Trowel

For applying adhesive when fixing mosaic tiles.



PRODUCT CODE: 2MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	2mm
Blade Size	280 x 115mm

### ▶ 3mm V Notched Trowel

For applying adhesive when fixing mosaic and small wall tiles.



PRODUCT CODE: 3MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
V Notch Size	3mm
Blade Size	280 x 115mm

### ▶ 6mm Notched Trowel


For applying adhesive when fixing wall tiles.



PRODUCT CODE: 6MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	6mm
Blade Size	280 x 115mm

### ▶ 8mm Notched Trowel

For applying adhesive when fixing wall/floor tiles.



PRODUCT CODE: 8MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	8mm
Blade Size	280 x 115mm

### ▶ 4mm Notched Trowel

For applying adhesive when fixing small wall tiles.



PRODUCT CODE: 4MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	4mm
Blade Size	280 x 115mm

### ▶ 5mm Round Notched Trowel


For applying adhesive when fixing wall tiles.



PRODUCT CODE: 5MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Round Notch Size	5mm
Blade Size	280 x 115mm

### ▶ 10mm Notched Trowel


For applying adhesive when fixing floor tiles.



PRODUCT CODE: 10MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	10mm
Blade Size	280 x 115mm

### ▶ 12mm Notched Trowel

For applying adhesive when fixing floor tiles.



PRODUCT CODE: 12MMNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	12mm
Blade Size	280 x 115mm



▶ **20mm Round Notched Trowel**

For applying a thick bed of adhesive when fixing floor tiles.



PRODUCT CODE: RNT	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	20mm
Blade Size	280 x 115mm

▶ **6mm Left Handed Trowel**

For applying adhesive when fixing wall tiles.



PRODUCT CODE: LH6	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	6mm
Blade Size	280 x 115mm

▶ **6mm Stainless Steel Trowel**

For applying adhesive when fixing wall tiles.



PRODUCT CODE: SS6	PK QTY: 1
Stainless Steel Blade	✓
Aluminium Handle	✓
Soft Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	6mm
Blade Size	280 x 115mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

▶ **8mm Stainless Steel Trowel**

For applying adhesive when fixing wall/floor tiles.



PRODUCT CODE: SS8	PK QTY: 1
Stainless Steel Blade	✓
Aluminium Handle	✓
Soft Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	8mm
Blade Size	280 x 115mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

▶ **8mm Left Handed Trowel**


For applying adhesive when fixing wall/floor tiles.



PRODUCT CODE: LH8	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	8mm
Blade Size	280 x 115mm

▶ **10mm Left Handed Trowel**

For applying adhesive when fixing floor tiles.



PRODUCT CODE: LH10	PK QTY: 1
Carbon Steel Blade	✓
Aluminium Handle	✓
Wood Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	10mm
Blade Size	280 x 115mm

▶ **10mm Stainless Steel Trowel**

For applying adhesive when fixing floor tiles.



PRODUCT CODE: SS10	PK QTY: 1
Stainless Steel Blade	✓
Aluminium Handle	✓
Soft Grip	✓
6 Spot Weld Mounting Rivets	✓
Notch Size	10mm
Blade Size	280 x 115mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

▶ **Long Stainless Steel Trowel**

For applying larger areas of adhesive when fixing wall tiles.



PRODUCT CODE: SSL6	PK QTY: 1
Stainless Steel Blade	✓
Aluminium Handle	✓
Soft Grip	✓
Notch Size	6mm
Blade Size	400 x 115mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### 6mm DIY Trowel

Economy trowel for applying adhesive when fixing wall tiles.



PRODUCT CODE: DNT6	PK QTY: 1
Steel Blade	✓
Closed Plastic Handle	✓
Notch Size	6mm
Blade Size	230 x 100mm

### 8mm DIY Trowel

Economy trowel for applying adhesive when fixing wall/floor tiles.



PRODUCT CODE: DNT8	PK QTY: 1
Steel Blade	✓
Closed Plastic Handle	✓
Notch Size	8mm
Blade Size	230 x 100mm

### 10mm DIY Trowel

Economy trowel for applying adhesive when fixing floor tiles.



PRODUCT CODE: DNT10	PK QTY: 1
Steel Blade	✓
Closed Plastic Handle	✓
Notch Size	10mm
Blade Size	230 x 100mm

### Plastic Trowel

A multi notched trowel for applying adhesive when fixing wall/floor tiles. Particularly useful where underfloor heating has been used.



PRODUCT CODE: PT	PK QTY: 1
All Plastic Construction	✓
Closed Handle	✓
Round Notch Size	18mm
V Notch Size	5mm
Blade Size	277 x 115mm

### Thin Bed/Solid Bed Trowel

For applying a solid coverage of adhesive when fixing wall tiles. Recommended for glass tiles.



PRODUCT CODE: SBT	PK QTY: 1
High Carbon Steel Blade	✓
Closed Wooden Handle	✓
Notch Size	3mm
Blade Size	267 x 98mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

### Small Margin Trowel

For applying adhesive when fixing tiles in small and difficult areas.



PRODUCT CODE: SMT	PK QTY: 1
High Carbon Steel Blade	✓
Soft Grip Handle	✓
Blade Size	125 x 50mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

### Notched Margin Trowel

For applying adhesive when fixing tiles in small and difficult areas.



PRODUCT CODE: NMT	PK QTY: 1
High Carbon Steel Blade	✓
Soft Grip Handle	✓
Notch Size	6mm
Blade Size	125 x 50mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

### Gauging Trowel

For applying a solid coverage of adhesive when fixing wall tiles. Recommended for glass tiles.



PRODUCT CODE: GT	PK QTY: 1
High Carbon Steel Blade	✓
Soft Grip Handle	✓
Blade Size	267 x 98mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

## ▶ Bucket Trowel

Suitable for mixing/removing adhesive and grout from bucket.



PRODUCT CODE: BTR	PK QTY: 1
Carbon Steel Blade	✓
Soft Grip Handle	✓
Blade Size	180mm
A PROTOOLS PRODUCT <b>PROTOOLS</b>	

## ▶ 6mm Notched Adhesive Spreader

Economy spreader for applying adhesive.



PRODUCT CODE: DIY6	PK QTY: 10
Steel Blade	✓
Wooden Handle	✓
Notch Size	6mm
Blade Size	170mm

## ▶ Combination Spreader

A DIY spreader for applying adhesive and grout.



PRODUCT CODE: CS7	PK QTY: 10
Notched Plastic Spreader	✓
Rubber Blade	✓
Notch Size	6.5mm
Notch Blade Size	155mm
Rubber Blade Size	180mm

## ▶ All Purpose Adhesive Spreader

A DIY spreader with multiple notch sizes for the application of adhesive.



PRODUCT CODE: ASP4	PK QTY: 10
Square Notched	✓
V Notched	✓
Interchangeable Guard	✓
Square Notch Size	7mm
V Notch Size	5mm
Tool Size	190 x 75mm

## ▶ 8mm Notched Adhesive Spreader

Economy spreader for applying adhesive.



PRODUCT CODE: DIY8	PK QTY: 10
Steel Blade	✓
Wooden Handle	✓
Notch Size	8mm
Blade Size	170mm

## ▶ 10mm Notched Adhesive Spreader

Economy spreader for applying adhesive.



PRODUCT CODE: DIY10	PK QTY: 10
Steel Blade	✓
Wooden Handle	✓
Notch Size	10mm
Blade Size	170mm

## ▶ Small Adhesive Spreader

For applying adhesive when fixing wall tiles.



PRODUCT CODE: ASP3	PK QTY: 50
All Plastic Construction	✓
Notched	✓
Display Box (50 pcs)	✓
Notch Size	6mm
Blade Size	125mm

## ▶ Plastic Mixer

For mixing light materials such as paint.



PRODUCT CODE: PM	PK QTY: 1
Hexagonal Steel Handle	✓
Plastic Hanger	✓
Tool Size	350 x 60mm
<b>USED IN CONJUNCTION WITH CID (PAGE 52)</b>	



▶ **Grout & Adhesive Mixer 400mm**

For mixing materials such as tile adhesive and grout.



PRODUCT CODE: PM400		PK QTY: 1
Hexagonal Steel Handle		✓
Plastic Hanger		✓
Tool Size	400 x 80mm	
USED IN CONJUNCTION WITH		CID (PAGE 52)

▶ **Grout & Adhesive Mixer 600mm**

For mixing materials such as tile adhesive and grout.



PRODUCT CODE: PM600		PK QTY: 1
Hexagonal Steel Handle		✓
Plastic Hanger		✓
Tool Size	600 x 100mm	
USED IN CONJUNCTION WITH		CID (PAGE 52)

▶ **Knee Pads**

For protection when kneeling during floor and wall tiling.



PRODUCT CODE: KPG		PK QTY: 1
Light Weight Foam Pads		✓
Adjustable Plastic Straps		✓
Size	One Size	

▶ **Knee Pads**

For protection when kneeling during floor and wall tiling.



PRODUCT CODE: KPB		PK QTY: 1
Light Weight Foam Pads		✓
Adjustable Plastic Straps		✓
Moulded Knee Profile		✓
Size	One Size	

▶ **Rubber Mallet**

For tapping wall and floor tiles level during fixing.



PRODUCT CODE: MAL		PK QTY: 1
Wooden Handle		✓
Rubber Head Size	12 oz	
Tool Size	315mm	

▶ **Gel Knee Pads**

For protection when kneeling during floor and wall tiling, with the addition of gel for comfort.



PRODUCT CODE: KNG		PK QTY: 1
Gel Pad Inserts		✓
Elasticated Velcro Straps		✓
Adjustable Clip Strap		✓
Textured Anti Slip Kneeling Surface		✓
Size	One Size	
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ **Spiked Roller**

For the removal of air bubbles when laying levelling compound.



PRODUCT CODE: SPR		PK QTY: 1
Aluminium Handle Holder		✓
Plastic Spikes		✓
Suitable With Underfloor Heating		✓
Plastic Splash Guard		✓
Size	500 x 31mm	
SPIKED ROLLER HANDLE (1190MM)		SPRH
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

▶ **Spiked Shoes**

For attaching to footwear to enable the user to walk over newly laid levelling compound, removing air bubbles.



PRODUCT CODE: SPSH		PK QTY: 1
Adjustable Straps		✓
13 x Metal Spikes (per shoe)		✓
Shoe Size	302 x 135mm	
A PROTOOLS PRODUCT		<b>PROTOOLS</b>

## ▶ Electric Mixer 110v

High volume adhesive and grout mixer, suitable for site work.



110v Plug

Electric mixer in use

PRODUCT CODE: EM110	PK QTY: 1
2 x Level Gear Speeds	✓
Speed Control	✓
Safety Lock	✓
Soft Grip Handle	✓
Power	110/1200w
<b>REPLACEMENT PADDLE AVAILABLE EMP</b>	
<b>A PROTOOLS PRODUCT PROTOOLS</b>	

## ▶ Electric Mixer 240v

All the features of the EM110, the 240v is suitable for domestic work.




240v plug

Electric mixer in use

PRODUCT CODE: EM240	PK QTY: 1
2 x Level Gear Speeds	✓
Speed Control	✓
Safety Lock	✓
Soft Grip Handle	✓
Power	240/1200w
<b>REPLACEMENT PADDLE AVAILABLE EMP</b>	
<b>A PROTOOLS PRODUCT PROTOOLS</b>	

## ▶ Easyfix Mosaic Mesh



Easyfix before and after installation

### Struggling with your mosaic sheets?

The nature of mosaic sheets is that they are floppy and difficult to tile evenly. When applying our Easyfix mosaic mesh to the back of any mosaic sheet, it will instantly make your mosaics rigid and easy to handle, both saving time and resulting in an even finish.

*"Easyfix mosaic mesh makes tiling mosaics so simple that it's like fixing one solid tile."*

*"Easyfix mosaic mesh can also be used to pack out your mosaics to match a thicker field tile."*

### How to use

- Place mosaic sheet face down on a flat surface. Peel off backing paper from mosaic Easyfix.
- As mosaic sheets vary slightly in size, match the Easyfix mesh carefully to two sides of your mosaic sheet and press firmly into position, ensuring a perfect match.
- If necessary trim off any excess mesh on the remaining two sides using Tileasy utility knife (Code: UKN).



Available in a single sheet or box quantity

PRODUCT CODE: MESH1 (1PC)	PK QTY: 1
Plastic Construction	✓
Makes Mosaic Sheets Rigid	✓
Packs Out Mosaic Sheet	✓
Strong Adhesive Backing	✓
Hexagonal Design	✓
Sheet Size	300 x 300mm
<b>PRODUCT CODE: MESH50 (1BOX) PK QTY: 60</b>	

*“Grout over your spacers by pushing them flat into the adhesive bed, leaving them in position.”*

#### Tile Spacers

Loose Tile Spacers .....	70 - 71
Spacer Pegs .....	70 - 71
Tile Wedges .....	70 - 71
Tile T-Spacers .....	70 - 71
Extra Long Legged Tile Spacers .....	70 - 71
Bucket Spacers .....	72 - 73
Trade Easyseal Spacer Bags .....	72 - 73
Levelling Spacers .....	74 - 75



*Extra Long Legged Tile Spacer*



## Tile Spacer Bags

Our loose spacers are available in a variety of sizes and package quantities from 1mm through to 8mm. They are easy to use and provide consistent tile spacing. Made from high-grade polystyrene allowing for easy breaking of the legs when tiling up to an edge. Also available from Tileasy are spacer pegs and tile wedges.



Extra long legged tile spacer



T-Spacers



Spacer pegs

PRODUCT CODE	Spacer Size	Pack Quantity	Outer Pack
<b>Tile Spacers 1mm</b>			
LS500/1mm	1 mm	500	10
LSB500/1mm	1 mm	500	100
<b>Tile Spacers 2mm</b>			
LS100/2mm	2 mm	100	10
LSB100/2mm	2 mm	100	100
LS250/2mm	2 mm	250	10
LSB250/2mm	2 mm	250	100
LS500/2mm	2 mm	500	10
LSB500/2mm	2 mm	500	100
LS1000/2mm	2 mm	1000	10
<b>Tile Spacers 3mm</b>			
LS100/3mm	3 mm	100	10
LSB100/3mm	3 mm	100	100
LS250/3mm	3 mm	250	10
LSB250/3mm	3 mm	250	100
LS500/3mm	3 mm	500	10
LSB500/3mm	3 mm	500	100
<b>Tile Spacers 4mm</b>			
LS100/4mm	4 mm	100	10
LSB100/4mm	4 mm	100	50
LS250/4mm	4 mm	250	10
LSB250/4mm	4 mm	250	50
<b>Tile Spacers 5mm</b>			
LS100/5mm	5 mm	100	10
LSB100/5mm	5 mm	100	50
LS250/5mm	5 mm	250	10
LSB250/5mm	5 mm	250	50
<b>Tile Spacers 8mm</b>			
LS100/8mm	8 mm	100	5
<b>Extra Long Legged Tile Spacers</b>			
LSSL500/2mm	2mm	500	10
LSSL500/3mm	3mm	500	10
<b>Tile Spacers Pegs</b>			
PEG500	2 mm	500	10
PEG1000	2 mm	1000	10
<b>Tile Wedges</b>			
TW	0.5 - 5 mm	250	10
<b>Tile T-Spacers</b>			
TS250/2mm	2mm	250	10
TSB250/2mm	2mm	250	100
<b>LSB denotes bulk rate/quantity purchase</b>			

## Trade Spacer Bags & Buckets

Tile spacer buckets are available in sizes of small, medium and large and spacer sizes of 2,3,4 and 5mm. These are particularly useful when working on large areas.

Our Tileasy trade spacer bags feature a handy resealable design.



Easy seal zip & lock

PRODUCT CODE	Spacer Size	Bucket Quantity	Bucket Size
<b>Tile Spacer Buckets 2mm</b>			
BS2mm	2 mm	1000	1.0 Litre
BM2mm	2 mm	2000	2.0 Litre
BL2mm	2 mm	6000	5.0 Litre
<b>Tile Spacer Buckets 3mm</b>			
BS3mm	3 mm	900	1.0 Litre
BM3mm	3 mm	1800	2.0 Litre
BL3mm	3 mm	4000	5.0 Litre
<b>Tile Spacer Buckets 4mm</b>			
BS4mm	4 mm	650	1.0 Litre
BM4mm	4 mm	1200	2.0 Litre
BL4mm	4 mm	3500	5.0 Litre
<b>Tile Spacer Buckets 5mm</b>			
BS5mm	5 mm	350	1.0 Litre
BM5mm	5 mm	700	2.0 Litre
BL5mm	5 mm	1800	5.0 Litre
<b>Tile Spacer Buckets 8mm</b>			
BS8mm	8 mm	200	1.0 Litre
BM8mm	8 mm	600	2.0 Litre
<b>Trade Tile Spacer Bags</b>			
TB2	2 mm	3000	3.0 Litre
TB3	3 mm	2500	3.0 Litre

S,M,L denotes Small/Medium/Large



Small

Medium

Large

## Levelling Spacers & Caps



Tile Levelling Spacer Cross & Caps - TLC100/2mm & TLCA50

Reusable Tile Levelling Caps. This ingenious tiling tool is available in 50 and 100 piece buckets. The Reusable Tile Levelling Caps can be used with specialised linear and X spacers which are available in 2mm and 3mm size option, sold separately.

## Levelling Bases & Wedges



Tile Levelling Bases & Wedges - TWLB100/2mm & TWL

To be used for both floor and wall, our levelling bases and wedges will help you achieve a level tiled surface. The levelling bases are available in both 1 and 2mm grout joints, for use with tile thickness from 3 - 12mm. The tile levelling wedges and levelling pliers are sold separately.

## Tile Levelling Pliers



For assisting with tile alignment (used in conjunction with tile levelling wedges/bases).

PRODUCT CODE: TWLP	PK QTY: 1
Steel Construction	✓
Plastic Handle	✓
Adjustable Tension	✓
Size	240 x 180mm
A PROTOOLS PRODUCT	PROTOOLS

PRODUCT CODE	Spacer Size	Quantity	Outer Pack
<b>Tile Levelling Spacer Cross Joint</b>			
TLC100/2mm	2 mm	100	1
TLC100/3mm	3 mm	100	1
<b>Tile Levelling Spacer Linear Joint</b>			
TLL100/2mm	2 mm	100	1
TLL100/3mm	3 mm	100	1
<b>Tile Levelling Spacer Caps</b>			
TLCA50	-	50	1
TLCA100	-	100	1
<b>Tile Levelling Bases</b>			
TWLB100/1mm	1 mm	100	1
TWLB100/2mm	2 mm	100	1
<b>Tile Levelling Wedges</b>			
TWL	-	100	1



*“Check the drying times of your grout and always be sure to wipe off any excess with a damp sponge.”*

#### **Tile Grouting Tools**

Grout Floats .....	78 - 79
Grout Spreaders .....	79
Grout Finishers .....	80
Silicone Smoother .....	80
Caulking Gun .....	80



*American Grout Float*

## American Grout Float

Traditional wooden handled grout float, suitable for grout application.



PRODUCT CODE: AGF1	PK QTY: 1
Aluminium Base Plate	✓
Closed Wooden Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Tool Size	245 x 102mm
A PROTOOLS PRODUCT	

**PROTOOLS**

## Angle Grout Float

Wooden handled pointing float, ideal for awkward areas.




PRODUCT CODE: AGF2	PK QTY: 1
Aluminium Base Plate	✓
Closed Wooden Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Angled End For Corner Access	✓
Tool Size	245 x 102mm
A PROTOOLS PRODUCT	

**PROTOOLS**

## Large Grout Float

For the application of grout in larger areas.



PRODUCT CODE: LGF	PK QTY: 1
Aluminium Base Plate	✓
Closed Wooden Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Tool Size	300 x 102mm
A PROTOOLS PRODUCT	

**PROTOOLS**

## DIY Grout Float

For the application of grout when tiling.



PRODUCT CODE: DF	PK QTY: 1
Aluminium Base Plate	✓
Plastic Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Tool Size	230 x 100mm

## Corner Grout Float

Suitable for grouting small and awkward areas.



PRODUCT CODE: CF	PK QTY: 1
Carbon Steel Blade	✓
Wooden Handle	✓
High Quality Sponge	✓
Minimised Water Retention	✓
Pad Size	135 x 165mm

## Wooden Grouter

For grout application.



PRODUCT CODE: TG8	PK QTY: 5
Flexible Rubber Blade	✓
Wooden Handle	✓
Blade Size	200mm

## DIY Grouter

For grout application.



PRODUCT CODE: TG7	PK QTY: 10
Flexible Rubber Blade	✓
Plastic Handle	✓
Blade Size	180mm

## Large Grouter

For grout application in larger areas.



PRODUCT CODE: TG12	PK QTY: 5
Flexible Rubber Blade	✓
Plastic Handle	✓
Blade Size	300mm

A PROTOOLS PRODUCT

**PROTOOLS**



▶ Grout Finisher With Flat Blade

For a smooth grout finish following tile installation.



PRODUCT CODE: GF	PK QTY: 10
Plastic Blade	✓
Round Handle Tip	✓
Blade Size	38mm

▶ Silicone Smoother

For smoothing out sealants after application.



PRODUCT CODE: SSS	PK QTY: 10
Flexible Rubber Construction	✓
Blade Size	136mm

▶ Grout Finisher

A multi tipped grout smoothing tool.



PRODUCT CODE: GF7	PK QTY: 10
12 x Cut-off Finishing Sections	✓
Contoured Tip	✓
Tool Size	120mm

▶ Caulking Gun

For dispensing silicone sealant or adhesive cartridges.



PRODUCT CODE: GUN	PK QTY: 1
Metal Construction	✓
Cartridge Size	310ml

TILE CARE PRODUCTS



Designed for better tiling.



Protectors, Sealers & Removers

Residual Grout Remover - Crackle Glaze Protector - Heavy Duty Grime Remover  
Natural Finish Sealer - Crackle Glaze Protector - Tile & Grout Cleaner



*“Cleaning down tiled surfaces after fixing is important and makes life easier before grout sets.”*

#### Tile Cleaning Tools/ Tile Care

Washboys & Pads .....	84 - 88
Sponges .....	88 - 89
Sealing Roller .....	89
Mixing Bucket .....	89
Grout & Adhesive Scourers .....	90 - 91
Rubber Gloves .....	91
Shoe Protectors .....	91
Tile Care Products .....	94 - 95



*Professional Hydro Sponge*

## 23 Litre Washboy Set



Wheel castors

Plastic grid

Rollers

PRODUCT CODE: WB23	PK QTY: 1
1 x 23 Ltr Washboy Bucket	✓
1 x Segmented Sponge	✓
1 x Pointing Float	✓
1 x Plastic Grid	✓
4 x Detachable Wheel Castors	✓
Twin Rollers	✓
<b>A PROTOOLS PRODUCT</b>	<b>PROTOOLS</b>

Make light work of cleaning large tiled areas.

For the professional tiler, washboys are the speedy way to remove excess wall and floor grout from tile installations.



Segmented sponge & pointing float included

## Hydro Float

Plastic handle with hydro sponge, for use with WB23.

For cleaning grout residue from wall and floor tiles. The segmented sponge allows for collection of residue over uneven tile surfaces.



PRODUCT CODE: WB5	PK QTY: 1
Segmented Sponge	✓
Pad Size	290 x 150 x 35mm
<b>USED IN CONJUNCTION WITH</b>	<b>WB23</b>
<b>A PROTOOLS PRODUCT</b>	<b>PROTOOLS</b>

## Grouting Sponge

Plastic handle with firm segmented sponge, for use with WB23.

For cleaning epoxy grout residue from floor and wall tiles.



PRODUCT CODE: WB8	PK QTY: 1
Firm Segmented Sponge	✓
Pad Size	280 x 140 x 30mm
<b>USED IN CONJUNCTION WITH</b>	<b>WB23</b>
<b>A PROTOOLS PRODUCT</b>	<b>PROTOOLS</b>

## Pointing Float

Plastic handle with soft foam rubber pad, for use with WB23.

To prepare plastered surfaces for fixing tiles.



PRODUCT CODE: WB7	PK QTY: 1
Soft Foam Rubber Pad	✓
Pad Size	280 x 140mm
<b>USED IN CONJUNCTION WITH</b>	<b>WB23</b>
<b>A PROTOOLS PRODUCT</b>	<b>PROTOOLS</b>

## Washboy Handle

Multi purpose handle for use with interchangeable pads.

To accompany the WB23 for various cleaning situations.



PRODUCT CODE: WB11	PK QTY: 1
Plastic Construction	✓
Velcro Back	✓
Tool Size	300 x 150 x 35mm
<b>USED IN CONJUNCTION WITH</b>	<b>WB23</b>
<b>A PROTOOLS PRODUCT</b>	<b>PROTOOLS</b>

### ▶ Epoxy Pointing Float

Plastic handle with firm rubber pad, for applying epoxy grout to walls and floors.



PRODUCT CODE: WB9	PK QTY: 1
Firm Rubber Pad	✓
45° Bevel On All Sides	✓
Pad Size	250 x 130mm
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Cleaning Sponge

Attaches simply to the WB11 via its velcro backing.  
For scouring stubborn grout residue from tiled surfaces.



PRODUCT CODE: WB18	PK QTY: 1
Reversible Scouring Surface	✓
Pad Size	280 x 140 x 30mm
USED IN CONJUNCTION WITH <b>WB11</b>	
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Rubber Pad Coarse Foam

Attaches simply to the WB11 via its velcro backing.  
For obtaining a rough surface, necessary for achieving an optimal connection to the next layer of plaster.



PRODUCT CODE: WB17	PK QTY: 1
Velcro Back	✓
Pad Size	280 x 140 x 18mm
USED IN CONJUNCTION WITH <b>WB11</b>	
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Rubber Pad

Attaches simply to the WB11 via its velcro backing.  
To neatly float grout into tile joints.



PRODUCT CODE: WB20	PK QTY: 1
Velcro Back	✓
Pad Size	280 x 140 x 8mm
USED IN CONJUNCTION WITH <b>WB11</b>	
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Grinding Mesh

Attaches simply to the WB11 via its velcro backing.  
For smoothing edges of cut tiles.



PRODUCT CODE: WB21/22	PK QTY: 1
Velcro Back	✓
WB21 Mesh Grain	100
WB22 Mesh Grain	180
Pad Size	280 x 93mm
USED IN CONJUNCTION WITH <b>WB11</b>	
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Latex Pad

Attaches simply to the WB11 via its velcro backing.  
To produce a fine surface with mineral and synthetic plasters.



PRODUCT CODE: WB15	PK QTY: 1
Velcro Back	✓
Pad Size	280 x 140 x 20mm
USED IN CONJUNCTION WITH <b>WB11</b>	
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Foam Rubber Pad

Attaches simply to the WB11 via its velcro backing.  
For obtaining a smooth finishing surface.



PRODUCT CODE: WB14	PK QTY: 1
Velcro Back	✓
Pad Size	280 x 140 x 18mm
USED IN CONJUNCTION WITH <b>WB11</b>	
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	

### ▶ Washboy Spare Rollers

Replacement twin rollers for Washboy 23ltr.



PRODUCT CODE: WB24	PK QTY: 1
Plastic Construction	✓
2 x Rollers (per pack)	✓
Roller Size	240mm
USED IN CONJUNCTION WITH <b>WB23</b>	
A PROTOOLS PRODUCT	
<b>PROTOOLS</b>	



### ▶ Sponge Pad

Attaches simply to the WB11 via its velcro backing.

For cleaning grout residue from wall and floor tiles. The segmented sponge allows for collection of residue over uneven tile surfaces.



PRODUCT CODE: WB12	PK QTY: 1
Segmented	✓
Velcro Back	✓
Pad Size	300 x 150 x 35mm
<b>USED IN CONJUNCTION WITH WB11</b>	
A <b>PROTOOLS</b> PRODUCT	

### ▶ Hydro Sponge Pad

Attaches simply to the WB11 via its velcro backing.

A high quality hydro sponge for cleaning grout residue from wall and floor tiles. The segmented sponge allows for collection of residue over uneven tile surfaces.



PRODUCT CODE: WB26	PK QTY: 1
Segmented	✓
Velcro Back	✓
Pad Size	300 x 150 x 35mm
<b>USED IN CONJUNCTION WITH WB11</b>	
A <b>PROTOOLS</b> PRODUCT	

### ▶ Sponge Pad (5 Pack)

Designed for cleaning off excess grout and adhesive residue from tiled surfaces.



PRODUCT CODE: WB25	PK QTY: 1
Segmented	✓
Pad Size	300 x 150 x 35mm
<b>USED IN CONJUNCTION WITH WB11</b>	
A <b>PROTOOLS</b> PRODUCT	

### ▶ Pro Hydro Sponge

Professional high quality hydro sponge, with amazing water retention, for cleaning off excess grout and adhesive residue from tiled surfaces.



PRODUCT CODE: PHS	PK QTY: 1
Professional Quality Hydro Sponge	✓
Sponge Size	165 x 65 x 110mm
A <b>PROTOOLS</b> PRODUCT	

### ▶ Pro Sponge

Quality sponge, with great water retention, for cleaning off excess grout and adhesive residue from tiled surfaces.



PRODUCT CODE: PSP	PK QTY: 1
High Quality Tilers Sponge	✓
Sponge Size	165 x 65 x 110mm

### ▶ DIY Sponge

Economy DIY sponge, ideal for small tiling jobs, for cleaning off excess grout and adhesive residue from tiled surfaces.



PRODUCT CODE: DSP	PK QTY: 1
Absorbent Economy Sponge	✓
Sponge Size	145 x 45 x 95mm

### ▶ 4" Roller & Tray

For the application of sealing and protection products to natural stone tiles and mosaics.



PRODUCT CODE: 4ROL	PK QTY: 5
1 x Plastic Tray & Handle	✓
1 x Foam Roller Sleeve	✓
Tray Size	250 x 130mm
Roller Sleeve Size	100mm

### ▶ Flexible Mixing Bucket

A flexible multi purpose mixing bucket.

Ideal for mixing tile grout or adhesive and useful for many other tiling requirements.



PRODUCT CODE: FL35	PK QTY: 1
Flexible Construction	✓
Bucket Size	35 Ltr

▶ **Small Grout Scourer (coarse)**

A small coarse scouring pad, for the removal of stubborn grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SGSC	PK QTY: 1
Plastic Handle	✓
Fixed Coarse Pad	✓
Tool Size	150 x 90mm

▶ **Scouring Set**

Multi purpose tile cleaning set, containing three levels of emulsifying pads.

For the removal of stubborn grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SCO	PK QTY: 1
Plastic Handle	✓
Velcro Back	✓
1 x Coarse Pad	✓
1 x Medium Pad	✓
1 x Fine Pad	✓
Pad Size	250 x 125 x 50mm

A PROTOOLS PRODUCT **PROTOOLS**

▶ **Small Grout Scourer (fine)**

A small fine scouring pad, for the removal of grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SGSF	PK QTY: 1
Plastic Handle	✓
Fixed Fine Pad	✓
Tool Size	150 x 90mm

▶ **Scouring Pads (coarse)**

Replacement coarse pads for the Tileasy scouring set.  
Designed for the removal of stubborn grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SCOPC	PK QTY: 1
2 x Coarse Emulsifying Pads	✓
Pad Size	200 x 50 x 125mm

USED IN CONJUNCTION WITH **SCO**

A PROTOOLS PRODUCT **PROTOOLS**

▶ **Scouring Pads (fine)**

Replacement fine pads for the Tileasy scouring set.  
For the removal of grout and adhesive residue from tiled surfaces.



PRODUCT CODE: SCOPF	PK QTY: 1
2 x Fine Emulsifying Pads	✓
Pad Size	200 x 50 x 125mm

USED IN CONJUNCTION WITH **SCO**

A PROTOOLS PRODUCT **PROTOOLS**

▶ **Heavy Duty Tiling Gloves**

Large durable latex tiling gloves.  
For protection against skin irritation when grouting and mixing tile adhesive.



PRODUCT CODE: GLOHD	PK QTY: 5 (1 PAIR PER PACK)
Heavy Duty Latex	✓
Grip Texture On Fingers & Palms	✓
Size	XL

A PROTOOLS PRODUCT **PROTOOLS**

▶ **Shoe Protectors**

Disposable overshoe protector,  
Preventing floor coverings from dirt.



PRODUCT CODE: SPRO	PK QTY: 5 (5 PAIRS PER PACK)
Elasticated Ankle Strip	✓
Textured Grip	✓
Size	ONE SIZE

A PROTOOLS PRODUCT **PROTOOLS**

▶ **Disposable Tiling Gloves**

Easy to use, throw away PVC tiling gloves.  
For protection against skin irritation when grouting and mixing tile adhesive.



PRODUCT CODE: GLOD	PK QTY: 10 (5 PAIRS PER PACK)
Lightly Powdered	✓
Disposable	✓
Size	L

A PROTOOLS PRODUCT **PROTOOLS**



*“Old silicone can look tired and discoloured. Bring life back to an old tile installation by removing and replacing it.”*

#### Tile Removal Tools

Grout Rake .....	96
Grout Remover .....	96
Sealant Remover .....	96
Long Handled Floor Scraper .....	96
Tile Remover .....	97
Floor Tile Remover .....	97
Suction Cup .....	97
Rubble Sacks .....	97



*Sealant Remover*



► **Tileasy Protectors, Sealers & Removers**



► **Crackle Glaze Protector**

Impregnating sealer for ceramic tiles that have a porous crackle glaze. Protects surfaces from staining and grout ingress during installation.



PRODUCT CODE: XCGP	PK QTY: 1
Crackle Glaze Protection	✓
Seals Ceramic	✓
Protects against Water	✓
Protects against Dirt	✓
Protects against Oil	✓
Protects against Grease	✓
Protects against Limescale	✓
Bottle Quantity	500ml

► **Natural Finish Sealer**

Impregnating sealer for all types of natural and artificial stone, terracotta, brick and concrete pavers. Offers delicate colour enhancement with minimal change to surface character.



PRODUCT CODE: XNFS	PK QTY: 1
Colour Enhancement	✓
Seals Natural Stone	✓
Seals Quarry	✓
Seals Terracotta	✓
Seals Concrete	✓
Bottle Quantity	1ltr

► **Residual Grout Remover**

Cement, limescale and grout residue remover. Suitable for glazed and un-glazed ceramics, slate, quarry tiles, brick, terracotta and acid resistant natural stones.



PRODUCT CODE: XGRR	PK QTY: 1
Removes Grout	✓
Removes Cement	✓
Bottle Quantity	1ltr

► **Tile & Grout Cleaner**

Removes mould spores, fungus and algae from grouting, including silicone seals and other damp places. Antibacterial action helps prevent re-growth.



PRODUCT CODE: XTGC	PK QTY: 1
Removes Mould	✓
Removes Fungus	✓
Removes Algae	✓
Brightens Grout	✓
Bottle Quantity	500ml

► **Heavy Duty Grime Remover**

Intensive grease and grime cleaner. Breaks down old layers of wax and acrylic seals. Suitable for travertine, limestone, sandstone, slate, marble, porcelain, granite, terracotta, quarry tiles, brick and external paving.



PRODUCT CODE: XGRHD	PK QTY: 1
Removes Grease & Grime	✓
Breaks Down Old Seals	✓
Bottle Quantity	1ltr

► **Wall & Floor Grout Protector**

Forms a colourless barrier and helps to protect porous wall and floor grout joints from penetration by water, dirt, oil, grease and limescale, making treated surfaces easier to keep clean. Ideal for use in wet rooms and shower enclosures



PRODUCT CODE: XWFGP	PK QTY: 1
Invisible Protection	✓
Seals All Grouts	✓
Bottle Quantity	600ml

## ▶ Grout Rake

For the removal of grout.



PRODUCT CODE: GR2	PK QTY: 5
Plastic Handle	✓
1 x Serrated Steel Blade	✓
1 x Tungsten Carbide Grit Blade	✓
Blade Size	50mm
<b>REPLACEMENT BLADES AVAILABLE SBGR</b>	

## ▶ Sealant Remover

For easy removal of sealant and silicone.



PRODUCT CODE: SERE	PK QTY: 5
Soft Grip Handle	✓
Stainless Steel Blade	✓
Tool Size	167mm

## ▶ Grout Remover

For the removal of grout.



PRODUCT CODE: GR3	PK QTY: 5
Plastic Handle	✓
1 x Tungsten Carbide Grit Blade	✓
Blade Size	50mm
<b>REPLACEMENT BLADES AVAILABLE GRRB</b>	

## ▶ Long Handled Floor Scraper

For the removal of hard adhesive and grout, or even tough tiles.



PRODUCT CODE: LHFS	PK QTY: 1
Steel Handle	✓
Rubber Grip	✓
1 x Hardened Steel Blade	✓
Blade Size	100mm
<b>REPLACEMENT BLADES AVAILABLE RBLHS</b>	
<b>A PROTOOLS PRODUCT PROTOOLS</b>	

## ▶ Tile Remover

For the easy removal of tile installations.



PRODUCT CODE: TRE	PK QTY: 1
Soft Grip Handle	✓
Tool Size	280 x 140 x 28mm
<b>USED IN CONJUNCTION WITH MAL</b>	

## ▶ Suction Cup

For easy repositioning of floor and wall tiles.



PRODUCT CODE: SCU	PK QTY: 1
Plastic Handle	✓
Rubber Suction Cup	✓
Cup Diameter	115mm
Max Lifting	25kg
<b>A PROTOOLS PRODUCT PROTOOLS</b>	

## ▶ Floor Tile Remover

Heavy duty floor tile remover, suitable for the professional.



PRODUCT CODE: FTRS	PK QTY: 1
Heavy Duty Forged Steel Construction	✓
Angled Pry Bar	✓
Weight	2.85kg
Tool Size	1190mm
<b>A PROTOOLS PRODUCT PROTOOLS</b>	

## ▶ Rubble Sacks

For collection of most tiling/building waste.



PRODUCT CODE: RSAC	PK QTY: 1 (3 PER PACK)
Woven Polypropylene	✓
Tear Resistant	✓
Reusable	115mm
Size	70L - 56 x 97cm
<b>A PROTOOLS PRODUCT PROTOOLS</b>	

*“With our versatile plastic tile trims, add the final touch to your installation.”*

#### Plastic Tile Trims & Seals

Plastic Square Edge Tile Trim .....	100 - 101
Plastic Contract Tile Trim .....	102 - 103
Plastic Contract Tile Trim Corners .....	104 - 105
Plastic Pro Tile Trim .....	106 - 107
Plastic Pro Tile Trim Corners .....	108 - 109
Worktop Tile Trim .....	110
Plastic Tile To Vinyl Trim .....	111
Contract Bath Seal .....	112
Overtile Bath Seal .....	113



*White Plastic Square Edge Tile Trim*




## Square Edge Tile Trim

Square edge tile trim features a straight profile which has been designed to give a contemporary finish to any modern tile installation. This is achieved by allowing tiles to sit under the lip of the trim and neatly about the trim edge.



## Available Colours & Profiles



## Available Sizes

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Square Edge Tile Trim 6mm</b>				
SE6MMW	6 mm	2.44 m	10	White
SE6MMC	6 mm	2.44 m	10	Cream
SE6MMJ	6 mm	2.44 m	10	Jasmine
SE6MMG	6 mm	2.44 m	10	Grey
SE6MMB	6 mm	2.44 m	10	Black
<b>Premium Gloss Square Edge Tile Trim 6mm</b>				
PGS6W	6 mm	2.44 m	10	White Gloss
<b>Square Edge Tile Trim 8mm</b>				
SE8MMW	8 mm	2.44 m	10	White
SE8MMC	8 mm	2.44 m	10	Cream
SE8MMJ	8 mm	2.44 m	10	Jasmine
SE8MMG	8 mm	2.44 m	10	Grey
SE8MMB	8 mm	2.44 m	10	Black
<b>Premium Gloss Square Edge Tile Trim 8mm</b>				
PGS8W	8 mm	2.44 m	10	White Gloss
<b>Square Edge Trim 10mm</b>				
SE10MMW	10 mm	2.44 m	10	White
SE10MMC	10 mm	2.44 m	10	Cream
SE10MMJ	10 mm	2.44 m	10	Jasmine
SE10MMG	10 mm	2.44 m	10	Grey
SE10MMB	10 mm	2.44 m	10	Black
<b>Premium Gloss Square Edge Tile Trim 10mm</b>				
PGS10W	10 mm	2.44 m	10	White Gloss
<b>Square Edge Trim 12mm</b>				
SE12MMW	12 mm	2.44 m	10	White
SE12MMC	12 mm	2.44 m	10	Cream
SE12MMJ	12 mm	2.44 m	10	Jasmine
SE12MMG	12 mm	2.44 m	10	Grey
SE12MMB	12 mm	2.44 m	10	Black
<b>Premium Gloss Square Edge Tile Trim 12mm</b>				
PGS12W	12 mm	2.44 m	10	White Gloss


## Contract Tile Trim

Contract tile trim is a standard edging which has been designed to accommodate small variations in tile depth. This is achieved by allowing tiles to sit under the lip of the trim or depending on the tile thickness, to neatly abut the trim edge.



White

## Available Colours & Profiles



## Available Sizes

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Premium Gloss Contract Tile Trim 6mm</b>				
PGC6W	6 mm	2.44 m	10	White Gloss
<b>Contract Tile Trim 7.5mm</b>				
CTT1	7.5 mm	2.44 m	10	White
CTT6	7.5 mm	2.44 m	10	Grey
CTT7	7.5 mm	2.44 m	10	Black
CTT13	7.5 mm	2.44 m	10	Cream
<b>Contract Tile Trim 8mm</b>				
8PT1	8mm	2.44 m	10	White
8PT13	8mm	2.44 m	10	Cream
<b>Premium Gloss Contract Tile Trim 8mm</b>				
PGC8W	8 mm	2.44 m	10	White Gloss
<b>Contract Tile Trim 9mm</b>				
9PT1	9 mm	2.44 m	10	White
9PT13	9 mm	2.44 m	10	Cream
<b>Contract Tile Trim 10mm</b>				
DTT1	10 mm	2.44 m	10	White
DTT6	10 mm	2.44 m	10	Grey
DTT7	10 mm	2.44 m	10	Black
DTT13	10 mm	2.44 m	10	Cream
<b>Premium Gloss Contract Tile Trim 10mm</b>				
PGC10W	10 mm	2.44 m	10	White Gloss
<b>Contract Tile Trim 12mm</b>				
DWT	12 mm	2.44 m	10	White
DGT	12 mm	2.44 m	10	Grey
DBLT	12 mm	2.44 m	10	Black
DCT	12 mm	2.44 m	10	Cream
<b>Premium Gloss Contract Tile Trim 12mm</b>				
PGC12W	12 mm	2.44 m	10	White Gloss

## Contract Tile Trim Corners & End Stops

Contract tile trim corners and end stops are available in two colours: White and Cream. The corners have been designed to connect areas where a joint occurs, and the end stops will neatly finish off exposed areas, such as an end of a run.



White



White



Cream

## Available Sizes & Colours

PRODUCT CODE	Type	Depth	Pk Qty	Colour
<b>Contract Tile Trim Corners &amp; End Stops 7.5 mm</b>				
CC1	Corners/End Stops (2 pcs of each)	7.5 mm	10	White
CC13	Corners/End Stops (2 pcs of each)	7.5 mm	10	Cream
<b>Contract Tile Trim Corners &amp; End Stops 7.5 mm (BULK)</b>				
CCWB	Corners	7.5 mm	50	White
CCCB	Corners	7.5 mm	50	Cream
CESB	End Stops	7.5 mm	50	White
CES13	End Stops	7.5 mm	50	Cream
<b>Contract Tile Trim Corners &amp; End Stops 10 mm</b>				
DC1	Corners/End Stops (2 pcs of each)	10 mm	10	White
DC13	Corners/End Stops (2 pcs of each)	10 mm	10	Cream
<b>Contract Tile Trim Corners &amp; End Stops 10 mm (BULK)</b>				
DCWB	Corners	12 mm	50	White
DCCB	Corners	12 mm	50	Cream
DESB	End Stops	12 mm	50	White
DES13	End Stops	12 mm	50	Cream

## Available Colours



White



Cream



## Pro Tile Trim

Pro tile trim is an alternative to our contract trim, popular with professional tilers



White




Cream



Black

## Available Profiles & Sizes



PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Pro Tile Trim 6mm</b>				
PT6MMW	6 mm	2.44 m	10	White
PT6MMC	6 mm	2.44 m	10	Cream
PT6MMB	6 mm	2.44 m	10	Black
<b>Pro Tile Trim 8mm</b>				
PT8MMW	8 mm	2.44 m	10	White
PT8MMC	8 mm	2.44 m	10	Cream
PT8MMB	8 mm	2.44 m	10	Black
<b>Pro Tile Trim 9mm</b>				
PT9MMW	9mm	2.44 m	10	White
<b>Pro Tile Trim 10mm</b>				
PT10MMW	10 mm	2.44 m	10	White
PT10MMC	10 mm	2.44 m	10	Cream
PT10MMB	10 mm	2.44 m	10	Black
<b>Pro Tile Trim 12mm</b>				
PT12MMW	12 mm	2.44 m	10	White
PT12MMC	12 mm	2.44 m	10	Cream
PT12MMB	12 mm	2.44 m	10	Black

## Available Colours



White



Cream



Black

## Pro Tile Trim Corners & End Stops

Our Pro tile trim corners are available in two options, the larger standard corner with end stops and the smaller quadrant design. Our corners have been designed to connect areas where a joint occurs, and the end stops will neatly finish off exposed areas, such as an end of a run.



White

Corner with End Stop

Quadrant Corner



White



Cream



White



Cream

PRODUCT CODE	Type	Depth	Pk Qty	Colour
<b>Pro Tile Trim Quadrant Corners</b>				
PQC6WB	Quadrant Corners	6 mm	50	White
PQC6CB	Quadrant Corners	6 mm	50	Cream
PQC8WB	Quadrant Corners	8 mm	50	White
PQC8CB	Quadrant Corners	8 mm	50	Cream
PQC9WB	Quadrant Corners	9 mm	50	White
PQC9CB	Quadrant Corners	9 mm	50	Cream
PQC10WB	Quadrant Corners	10 mm	50	White
PQC10CB	Quadrant Corners	10 mm	50	Cream
PQC12WB	Quadrant Corners	12 mm	50	White
PQC12CB	Quadrant Corners	12 mm	50	Cream

## Available Sizes & Colours



White



Cream

PRODUCT CODE	Type	Depth	Pk Qty	Colour
<b>Pro Tile Trim Corners &amp; End Stops</b>				
C6W	Corners/End Stops (2 pcs of each)	6 mm	10	White
C6C	Corners/End Stops (2 pcs of each)	6 mm	10	Cream
C8W	Corners/End Stops (2 pcs of each)	8 mm	10	White
C8C	Corners/End Stops (2 pcs of each)	8 mm	10	Cream
C9W	Corners/End Stops (2 pcs of each)	9 mm	10	White
C10W	Corners/End Stops (2 pcs of each)	10 mm	10	White
C10C	Corners/End Stops (2 pcs of each)	10 mm	10	Cream
C12W	Corners/End Stops (2 pcs of each)	12 mm	10	White
C12C	Corners/End Stops (2 pcs of each)	12 mm	10	Cream
<b>Pro Tile Trim Corners &amp; End Stops (BULK)</b>				
C6WB	Corners	6 mm	50	White
C6CB	Corners	6 mm	50	Cream
E6WB	End Stops	6 mm	50	White
E6CB	End Stops	6 mm	50	Cream
C8WB	Corners	8 mm	50	White
C8CB	Corners	8 mm	50	Cream
E8WB	End Stops	8 mm	50	White
E8CB	End Stops	8 mm	50	Cream
C9WB	Corners	9 mm	50	White
E9WB	End Stops	9 mm	50	White
C10WB	Corners	10 mm	50	White
C10CB	Corners	10 mm	50	Cream
E10WB	End Stops	10 mm	50	White
E10CB	End Stops	10 mm	50	Cream
C12WB	Corners	12 mm	50	White
C12CB	Corners	12 mm	50	Cream
E12WB	End Stops	12 mm	50	White
E12CB	End Stops	12 mm	50	Cream


## Worktop Tile Trim

Worktop tile trim creates a neat transition from worktop to tiled wall. This is achieved by allowing tiles to sit under the lip of the trim, whilst finishing flush to the worktop.



White

### Available Profiles



### Available Sizes & Colours

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Plastic Worktop Tile Trim</b>				
WTW	9 mm	2.44 m	10	White
<b>Metal Worktop Tile Trim</b>				
WTS	7 mm	2.44 m	5	Chrome
WTBS	7 mm	2.44 m	5	Brushed Steel



Chrome



Brushed Steel



White


## Tile To Vinyl Trim

Tile to vinyl trim offers a neat transition between a tiled wall and a vinyl floor covering, which has been returned up the wall to form a skirting. This is achieved by allowing tiles to sit on top of the trim and neatly about the trim edge, allowing the vinyl to return under the trim.



White

### Available Profile



### Available Sizes & Colours

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Plastic Worktop Tile Trim</b>				
TV1	9 mm	2.44 m	5	White



White



## Contract Bath Seal


Contract bath seal creates a neat transition from tiled surface to bath edge. This is achieved by allowing tiles to sit on top of the trim, with the rubber edge of the trim creating a neat seal on the bath surface.



White

Available Profile

Available Sizes & Colours



PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Contract Bath Seal</b>				
CBS1	23 mm	1.8 m	10	White
CBS13	23 mm	1.8 m	10	Cream



Cream



White



Cream

## Overtile Bath Seal


Overtile bath seal is a decorative finish between a tiled wall and a bath surface.



White

Available Profile

Available Sizes & Colours



PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Overtile Bath Seal</b>				
OTBSW	18 mm	1.8 m	10	White
OTBSI	18 mm	1.8 m	10	Ivory
OTBSP	18 mm	1.8 m	10	Peach
OTBSC	18 mm	1.8 m	10	Cream



Ivory



White



Cream



Peach



Ivory

*“Neat and professional, our metal tile trims and bars will accentuate and protect your tiled edges.”*

#### **Metal Tile Trims & Bars**

Metal Square Edge Tile Trim .....	116 - 117
Metal Contract Tile Trim .....	118 - 119
Metal Contract Tile Trim Corners .....	120 - 121
Metal Box Tile Trim .....	122 - 123
Metal Box Tile Trim Corners .....	124 - 125
Polished Stainless Steel Tile Trim .....	126 - 127
Metal Pencil & Listello Bars .....	128
Metal Square Pencil & Listello Bars .....	129
Carpet to Tile (2 pc screw down) .....	130
Carpet to Tile (1 pc knock down) .....	131
Adjustable Floor Transition (Carpet to tile) .....	132
Expansion Joints .....	133
Adjustable Floor Transition .....	133
Stair Edging .....	134
Over Tile Stair Edging .....	135
Transition Ramp .....	136



*Chrome Metal Square Edge Tile Trim*

## Square Edge Tile Trim

Square edge metal tile trim features a straight profile which has been designed to give a contemporary finish to any modern tile installation. This is achieved by allowing tiles to sit under the lip of the trim and neatly abut the trim edge.




Chrome

### Available Finishes



### Available Profiles & Sizes (Check available size/colour on pg117)



PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Square Edge Metal Tile Trim 6mm</b>				
CAT6	6mm	2.4 m	5	Chrome
<b>Square Edge Metal Tile Trim 8mm</b>				
CAT8	8 mm	2.44 m	5	Chrome
BCAT8	8 mm	2.44 m	5	Brushed Chrome
SCAT8	8 mm	2.44 m	5	Satin Chrome
AT8	8 mm	2.44 m	5	Unpolished
SAT8	8 mm	2.44 m	5	Stainless Steel Effect
CGAT8	8 mm	2.44 m	5	Cobalt Grey
RGAT8	8 mm	2.44 m	5	Rose Gold
BAT8	8 mm	2.44 m	5	Black
WAT8	8 mm	2.44 m	5	White
<b>Square Edge Metal Tile Trim 10mm</b>				
CAT10	10 mm	2.44 m	5	Chrome
BCAT10	10 mm	2.44 m	5	Brushed Chrome
SCAT10	10 mm	2.44 m	5	Satin Chrome
AT10	10 mm	2.44 m	5	Unpolished
SAT10	10 mm	2.44 m	5	Stainless Steel Effect
CGAT10	10 mm	2.44 m	5	Cobalt Grey
RGAT10	10 mm	2.44 m	5	Rose Gold
BAT10	10 mm	2.44 m	5	Black
WAT10	10 mm	2.44 m	5	White
<b>Square Edge Metal Tile Trim 12mm</b>				
CAT12	12 mm	2.44 m	5	Chrome
BCAT12	12 mm	2.44 m	5	Brushed Chrome
SCAT12	12 mm	2.44 m	5	Satin Chrome
AT12	12 mm	2.44 m	5	Unpolished
SAT12	12 mm	2.44 m	5	Stainless Steel Effect
CGAT12	12 mm	2.44 m	5	Cobalt Grey
RGAT12	12 mm	2.44 m	5	Rose Gold
BAT12	12 mm	2.44 m	5	Black
WAT12	12 mm	2.44 m	5	White
<b>Square Edge Metal Tile Trim 15mm</b>				
CAT15	15 mm	2.44 m	5	Chrome
BCAT15	15 mm	2.44 m	5	Brushed Chrome
SAT15	15 mm	2.44 m	5	Stainless Steel Effect



## Contract Metal Tile Trim

Contract metal tile trim is a standard edging which has been designed to accommodate small tile variations in tile depth. This is achieved by allowing tiles to sit under the lip of the trim or depending on the tile thickness, to neatly abut the trim edge.



Chrome



Gold




Brushed Steel




Stainless Steel Effect


## Available Profiles & Sizes



7.5mm



10mm




12mm

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Contract Metal Tile Trim 7.5mm</b>				
CT8	7.5 mm	2.44 m	5	Chrome
7MMBS	7.5 mm	2.44 m	5	Brushed Steel
GT8	7.5 mm	2.44 m	5	Gold
SSE8	7.5 mm	2.44 m	5	Stainless Steel Effect
<b>Contract Metal Tile Trim 10mm</b>				
DCT8	10 mm	2.44 m	5	Chrome
10MMBS	10 mm	2.44 m	5	Brushed Steel
DGT8	10 mm	2.44 m	5	Gold
SSE10	10 mm	2.44 m	5	Stainless Steel Effect
<b>Contract Metal Tile Trim 12mm</b>				
BC12	12 mm	2.44 m	5	Chrome
SSE12	12 mm	2.44 m	5	Stainless Steel Effect

## Available Finishes



Chrome



Gold



Brushed Steel



Stainless Steel Effect

## Contract Tile Trim Metal Corners

Contract tile trim metal corners are available in four finishes: Chrome, Gold, Brushed Chrome and Stainless Steel Effect. The corners have been designed to connect areas where a joint occurs, and neatly finish off exposed areas, such as an end of a run.



Chrome



Chrome

Gold

Brushed Chrome

Stainless Steel Effect


## Available Sizes & Colours

PRODUCT CODE	Type	Depth	Pk Qty	Finish
<b>Contract Tile Trim Metal Corners 7.5 mm</b>				
MC7	Corners (2pk)	7.5 mm	1	Chrome
MCC7	Corners (2pk)	7.5 mm	10	Chrome
MGC7	Corners (2pk)	7.5 mm	1	Gold
MCG7	Corners (2pk)	7.5 mm	10	Gold
MBRC7	Corners (2pk)	7.5 mm	1	Brushed Chrome
MCBR7	Corners (2pk)	7.5 mm	10	Brushed Chrome
<b>Contract Tile Trim Metal Corners 10 mm</b>				
MC10	Corners (2pk)	10 mm	1	Chrome
MCC10	Corners (2pk)	10 mm	10	Chrome
MGC10	Corners (2pk)	10 mm	1	Gold
MCG10	Corners (2pk)	10 mm	10	Gold
MBRC10	Corners (2pk)	10 mm	1	Brushed Chrome
MCBR10	Corners (2pk)	10 mm	10	Brushed Chrome
MCSS10/1	Corners (2pk)	10 mm	1	Stainless Steel Effect
MCSS10	Corners (2pk)	10 mm	10	Stainless Steel Effect
<b>Contract Tile Trim Metal Corners 12 mm</b>				
MC12	Corners (2pk)	12 mm	1	Chrome
MCC12	Corners (2pk)	12 mm	10	Chrome
MCSS12/1	Corners (2pk)	12 mm	1	Stainless Steel Effect
MCSS12	Corners (2pk)	12 mm	10	Stainless Steel Effect

## Available Finishes



Chrome



Gold



Brushed Chrome



Stainless Steel Effect

## Box Tile Trim

Box tile trim features a straight profile which has been designed to give a contemporary finish to any modern tile installation.




Chrome




Stainless Steel Effect


## Available Profiles & Sizes



8mm



10mm



12mm

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Box Metal Tile Trim 8mm</b>				
CBT8	8 mm	2.44 m	5	Chrome
SBT8	8 mm	2.44 m	5	Stainless Steel Effect
<b>Box Metal Tile Trim 10mm</b>				
CBT10	10 mm	2.44 m	5	Chrome
SBT10	10 mm	2.44 m	5	Stainless Steel Effect
<b>Box Metal Tile Trim 12mm</b>				
CBT12	12 mm	2.44 m	5	Chrome
SBT12	12 mm	2.44 m	5	Stainless Steel Effect

## Available Finishes



Chrome



Stainless Steel Effect



## Box Tile Trim Corners

Box tile trim corners are available in two finishes: Chrome and stainless steel effect. The corners have been designed to connect areas where a joint occurs, and neatly finish off exposed areas, such as an end of a run.



Chrome



Chrome



Stainless steel effect

## Available Sizes & Colours

PRODUCT CODE	Type	Depth	Pk Qty	Finish
<b>Box Tile Trim Corners 8 mm</b>				
CBC8	Corners (2pk)	8 mm	10	Chrome
CBC8/1	Corners (2pk)	8 mm	1	Chrome
SBC8	Corners (2pk)	8 mm	10	Stainless Steel Effect
SBC8/1	Corners (2pk)	8 mm	1	Stainless Steel Effect
<b>Box Tile Trim Corners 10 mm</b>				
CBC10	Corners (2pk)	10 mm	10	Chrome
CBC10/1	Corners (2pk)	10 mm	1	Chrome
SBC10	Corners (2pk)	10 mm	10	Stainless Steel Effect
SBC10/1	Corners (2pk)	10 mm	1	Stainless Steel Effect
<b>Box Tile Trim Corners 12 mm</b>				
CBC12	Corners (2pk)	12 mm	10	Chrome
CBC12/1	Corners (2pk)	12 mm	1	Chrome
SBC12	Corners (2pk)	12 mm	10	Stainless Steel Effect
SBC12/1	Corners (2pk)	12 mm	1	Stainless Steel Effect

## Available Finishes



Chrome



Stainless Steel Effect

## Polished Stainless Steel Tile Trim

This highly polished stainless steel trim features a bright mirrored finish, available in a variety of profiles.



Square Edge



Round Edge



Pencil Bar



Listello Bar

## Available Profiles & Sizes



Round Edge



Square Edge



Pencil Bar



Listello Bar

PRODUCT CODE	Depth	Length	Pk Qty	Finish
<b>Polished Stainless Steel Round Metal Tile Trim</b>				
PSS8	8 mm	2.44 m	5	Polished Stainless Steel
PSS10	10 mm	2.44 m	5	Polished Stainless Steel
PSS12	12 mm	2.44 m	5	Polished Stainless Steel
<b>Polished Stainless Steel Square Metal Tile Trim</b>				
PSAT8	8 mm	2.44 m	5	Polished Stainless Steel
PSAT10	10 mm	2.44 m	5	Polished Stainless Steel
PSAT12	12 mm	2.44 m	5	Polished Stainless Steel
<b>Polished Stainless Steel Square Pencil &amp; Listello</b>				
PSPB	10 mm	2.44 m	5	Polished Stainless Steel
PSLB	25 mm	2.44 m	5	Polished Stainless Steel

## Available Finishes





Polished Stainless Steel

## Pencil & Listello Bars

Pencil and listello bars will add style and decoration to plain tiled areas. Perfect for making a feature with mosaic tiles.



### Available Colours, Profiles & Sizes




Gold


PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Metal Pencil Bar</b>				
PBC	10 mm	2.44 m	5	Chrome
PBG	10 mm	2.44 m	5	Gold
PBS	10 mm	2.44 m	5	Brushed Steel
<b>Metal Listello Bar</b>				
LC	20 mm	2.44 m	5	Chrome
LBR	20 mm	2.44 m	5	Brushed Steel
LBC	30 mm	2.44 m	5	Chrome
LBG	30 mm	2.44 m	5	Gold

## Square Edge Pencil & Listello

Square edge pencil and listello bars will add a contemporary and stylish finish to plain tiled areas. Perfect for making a feature with mosaic tiles.



### Available Colours, Profiles & Sizes



Stainless Steel Effect

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Square Metal Pencil Bar</b>				
SEPB	10 mm	2.44 m	5	Chrome
SSPB	10 mm	2.44 m	5	Stainless Steel Effect
<b>Square Metal Listello Bar</b>				
SEL	30 mm	2.44 m	5	Chrome
SSL	30 mm	2.44 m	5	Stainless Steel Effect




### Carpet To Tile Trim (2 piece screw down)




Screw down carpet to tile trim has been designed to give a neat transition between most hard flooring and carpets. Once the base is fitted the top can be simply screwed into place.



### Available Colours, Profiles & Sizes



Chrome Gold




Chrome


PRODUCT CODE	Length	Pk Qty	Colour
<b>Carpet To Tile Trim (2 piece screw down) 0.8 m</b>			
CSCB	0.8 m	1	Chrome
CSC	0.8 m	10	Chrome
GSCB	0.8 m	1	Gold
GSC	0.8 m	10	Gold
<b>Carpet To Tile Trim (2 piece screw down) 1 m</b>			
CTC1	1 m	1	Chrome
CTC	1 m	5	Chrome
CTG1	1 m	1	Gold
CTG	1 m	5	Gold
<b>Carpet To Tile Trim (2 piece screw down) 2.4 m</b>			
CTC8	2.4 m	1	Chrome
CCB8	2.4 m	5	Chrome
CTG8	2.4 m	1	Gold
GCB8	2.4 m	5	Gold

### Carpet To Tile Trim (1 piece knock-down)



Knock-down carpet to tile trim has been designed to give a neat transition between most hard flooring and carpets. An easy solution, with a knock-down feature to accommodate small height variations.



### Available Colours, Profiles & Sizes



Chrome Gold




Gold


PRODUCT CODE	Length	Pk Qty	Colour
<b>Carpet To Tile Trim (1 piece knockdown) 1 m</b>			
CT1	1 m	1	Chrome
CT	1 m	5	Chrome
GT1	1 m	1	Gold
1GT	1 m	5	Gold
<b>Carpet To Tile Trim (1 piece knockdown) 2.4 m</b>			
CT2	2.4 m	1	Chrome
2CT	2.4 m	5	Chrome
GT2	2.4 m	1	Gold
2GT	2.4 m	5	Gold

▶ **Adjustable Floor Transition** (Carpet to tile trim)


Our adjustable floor transition incorporates an innovative pivoting system, which is also height adjustable. This profile is used to accommodate the difference in floor heights between carpet & tiles of up to 20mm.



▶ **Available Colours, Profiles & Sizes**




PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Adjustable Floor Transition</b>				
AFTC	8-20mm	0.9 m	1	Chrome
AFTG	8-20mm	0.9 m	1	Gold
AFTS	8-20mm	0.9 m	1	Stainless Steel




Gold

▶ **Expansion Joints**


Expansion joints provide relief to tiled floor areas, by absorbing expansion and contraction induced by natural changes in room temperature. Available in two depths (10 and 12mm) and in a chrome finish with a choice of beige and grey rubber insert.



▶ **Available Colours, Profiles & Sizes**



PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Expansion Joints</b>				
EJ10CB	10mm	2.44 m	1	Chrome/Beige
EJ10CG	10mm	2.44 m	1	Chrome/Grey
EJ12CB	12mm	2.44 m	1	Chrome/Beige
EJ12CG	12mm	2.44 m	1	Chrome/Grey



Chrome/Beige

## ▶ Stair Edging


Our stair edging provides a safe and secure edge to tiled steps. Installed underneath the tile, once in place it will provide extra grip and traction with its grooved profile.



### ▶ Available Colours, Profiles & Sizes




Chrome Matt



Gold Matt

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Stair Edging</b>				
SE10C	10mm	2.44m	1	Chrome Matt
SE10G	10mm	2.44m	1	Gold Matt
SE12C	12mm	2.44m	1	Chrome Matt
SE12G	12mm	2.44m	1	Gold Matt




Gold Matt

## ▶ Over Tile Stair Edging

Over tile stair edging is a retro fit product, designed to provide a safe and simple solution for stair edges. It incorporates a black rubber tread for increased grip and traction.



### ▶ Available Colours, Profiles & Sizes




Chrome



Gold Matt

PRODUCT CODE	Length	Pk Qty	Colour
<b>Over Tile Stair Edging</b>			
OTSECB	2.44 m	1	Chrome/Black
OTSEGB	2.44 m	1	Gold/Black



Gold/Black



## Transition Ramp

Our transition ramp is a neat profile designed to act as a stepless transition between floor coverings. It also helps protect the edges of adjacent coverings.



### Available Colours, Profiles & Sizes




Chrome Matt



Stainless Steel Effect

PRODUCT CODE	Depth	Length	Pk Qty	Colour
<b>Transition Ramp</b>				
TR10C	10mm	2.44 m	1	Chrome Matt
TR10S	10mm	2.44 m	1	Stainless Steel
TR12C	12mm	2.44 m	1	Chrome Matt
TR12S	12mm	2.44 m	1	Stainless Steel



Chrome Matt

## Transition T Bar

The transition T bar is a quick and easy solution, connecting floor coverings of equal heights. It also acts as an expansion joint, helping coverings maintain a minimum distance.



### Available Colours, Profiles & Sizes



Chrome Matt




Gold Matt



Stainless Steel Effect

PRODUCT CODE	Length	Pk Qty	Colour
<b>Transition T Bar</b>			
TTBCM	0.9 m	5	Chrome Matt
TTBGM	0.9 m	5	Gold Matt
TTBSS	0.9 m	5	Stainless Steel




Chrome Matt

▶ **Protective Edging**

Protective edging is a retro fit product designed to protect and absorb impact that may occur to external corners and walls. Available in contemporary finishes chrome and stainless steel.



▶ **Available Colours, Profiles & Sizes**



Chrome




Stainless Steel

PRODUCT CODE	Length	Pk Qty	Colour
<b>Protective Edging</b>			
PEC	2.44 m	5	Chrome
PES	2.44 m	5	Stainless Steel




Chrome



**easyfix MOSAIC MESH**



*Designed for better tiling.*



**FROM THIS**

**TO THIS**



**easyfix**

*Easyfix mosaic mesh makes tiling mosaics so simple that it's like fixing one solid tile.*

*Easyfix mosaic mesh can also be used to pack out your mosaics to match a thicker field tile.*







## Single Tool Stand & Double Tool Stand

We offer two sizes of stand to suit your store and the space you have available. Whether you want to display just the core products or a more comprehensive selection of our tool ranges, the single and double tool stands offer that flexibility.


PRODUCT CODE	Height	Width	Depth
<b>Single Tool Stand</b>			
BTS	2000 mm	600 mm	480 mm
<b>Double Tool Stand</b>			
BTSD	2000 mm	1280 mm	540 mm



## Single Trim Stand & Double Trim Stands

Mirroring our tool stands offer, our trim stands are also available in options of single and double. The single comes with prongs to neatly hook your tile trim on to, whilst the double also includes a free standing section to store pencils and listellos bars.

PRODUCT CODE	Height	Width	Depth
<b>Single Trim Stand</b>			
BTTS	1980 mm	520 mm	480 mm
<b>Double Trim Stand</b>			
BTSD	1980 mm	1080 mm	480 mm



▶ **ProTool Stand**


Our ProTools range now comes with it's own dedicated point of sale. Designed to stand out from the crowd but built with the same configuration as the standard double tool stand, you will be able to display an eye-catching offer of our professional tools.

PRODUCT CODE	Height	Width	Depth
<b>Double Tool Stand</b>			
BTSD	2000 mm	1280 mm	540 mm



▶ **Tile Trim Showcard & Dump Bin**

For any of your display requirements, please contact your area manager and they will be happy to assist you.





*“Our sales team covers the length and breadth of the UK. With years of experience between them, their professional assistance will always be available to you”*

## Index

Sales Coverage .....	147
Terms & Conditions .....	148 - 152
Index .....	153 - 156
Notes .....	156 - 159

## Tileasy Ltd Sales Coverage

Tileasy Ltd  
Unit 14  
Dakota Business Park  
Downley Road  
Havant  
PO92NJ  
Tel: 02392455050  
Fax: 02392455070  
sales@tileasy.com  
www.tileasy.com

## Areas & Representatives

### Scotland

Western Isles - Shetland Islands  
- Orkney Islands - Highland -  
Moray - Aberdeenshire - Angus  
- Perth Kinross - Argyll & Bute  
- Stirling - Fife - Clackmannan  
- Falkirk - North Ayrshire - East  
Ayrshire - South Ayrshire - North  
Lanarkshire - West Lothian - Mid  
Lothian - East Lothian - Dumfries  
& Galloway - Scottish Borders

#### Area Manager

**Ged Ainsworth**

Tel: 07738544761

Fax: 02392455070

ged.ainsworth@tileasy.com

### Northern England - North Wales - Northern Ireland - Republic Of Ireland

Cumbria - Lancashire -  
Derbyshire - Staffordshire  
- Shropshire - Flintshire -  
Merseyside - Cheshire - Greater  
Manchester - Denbighshire -  
Conwy - Gwynedd - North Powys  
- Isle Of Man - Ireland

#### Sales Director

**Paul Murphy**

Tel: 07802403099

Fax: 02392455070

paul.murphy@tileasy.com

### North East - Lincolnshire

Northumberland - Nottingham  
Durham - Yorkshire - Tyneside -  
Tyne & Wear - Lincolnshire

#### Area Manager

**Ged Ainsworth**

Tel: 07738544761

Fax: 02392455070

ged.ainsworth@tileasy.com

### East Anglia - North London

Middlesex - Norfolk -  
Northamptonshire - Suffolk  
- East & North London -  
Cambridgeshire - Bedfordshire  
- Hertfordshire - Essex -  
Leicestershire - Buckinghamshire

#### Area Manager

**Garry Smith**

Tel: 07736957940

Fax: 02392455070

garry.smith@tileasy.com

### South Wales - South West England

Cornwall - Devon - Somerset  
- West Dorset - Wiltshire -  
Gloucestershire - Warwickshire  
- Worcestershire - West  
Midlands - Herefordshire -  
Avon - Monmouthshire - Gwent  
- Glamorgan - South Powys -  
Carmarthenshire

#### Area Manager

**Tony Wilson**

Tel: 07714782859

Fax: 02392455070

tony.wilson@tileasy.com

### South East England South London - Channel Islands

East Dorset - Hampshire - West  
Sussex - East Sussex - Kent -  
Surrey - Oxfordshire - South  
London - Berkshire - South  
Middlesex - Isle Of Wight -  
Channel Islands

#### Area Manager

**Lyndon Slack**

Tel.: 07703535769

Fax: 02392455070

lyndon.slack@tileasy.com



# Terms & Conditions

The Customer's attention is drawn in particular to the provisions of clause 14.

Tileasy shall sell and the Customer shall purchase the Goods in accordance with any quotation or offer of Tileasy which is accepted by the Customer, or any order of the Customer which is accepted by Tileasy.

These Terms and Conditions shall govern the Contract to the exclusion of any other terms and conditions subject to which any such quotation is accepted or purported to be accepted by Tileasy, or any such order is made or purported to be made, by the Customer.

## Interpretation

In these Terms and Conditions, unless the context otherwise requires, the following expressions have the following meanings:

### "Business Day"

means any day other than a Saturday, Sunday or bank holiday;

### "Contract"

means the contract for the purchase and sale of the Goods under these Terms and Conditions;

### "Contract Price"

means the price stated in the Contract payable for the Goods;

### "Customer"

means the person who accepts a quotation or offer of Tileasy for the sale of the Goods or whose order for the Goods is accepted by Tileasy;

### "Delivery Date"

means the date on which the Goods are to be delivered as stipulated in the Customer's order and accepted by Tileasy;

### "Goods"

means the goods (including any instalment of the goods or any parts for them) which Tileasy is to supply in accordance with these Terms and Conditions;

### "Month"

means a calendar month; and

### "Tileasy"

means Tileasy Limited, a company registered in England with company number 3568302 whose registered office is at Wellesley House, 204 London Road, Waterlooville, Hampshire PO7 7AN.

Unless the context otherwise requires, each reference in these Terms and Conditions to:

"writing", and any cognate expression, includes a reference to any communication effected by electronic or facsimile transmission or similar means;

a statute or a provision of a statute is a reference to that statute or provision as amended or re-enacted at the relevant time;

"these Terms and Conditions" is a reference to these Terms and Conditions and any Schedules as amended or supplemented at the relevant time;

a Schedule is a schedule to these Terms and Conditions; and

a Clause or paragraph is a reference to a Clause of these Terms and Conditions (other than the Schedules) or a paragraph of the relevant Schedule.

a "Party" or the "Parties" refer to the parties to these Terms and Conditions.

The headings used in these Terms and Conditions are for convenience only and shall have no effect upon the interpretation of these Terms and Conditions.

Words imparting the singular number shall include the plural and vice versa.

References to any gender shall include the other gender.

## Basic of Sale

Tileasy's employees or agents are not authorised to make any representations concerning the Goods unless confirmed by Tileasy in writing. In entering into the Contract the Customer acknowledges that it does not rely on, and waives any claim for breach of, any such representations which are not so confirmed.

No variation to these Terms and Conditions shall be binding unless agreed in writing between the authorised representatives of the Customer and Tileasy.

Sales literature, price lists and other documents issued by Tileasy in relation to the Goods are subject to alteration without notice and do not constitute offers to sell the Goods which are capable of acceptance. No contract for the sale of the Goods shall be binding on Tileasy unless Tileasy accepted an order placed by the Customer by whichever is the earlier of:

Tileasy's written acceptance;

delivery of the Goods; or

Tileasy's invoice.

The Contract constitutes the entire agreement between the Parties. The Customer acknowledges that it has not relied on any

statement, promise or representation made or given by or on behalf of Tileasy which is not set out in the Contract.

Unless and until Tileasy provides a new version of these Terms and Conditions or otherwise agrees in writing, these Terms and Conditions shall apply to all future agreements for the provision of goods by Tileasy to the Customer.

Any typographical, clerical or other accidental errors or omissions in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by Tileasy shall be subject to correction without any liability on the part of Tileasy.

Tileasy shall not acknowledge orders submitted by the Customer unless requested to do so. Tileasy reserves the right to decline to accept any order submitted by the Customer.

The specification for the Goods shall be that set out in Tileasy's sales documentation unless varied expressly in the Customer's order (if such variation(s) is/are accepted by Tileasy). The Goods will only be supplied in the minimum units thereof stated in Tileasy's price list or in multiples of those units. Orders received for quantities other than these will be adjusted accordingly.

Illustrations, photographs or descriptions whether in catalogues, brochures, price lists or other documents issued by Tileasy are intended as a guide only and shall not be binding on Tileasy.

Tileasy reserves the right to make any changes in the specification of the Goods which are required to conform with any applicable safety or other statutory or regulatory requirements.

No order which has been accepted by Tileasy may be cancelled by the Customer except with the agreement in writing of Tileasy on the terms that the Customer shall indemnify Tileasy in full against all loss (including loss of profit), costs (including the cost of all labour and materials used), damages, charges and expenses incurred by Tileasy as a result of such cancellation.

## Price

The price of the Goods shall be the price listed in the Supplier's price list current at the date of acceptance of the Customer's order or such other price as may be agreed by Tileasy and the Customer.

Where Tileasy has quoted a price for the Goods other than in accordance with Tile-

# Terms & Conditions

asy's published price list the price quoted shall be valid for 30 days only or such lesser time as Tileasy may specify.

Tileasy reserves the right, by giving written notice to the Customer at any time before delivery, to increase the price of the Goods to reflect any increase in the cost to Tileasy which is due to any factor beyond the control of Tileasy (including, without limitation, any foreign exchange fluctuation, currency regulation, alteration of duties, significant increase in the costs of labour, materials or other costs of manufacture), any change in delivery dates, quantities or specifications for the Goods which are requested by the Customer, or any delay caused by any instructions of the Customer or failure of the Customer to give Tileasy adequate information or instructions.

For delivery to an address within the United Kingdom:

On orders with a value of less than £100 (exclusive of VAT) Tileasy will make an additional charge to the Customer for transport of the Goods. Such charge will be based upon the weight and size of the Goods and the appropriate method of transport (as determined by Tileasy) and will be advised to the Customer prior to delivery.

On orders with a value of £100 or more (exclusive of VAT) Tileasy will make no additional charge to the Customer for transport of the Goods.

For delivery to an address outside the United Kingdom, Tileasy reserve the right to make an additional charge to the Customer for transport of the Goods.

The price is exclusive of any applicable value added tax, excise, sales taxes or levies of a similar nature which are imposed or charged by any competent fiscal authority in respect of the Goods, which the Customer shall be additionally liable to pay to Tileasy.

## Payment

Subject to any special terms agreed in writing between the Customer and Tileasy, Tileasy shall invoice the Customer for the price of the Goods and delivery charges (if any) on or at any time after delivery of the Goods, unless the Goods are to be collected by the Customer or the Customer wrongfully fails to take delivery of the Goods, in which event Tileasy shall be entitled to invoice the Customer for the price and delivery charges (if any) at any time after Tileasy has notified the Customer that the Goods are ready for collection or (as the case may be) Tileasy has tendered delivery of the Goods.

The Customer shall pay the price of the

Goods and delivery charges (if any) (without deduction credit or set off) within 30 calendar days of the date of Tileasy's invoice or otherwise in accordance with such credit terms as may have been agreed in writing between the Customer and Tileasy in respect of the Contract. Payment shall be made on the due date notwithstanding that delivery may not have taken place and/or that the property in the Goods has not passed to the Customer. The time for the payment of the price shall be of the essence of the Contract. Receipts for payment will be issued only upon request.

All payments shall be made to Tileasy as indicated on the invoice issued by Tileasy.

Tileasy is not obliged to accept orders from any Customer who has not supplied Tileasy with references satisfactory to Tileasy. If at any time Tileasy is not satisfied as to the creditworthiness of the Customer it may give notice in writing to the Customer that no further credit will be allowed to the Customer in which event no further goods will be delivered to the Customer other than against cash payment and notwithstanding sub-Clause 6.2 of these conditions, all amounts owing by the Customer to Tileasy shall be immediately payable in cash.

Delivery of the Goods shall be made:

by Tileasy posting the Goods or passing the Goods to a third party carrier for onward delivery to the place specified in the Customer's order and/or Tileasy's acceptance as the location to which the Goods are to be delivered; or

if no place of delivery is so specified, by the Customer collecting the Goods at Tileasy's premises at any time after Tileasy has notified the Customer that the Goods are ready for collection.

The Delivery Date is approximate only and time for delivery shall not be of the essence unless previously agreed by Tileasy in writing. The Goods may be delivered by Tileasy in advance of the Delivery Date upon giving reasonable notice to the Customer.

Where the Goods are to be delivered in instalments, each delivery shall constitute a separate contract and failure by Tileasy to deliver any one or more of the instalments in accordance with these Terms and Conditions or any claim by the Customer in respect of any one or more instalments shall not entitle the Customer to treat the Contract as a whole as repudiated.

If the Customer:

requests postponement of delivery of the Goods or any part of them and Tileasy accepts such request; and/or

fails to take delivery of the Goods or any part of them on the Delivery Date; and/or

fails to provide any instructions, documents, licences, consents or authorisations required to enable the Goods to be delivered on that date,

Tileasy shall be entitled upon giving written notice to the Customer to store or arrange for the storage of the Goods and then notwithstanding the provisions of sub-Clause 10.1 risk in the Goods shall pass to the Customer, delivery shall be deemed to have taken place and the Customer shall pay to Tileasy all costs and expenses including storage and insurance charges arising from such failure.

## Non-Delivery

If Tileasy fails to deliver the Goods or any part thereof on the Delivery Date other than for reasons outside Tileasy's reasonable control or the Customer's or its carrier's fault:

if Tileasy delivers the Goods at any time thereafter Tileasy shall have no liability in respect of such late delivery; or

if the Customer gives written notice to Tileasy within 5 Business Days after the Delivery Date and Tileasy fails to deliver the Goods within 15 Business Days after receiving such notice the Customer may cancel the order and Tileasy's liability shall be limited to the excess (if any) of the cost to the Customer (in the cheapest available market) of similar goods to those not delivered over the price of the Goods not delivered.

The Customer is under a duty whenever possible to inspect the Goods on delivery or on collection as the case may be.

Where the Goods cannot be examined the carrier's note or such other note as appropriate shall be marked "not examined".

Tileasy shall be under no liability for any damage or shortages that would be apparent on reasonable careful inspection if the provisions of this Clause 9 are not complied with and, in any event, will be under no liability if a complaint is not made to Tileasy within 24 hours of delivery detailing the alleged damage or shortage.

In all cases where damage or shortages are complained of Tileasy shall be under no liability in respect thereof unless an opportunity to inspect the Goods is supplied to Tileasy before any use is made thereof or any alteration or modification is made thereto by the Customer.

## Terms & Conditions

Subject to sub-Clauses 9.3 and 9.4, Tileasy shall make good any shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonable to do so, but otherwise shall be under no liability whatsoever arising from such shortage or damage.

Tileasy may, at its complete discretion, accept the return of Goods where the Customer has over-ordered or ordered in error. In respect of returned Goods:

Tileasy reserves the right to charge a handling fee;

the Customer must contact Tileasy to arrange a return within 10 Business Days of the Delivery Date;

the returned Goods must be received by Tileasy in their original condition;

the risk of damage to or loss of the Goods remains with the Customer until receipt and inspection by Tileasy.

### Risk and Retention of Title

Risk of damage to or loss of the Goods shall pass to the Customer at:

in the case of Goods to be delivered at Tileasy's premises, the time when Tileasy notifies the Customer that the Goods are available for collection; or

in the case of Goods to be delivered under sub-Clause 7.1.1, the time that the Goods leave Tileasy's premises.

Notwithstanding delivery and the passing of risk in the Goods, or any other provision of these Terms and Conditions, legal and beneficial title of the Goods shall not pass to the Customer until Tileasy has received in cash or cleared funds payment in full of the price of the Goods.

Sub-Clause 10.2 notwithstanding, legal and beneficial title of the Goods shall not pass to the Customer until Tileasy has received in cash or cleared funds payment in full of the price of the Goods and any other goods supplied by Tileasy and the Customer has repaid all moneys owed to Tileasy, regardless of how such indebtedness arose.

Until payment has been made to Tileasy in accordance with these Terms and Conditions and title in the Goods has passed to the Customer, the Customer shall be in possession of the Goods as bailee for Tileasy and the Customer shall store the Goods separately and in an appropriate environment, shall ensure that they are identifiable as being supplied by Tileasy and shall insure the Goods against all reasonable risks.

In the event that the Customer sells or

transfers the Goods to a third party before legal and beneficial title has passed to him under these Terms and Conditions, the proceeds of the sub-sale or transfer (or such proportion as is due to Tileasy) shall be held by the Customer on behalf of Tileasy. The Customer shall ensure that such moneys are held separately from, and are in no way mixed with, any other moneys or funds, and that all moneys held on Tileasy's behalf are identified as such.

The Customer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Goods which remain the property of Tileasy, but if the Customer does so all money owing by the Customer to Tileasy shall (without prejudice to any other right or remedy of Tileasy) forthwith become due and payable.

Tileasy reserves the right to repossess any Goods in which Tileasy retains title without notice. The Customer irrevocably authorises Tileasy to enter the Customer's premises during normal business hours for the purpose of repossessing the Goods in which Tileasy retains title or inspecting the Goods to ensure compliance with the storage and identification requirements of sub-Clause 10.4.

The Customer's right to possession of the Goods in which Tileasy maintains legal and beneficial title shall terminate if:

the Customer commits or permits any material breach of his obligations under these Terms and Conditions;

the Customer enters into a voluntary arrangement under Parts I or VIII of the Insolvency Act 1986, the Insolvent Partnerships Order 1994 (as amended), or any other scheme or arrangement is made with his creditors;

the Customer is or becomes the subject of a bankruptcy order or takes advantage of any other statutory provision for the relief of insolvent debtors;

the Customer convenes any meeting of its creditors, enters into voluntary or compulsory liquidation, has a receiver, manager, administrator or administrative receiver appointed in respect of its assets or undertaking or any part thereof, any documents are filed with the court for the appointment of an administrator in respect of the Customer, notice of intention to appoint an administrator is given by the Customer or any of its directors or by a qualifying floating charge-holder (as defined in paragraph 14 of Schedule B1 of the Insolvency Act 1986), a resolution is passed or petition presented to any court for the winding up of the Customer or for the granting of an administration order in respect of the Customer, or any

proceedings are commenced relating to the insolvency or possible insolvency of the Customer.

### Assignment

Tileasy may assign the Contract or any part of it to any person, firm or company without the prior written consent of the Customer.

The Customer shall not be entitled to assign the Contract or any part of it without the prior written consent of Tileasy.

### Defective Goods

If on delivery any of the Goods are defective in any material respect and either the Customer lawfully refuses delivery of the defective Goods or, if they are signed for on delivery as "condition and contents unknown" the Customer informs Tileasy of such defect within 24 hours of such delivery, Tileasy shall at its option:

replace the defective Goods within 15 Business Days of receiving the Customer's notice; or  
refund to the Customer the price for those Goods (or parts thereof, as appropriate) which are defective, but Tileasy shall have no further liability to the Customer in respect thereof and the Customer may not reject the Goods if delivery is not refused or notice is not given by the Customer as set out above. No Goods may be returned to Tileasy without the prior agreement in writing of Tileasy. Subject thereto any Goods returned which Tileasy is satisfied were supplied subject to defects of quality or condition which would not be apparent on inspection shall either be replaced free of charge or, at Tileasy's sole discretion Tileasy shall refund or credit to the Customer the price of such defective Goods but Tileasy shall have no further liability to the Customer. Tileasy shall be under no liability in respect of any defect arising from fair wear and tear, or any wilful damage, negligence, subjection to normal conditions, failure to follow Tileasy's instructions (whether given orally or in writing), misuse or alteration of the Goods without Tileasy's prior approval, or any other act or omission on the part of the Customer, its employees or agents or any third party. Subject as expressly provided in these Terms and Conditions, and except where the Goods are sold under a consumer sale, all warranties, conditions or other terms implied by statute or common law are excluded to the fullest extent permitted by law.

Except in respect of death or personal injury caused by Tileasy's negligence, or as expressly provided in these Terms and Conditions, Tileasy shall not be liable to the Customer by reason of any representation, or any implied warranty,

condition or other term, or any duty at common law or under statute, or under the express terms of the Contract, for any direct or consequential loss or damage sustained by the Customer (including without limitation loss of profit or indirect or special loss), costs, expenses or other claims for consequential compensation whatsoever (and whether caused by the negligence of Tileasy, its servants or agents or otherwise) which arise out of or in connection with the supply of the Goods or their use or resale by the Customer.

## Terms & Conditions

condition or other term, or any duty at common law or under statute, or under the express terms of the Contract, for any direct or consequential loss or damage sustained by the Customer (including without limitation loss of profit or indirect or special loss), costs, expenses or other claims for consequential compensation whatsoever (and whether caused by the negligence of Tileasy, its servants or agents or otherwise) which arise out of or in connection with the supply of the Goods or their use or resale by the Customer.

The Customer shall be responsible for ensuring that, except to the extent that instructions as to the use or sale of the Goods are contained in the packaging or labelling of the Goods, any use or sale of the Goods by the Customer is in compliance with all applicable statutory requirements and that handling and sale of the Goods by the Customer is carried out in accordance with directions given by Tileasy or any competent governmental or regulatory authority and the Customer will indemnify Tileasy against any liability loss or damage which Tileasy might suffer as a result of the Customer's failure to comply with this condition.

### Customer's Default

If the Customer fails to make any payment on the due date then, without prejudice to any other right or remedy available to Tileasy, Tileasy shall be entitled to:

cancel the order or suspend any further deliveries to the Customer;

appropriate any payment made by the Customer to such of the Goods (or the goods supplied under any other contract between the Customer and Tileasy) as Tileasy may think fit (notwithstanding any purported appropriation by the Customer); and

charge the Customer interest (both before and after any judgement) on the amount unpaid, at the rate of 3% per annum above Barclays Bank plc base rate from time to time, until payment in full is made (a part of a month being treated as a full month for the purpose of calculating interest).

This condition applies if:

the Customer fails to perform or observe any of its obligations hereunder or is otherwise in breach of the Contract;

the Customer becomes subject to an administration order enters into a voluntary arrangement under Parts I or VIII of the Insolvency Act 1986 or the Insolvent Partnerships Order 1994 or (being an individual or firm) becomes bankrupt or (being a company) goes into liquidation;

an encumbrancer takes possession, or a receiver is appointed, of any of the property or assets of the Customer;

the Customer ceases, or threatens to cease, to carry on business; or

Tileasy reasonably apprehends that any of the events mentioned above is about to occur in relation to the Customer and notifies the Customer accordingly.

If sub-Clause 13.2 applies then, without prejudice to any other right or remedy available to Tileasy, Tileasy shall be entitled to cancel the Contract or suspend any further deliveries under the Contract without any liability to the Customer, and if the Goods have been delivered but not paid for the Contract Price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

### Limitation of Liability

Subject to condition 7, condition 8 and condition 13, the following provisions set out the entire financial liability of Tileasy (including any liability for the acts or omissions of its employees, agents and sub-contractors) to the Customer in respect of:

any breach of these conditions;

any use made (including but not limited to modifications) or resale by the Customer of any of the Goods, or of any product incorporating any of the Goods; and

any representation, statement or tortious act or omission including negligence arising under or in connection with the Contract.

All warranties, conditions and other terms implied by statute or common law (save for the conditions implied by section 12 of the Sale of Goods Act 1979) are, to the fullest extent permitted by law, excluded from the Contract.

Nothing in these Terms and Conditions excludes or limits the liability of Tileasy:

for death or personal injury caused by Tileasy's negligence;

for any matter which it would be illegal for Tileasy to exclude or attempt to exclude its liability; or

for fraud or fraudulent misrepresentation.

Subject to sub-Clauses 14.2 and 14.3:

Tileasy's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated perfor-

mance of the Contract shall be limited to the Contract Price; and

Tileasy shall not be liable to the Customer for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the Contract.

### Confidentiality, Publications and Endorsements

The Customer will regard as confidential the contract and all information obtained by the Customer relating to the business and/or products of Tileasy and will not use or disclose to any third party such information without Tileasy's prior written consent provided that this undertaking shall not apply to information which is in the public domain other than by reason of the Customer's default;

The Customer will not use, authorise or permit any other person to use any name, trademark, house mark, emblem or symbol which Tileasy is licensed to use or which is owned by Tileasy upon any premises, note paper, visiting cards, advertisement or other printed matter in any other manner whatsoever unless such use shall have been previously authorised in writing by Tileasy and (where appropriate) its licensor;

The Customer will use all reasonable endeavours to ensure compliance with this Clause 15 by its employees, servants and agents.

The provisions of this Clause 15 shall survive the termination of the Contract.

### Communications

All notices under these Terms and Conditions and under the Contract shall be in writing and be deemed duly given if signed by, or on behalf of, a duly authorised officer of the Party giving the notice.

Notices shall be deemed to have been duly given:

when delivered, if delivered by courier or other messenger (including registered mail) during the normal business hours of the recipient; or

when sent, if transmitted by facsimile or e-mail and a successful transmission report or return receipt is generated; or

on the fifth business day following mailing, if mailed by national ordinary mail, postage prepaid; or

on the tenth business day following mailing, if mailed by airmail, postage prepaid.

# Terms & Conditions

All notices under this Contract shall be addressed to the most recent address, e-mail address, or facsimile number notified to the other Party.

© 2015 Tileasy Ltd

This document has been carefully checked. However, Company does not assume any liability for errors or inaccuracies. Published specifications are subject to change without notice. Product suitability for an area of application must ultimately be determined by the customer. In all cases, products must never be operated outside their published specifications. Company does not guarantee the availability of all published products. Latest publications and a complete disclaimer can be downloaded from the Tileasy website. All trademarks recognized.

## Force Majeure

Neither Party shall be liable for any failure or delay in performing their obligations where such failure or delay results from any cause that is beyond the reasonable control of that Party. Such causes include, but are not limited to: power failure, Internet Service Provider failure, industrial action, civil unrest, fire, flood, storms, earthquakes, acts of terrorism, acts of war, governmental action, default of suppliers or manufacturers, or any other event that is beyond the control of the party in question.

## Waiver

The Parties agree that no failure by either Party to enforce the performance of any provision in these Terms and Conditions or under the Contract shall constitute a waiver of the right to subsequently enforce that provision or any other provision. Such failure shall not be deemed to be a waiver of any preceding or subsequent breach and shall not constitute a continuing waiver.

## Severance

The Parties agree that, in the event that one or more of the provisions of these Terms and Conditions or the Contract are found to be unlawful, invalid or otherwise unenforceable, that / those provisions shall be deemed severed from the remainder of these Terms and Conditions (and, by extension, the Contract). The remainder of these and the Contract shall be valid and enforceable.

## Third Party Rights

A person who is not a party to the Contract shall have no rights under the Contract pursuant to the Contracts (Rights of Third Parties) Act 1999.


## Law and Jurisdiction

These Terms and Conditions and the Contract (including any non-contractual matters and obligations arising therefrom or associated therewith) shall be governed by, and construed in accordance with, the laws of England and Wales.

Any dispute, controversy, proceedings or claim between the Parties relating to these Terms and Conditions or to the Contract (including any non-contractual matters and obligations arising therefrom or associated therewith) shall fall within the jurisdiction of the courts of England and Wales.

Keep up to date with our terms and conditions, available from our website.

[www.tileasy.com](http://www.tileasy.com)



# Index

A	
Adhesive Spreader .....	63
Adhesive Spreader (small) .....	63
Adjustable Floor Transition .....	132
American Grout Float .....	78
Angled Grout Float .....	78
B	
Big Jake 600mm Tile Cutter .....	15
Big Jake XL 1000mm Tile Cutter .....	15
Big Jake Spare Wheel .....	15
Bucket Trowel 180mm .....	62
Budget Tile Cutter 300mm .....	14
Budget Tile Cutter 400mm .....	14
Budget Tile Cutter 500mm .....	15
Budget Tile Cutter Spare Wheel .....	14 - 15
Budget Trim Cutter .....	32
C	
Caulking Gun .....	80
Carbide Blades .....	29
Chalk Line Refill .....	10
China Marker Black/Red .....	11
Circular Tile Cutter .....	49
Cleaning Sponge .....	89
Combination Spreader .....	63
Corded Impact Drill (710 watts) .....	52
Corner Float .....	79
Crackle Glaze Protector .....	94
Cut & Snap .....	26
D	
Diamond Sintered Blade .....	16
Diamond Glass Blade .....	17
Diamond Drill Bit 4mm .....	40

Diamond Turbo Wheel .....	17
Diamond B&D Jigsaw Blade .....	31
Diamond Bosch Jigsaw Blade .....	31
Diamond Drill Bit 6mm .....	40
Diamond Drill Bit 8mm .....	40
Diamond Drill Bit 10mm .....	40
Diamond Drill Bit 12mm .....	41
Diamond Drill Bit 18mm .....	41
Diamond Drill Bit 25mm .....	41
Diamond Drill Bit 35mm .....	41
Diamond Drill Bit 44mm .....	42
Diamond Drill Bit 50mm .....	42
Diamond Drill Bit 115mm .....	42
Diamond Drill Bit Set .....	42
Diamond Hand Pad .....	37
Diamond Tile File .....	37
Diamond Rod Saw Blade .....	31
Disposable Drill Guides .....	49
Disposable PVC Gloves (10pk) .....	91
DIY Adhesive Spreader 6mm .....	62
DIY Adhesive Spreader 8mm .....	62
DIY Adhesive Spreader 10mm .....	62
DIY Float .....	78
DIY Grouter .....	79
DIY Notched Trowel 6mm .....	60
DIY Notched Trowel 8mm .....	60
DIY Notched Trowel 10mm .....	60
DIY Sponge .....	89
Dry Angle Diamond Drill Bit 8mm .....	45
Dry Angle Diamond Drill Bit 10mm .....	45
Dry Angle Diamond Drill Bit 18mm .....	46
Dry Angle Diamond Drill Bit 25mm .....	46
Dry Angle Diamond Drill Bit 35mm .....	46
Dry Angle Diamond Drill Bit 45mm .....	46



## ▶ Index

Dry Angle Diamond Drill Bit 65mm	47
Dry Angle Diamond Drill Bit 75mm	47
Dry Diamond Drill Bit 6mm	44
Dry Diamond Drill Bit 8mm	44
Dry Diamond Drill Bit 10mm	44
Dry Diamond Drill Bit 18mm	44
Dry Diamond Drill Bit 25mm	45
Dry Diamond Drill Bit 35mm	45
Dust Masks (10pk)	52

## E

Easyfix Mesh	67
Electric Mixer 110v	66
Electric Mixer 240v	66
Electric Mixer Paddle	66
Electric Wet Wheel Cutter	16
Expansion Joints	132
Epoxy Pointing Float	86

## F

Flexi Bucket 35ltr	89
Floor Tile Remover	97
Foam Rubber Pad	87

## G

Gauging Trowel	61
Glass Tile Drill Bit 6mm	43
Glass Tile Drill Bit 8mm	43
Glass Tile Drill Bit 10mm	43
Grinding Mesh	87
Grout & Adhesive Mixer 400mm	64
Grout & Adhesive Mixer 600mm	64
Grout Finisher (Multi Tip)	80
Grout Finisher With Flat Blade	80

Grout Rake	96
Grout Rake Replacement Blades	96
Grout Remover	96
Grout Remover Replacement Blades	96
Grouting Sponge	89

## H

Hacksaw Blade	30
Heavy Duty Grime Remover	95
Heavy Duty Metal Scribe	28
Heavy Duty Hand File	36
Heavy Duty Latex Gloves	91
Heavy Duty Tile Nipper	26
Hydro Float	85
Hydro Sponge Pad	88

## I

Ishii Professional Cutter 350	20
Ishii Professional Cutter 525	21
Ishii Professional Cutter 625	21
Ishii Professional Cutter 620	22
Ishii Professional Cutter 1040	23
Ishii Professional Cutter 1240	24
Ishii Replacement Cutting Wheels	20 - 25
Ishii Tile Nipper	25

## J

Jigsaw Blades	30
---------------	----

## K

Knee Pads Blue	65
Knee Pads Gel	64
Knee Pads Green	65

## L

Large Grouter	79
Large Grout Float	78

## ▶ Index

Latex Pad	87
Left Handed Trowel 6mm	58
Left Handed Trowel 8mm	58
Left Handed Trowel 10mm	58
Levelling Spacers	74 - 75
Line Marker	10
Long Handled Floor Scraper	96

## M

M14 Chuck Adapter	47
Mallet	64
Metal Scribe	27
Metal Tile Trim/Carpet To Tile	116 - 132
Metal Tile Trim Corners	120 - 125
Mitre Block	31
Mosaic Nipper	27
Mosaic Wheel Nipper	27

## N

Natural Finish Sealer	94
Notched Trowel 2mm	56
Notched Trowel 3mm (v notch)	56
Notched Trowel 4mm	56
Notched Trowel 5mm (round)	56
Notched Trowel 6mm	57
Notched Trowel 8mm	57
Notched Trowel 10mm	57
Notched Trowel 12mm	57
Notched Trowel 20mm (round)	58
Notched Margin Trowel	61

## O

Over Tile Stair Edging	135
------------------------	-----

## P

Parrot Beak Nipper	26
--------------------	----

Plastic Paint Mixer	63
Plastic Trowel	60
Plastic Tile Trim/Bath Seals	100 - 113
Plastic Tile Trim Corners	104 - 109
Pointing Float	85
Professional Wet & Dry Turbo Blades	18
Professional Wet Continuous Blades	19
Pro Drill Guide	48
Pro Sponge	89
Pro Hydro Sponge	88
Profile Gauge	11
Protective Edging	138

## Q

Quarry Tile Nipper	26
--------------------	----

## R

Rasp & File	36
Replacement Blade Floor Scraper	96
Replacement Blade Utility Knife	32
Residual Grout Remover	95
4" Roller & Tray	89
Rub Stone	36
Rubber Pad	86
Rubber Pad Coarse Foam	86
Rubble Sacks	97

## S

Safety Goggles	52
Safety Spectacles	52
Scouring Pad Coarse (2pk)	90
Scouring Pad Fine (2pk)	91
Scouring Set (triple pk)	90
Sealant Remover	96
Shoe Protectors	91

# Index

Silicone Smoother .....	80
Small Grout Scourer Coarse .....	90
Small Grout Scourer Fine .....	90
Small Guide & Cooling System .....	48
Small Margin Trowel .....	61
Solid Bed Trowel .....	61
Spare Blade For Trim Cutters .....	35
Spare Pads (WCDG) .....	51
Spiked Roller .....	65
Spiked Shoes .....	65
Spirit Level 600mm .....	10
Spirit Level 900mm .....	10
Sponge Pad .....	88
Sponge Pad (5 pack) .....	88
Stainless Steel Trowel 6mm .....	59
Stainless Steel Trowel 8mm .....	59
Stainless Steel Trowel 10mm .....	59
Stainless Steel Trowel 6mm x 400mm .....	59
Stair Edging .....	134
Suction Cup .....	97
<b>T</b>	
Tape Measure .....	11
Tile & Grout Cleaner .....	95
Tile Levelling Spacers & Caps .....	74/75
Tile Levelling Bases .....	74/75
Tile Levelling Wedges .....	74/75

# Notes

---



---



---

# Notes

Tile Levelling Pliers .....	75
Tile Remover .....	97
Tile Scribe .....	27
Tile Spacers Loose .....	70 - 71
Tile Spacers Trade Bags .....	72 - 73
Tile Spacers Buckets .....	72 - 73
Tile Saw With Drill .....	28
Tile Saw Budget .....	28
Tile Saw 6" .....	28
Transition Ramp .....	136
Transition T Bar .....	137
Tile Trimmers (2pk) .....	36
Triangular Drill Bit .....	43
Trim Cutter With Mitre Anvil .....	32
<b>U</b>	
Universal Guide & Cooling System .....	48
Utility Knife .....	32
<b>W</b>	
Wall & Floor Grout Protector .....	95
Water Cooling Drill Guides .....	50 - 51
Washboy Handle .....	85
Washboy Spare Rollers .....	87
Washboy 23ltr Set .....	84
Wooden Grouter .....	79

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

▶ Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

▶ Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



We are constantly improving our range by introducing new product. Stay up to date and don't miss out.



[www.tileasy.com](http://www.tileasy.com)

Cutters | Tools | Trims & Seals

**Tileasy**<sup>TM</sup>

**PROTOOLS**

*Designed for better tiling.*

Tileasy Ltd - Unit 14 - Dakota Business Park - Downley Road - Havant - PO92NJ  
Tel: 02392455050 - Fax: 02392455070 - sales@tileasy.com - www.tileasy.com