



**Brenner**

*... BURN TO BE WILD*


# **Ignite your wild side with a Brenner Torch Kit.**

**We're turning up the heat in the LPG torch industry and igniting our passion for supplying torches that will meet your needs.**



**And if you don't see the kit that sets your needs alight, our flexible approach means we'll hit the Brenner workshop and tailor make a torch to your specifications that'll surely make your love for Brenner burn ever brighter!**

**Go on, Burn To Be Wild... That is, if you can handle the heat!**



## **CONTENTS**

- PREMIUM TORCH KITS**
- ECONOMY TORCH KITS**
- PIEZO & BLOW TORCHES**
- ACCESSORIES & SPARES**
- WILL IT BURN!**

## PREMIUM TORCH KIT RANGE



**Includes Anti-Kink  
Hose Swivel  
Attachment**

Ref	Burner (mm)	Neck (mm)	Trigger	Hose (Metre)	Regulator (H/P)	Interchangeable Parts
G929T	60	600	✓	5	0-4bar	✓
G928T	50	350	✓	5	0-4bar	✓
G927T	45	200	✓	5	0-4bar	✓
G926T	35	100	✓	5	0-2bar	✓



Ref	Burner (mm)	Neck (mm)	Trigger	Hose (Metre)	Regulator (H/P)	Interchangeable Parts
PREM PROF	17	75	✓	3	0-2bar	x

## PREMIUM MULTI-HEAD TORCH KIT RANGE



Ref	Burner (mm)	Neck (mm)	Trigger	Hose (Metre)	Regulator (H/P)	Interchangeable Parts
G960T	2 x 50	600	✓	5	0-4bar	✓
G963T	3 x 45	600	✓	5	0-4bar	✓
G964T	4 x 45	600	✓	5	0-4bar	✓

## ECONOMY TORCH KIT RANGE



Ref	Burner (mm)	Neck (mm)	Trigger	Hose (Metre)	Regulator (H/P)	Interchangeable Parts
E929T	60	600	✓	3	0-4bar	✗



Ref	Burner (mm)	Neck (mm)	Trigger	Hose (Metre)	Regulator (H/P)
PROF	20	75	✓	3	0-2bar
PROFSTD	20	75	✗	3	0-2bar

## ECONOMY MULTI-HEAD TORCH KIT RANGE



Ref	Burner (mm)	Neck (mm)	Trigger	Hose (Metre)	Regulator (H/P)	Interchangeable Parts
E960T	2 x 50	600	✓	3	0-4bar	✗

# PIEZO & BLOW TORCH RANGE



**Includes Piezo Ignition**



Ref	Burner (mm)	Neck (mm)	Trigger	Hose (Metre)	Regulator (H/P)	Interchangeable Parts
PTK	60	350	✓	3	0-4bar	x




Ref	Burner (mm)	Neck (mm)	Trigger	Lock Button	Piezo	360 Operation
AP2030	10	75	✓	✓	✓	✓



Ref	Inlet	Hose (Metre)	Regulator (H/P)	Trigger	Piezo	Safety Features
SHRINK	3/8" LH Male	8	3.5 bar Fixed	✓	✓	<ul style="list-style-type: none"> <li>• Safety Cut Off Trigger</li> <li>• Excess Flow Valve</li> </ul>

# ACCESSORIES & SPARES



Ref	Burner (mm)	Neck (mm)	Connection
G921	17	75	M14 x 1 Female
G922	20	75	M14 x 1 Female



Ref	Burner (mm)	Connection
G3135	35mm	M20 x 1 Female
G3145	45mm	M20 x 1 Female
G3150	50mm	M20 x 1 Female
G3160	60mm	M20 x 1 Female
G3176	76mm	M20 x 1 Female




Ref	Inlet	Outlet	Trigger
G2401	3/8" LH	M14 x 1 Male	✓
G2402	3/8" LH	M14 x 1 Male	✗
G2403	3/8" LH	M14 x 1 Male	✓



Ref	Length (mm)	Inlet?	Outlet?
G3710	100	M14 x 1 Female	M20 x 1 Male
G3720	200	M14 x 1 Female	M20 x 1 Male
G3735	350	M14 x 1 Female	M20 x 1 Male
G3760	600	M14 x 1 Female	M20 x 1 Male

# ACCESSORIES & SPARES



Ref	Inlet Pressure (bar)	Operating Pressure (bar)	Capacity (kg/hr)	Inlet	Outlet
R510	16	0.5-4	6	POL	3/8" LH Male
R504	16	0.5 -2	6	POL	3/8" LH Male



Ref	Inlet	Outlet	Gas Type
FBA1P	3/8" LH Female	3/8" LH Male	Propane

Ref	Inlet	Outlet	Swivel
G908	3/8" LH Female	3/8" LH Male	✓



Ref	Hose (Metre)	End Fittings	Swaged
H2	3	3/8" LH	✓
H1	5	3/8" LH	✓
H3	8	3/8" LH	✓

Ref	Inlet	Outlet
G3022	M20 x 1 Female	2 x M20 x 1 Male
G3033	M20 x 1 Female	3 x M20 x 1 Male
G3044	M20 x 1 Female	4 x M20 x 1 Male

**Other lengths & over braided hose available upon request.**

# ACCESSORIES & SPARES



Ref	Description
G0134	Torch stand. Clamps directly onto torch neck, allowing it to be placed down safely while alight.



Ref	Clip Type	Clip Size (mm)
8-16	Screw	8 - 16
12-22	Screw	12-22



Ref	Clip Type	Clip Size (mm)
205	Crimp	11-13
206	Crimp	13-15
207	Crimp	15-18



Ref	Nut	Nozzle (mm)
NT6	3/8" LH Female	6
NT8	3/8" LH Female	8



Ref	Gas Type	Connection Type	Grams
582	Special LPG Mix	American Thread	385



Ref	Box Qty
GM1	16

**Suitable for the AP2030 Pro Blow Torch.**



## **WILL IT BURN!**




**Join the Exterminator as he explores the limits of our Brenner Torch kits!**

***Will It Burn* is a series of explosive YouTube videos showcasing Brenner.**

**Have you a burning idea that you want us to try? Get in touch. After all, we're 'Burn To Be Wild!'**





# Brenner



INTERGAS UK Ltd, 7E Riverside Road, Southwick, Sunderland, SR5 3JG  
Tel: +44 (0) 191 548 5000 Fax: +44 (0) 191 548 5100 Email: [info@intergasuk.co.uk](mailto:info@intergasuk.co.uk)  
Web: [www.intergasuk.co.uk](http://www.intergasuk.co.uk)

Company Registration Number: 05838877. Registered in England & Wales. VAT Registration No: 889305577