











AGRICAST LDX

Low Disturbance Xtra

Full Tungsten
Carbide Facing
High Chrome
Steel Casting

Designed and
manufactured for
maximum wear life
Fits many existing
machines or
available as
LDX system



- Cambridge Roll Parts 
- Press Ring Parts 
- Disc Harrow Spares 
- Subsoiler Parts 
- Tungsten Parts 
- Cultivation Parts 
- Fasteners & Fixtures 
- Bearings 
- Axles 

2020

PRODUCT CATALOGUE



AGRICAST

CULTIVATION PARTS & SPECIALIST SOLUTIONS

Collow Abbey Farm,
East Torrington,
Market Rasen,
Lincolnshire, LN8 5SE

Call today for the best price

01673 857619

www.agricast.net
info@agricast.net

Agricast parts are designed to match or exceed the Original Equipment Manufacturer's (OEM) specifications and are not manufactured by the OEM. All trademarks are the property of the respective OEM and are only used to identify the machine for which the part will fit.

AGRICAST

CULTIVATION PARTS & SPECIALIST SOLUTIONS

www.agricast.net

info@agricast.net

Agricast has provided replacement and bespoke parts for cultivation equipment to manufacturers, dealers and farmers for over 30 years. Based on our own farm in Lincolnshire our family business is now the UK's leading specialist in Cambridge roll rings. We also supply a wide range of press rings, disc blades and subsoiler wear parts as well as offering bespoke alterations and fabrication in our own workshop.

We are a small company but pride ourselves on being able to offer top quality products at the best prices.

Speak to Will Robinson or Thomas Knights today:

01673 857619

info@agricast.net



Agricast was established to supply some original parts direct to Simba 30 years ago. We continue to specialise in manufacturing non-OEM Agricast Parts to fit Simba machines in the home county of the famous British brand.

	Cambridge Roll Parts	4 - 8
	Press Ring Parts	9 - 11
	Disc Harrow Spares	12 - 15
	Subsoiler Parts	16 - 21
	Tungsten Parts	22 - 25
	Cultivation and Drill Parts	26 - 27
	Fasteners & Fixings	28 - 29
	Bearings	30 - 33
	Axles	34
	Custom Fabrication	35

Agricast Parts are designed to match or exceed the Original Equipment Manufacturer's (OEM) specifications and are not manufactured by the OEM. All trademarks are the property of the respective OEM and are only used to identify the machine for which the part will fit.















ABOUT OUR ISO ACCREDITED RINGS

Our large range of roll rings are precision cast in ISO 9001 accredited foundries. The high quality materials, production techniques and quality control procedures ensure that our rings are the best available.



STANDARD CAMBRIDGE RINGS AND BREAKERS

Our traditional 4 spoke rings are available in sizes from 510mm (20") to 660mm (26") for any axle size up to 75mm (3"). These can be used with or without breaker rings for better cleaning and clod breaking - speak to us for advice.

		
CRR-18-57-VA 18.5"/470mm Ring to Suit Väderstad Rollers	CRR-19-67-TW 19"/480mm Ring to Suit Twose	CRR-20-62-DB 20"/500mm Ring to Suit Dalbo
		
CRR-20-71-KV 20"/510mm Ring to Suit Kverneland / Jean De Bru	CRR-20-XX-EB 20"/510mm Roll Ring with Extended Boss	CRR-20-62-HE 20"/510mm Ring to suit HEVA
		
CRR-22-62-DB 22"/550mm Ring to Suit Dalbo	CRR-22-67-TW 22"/560mm Castellated Ring to Suit Twose	CRR-22-62-VA 22"/560mm Ring to Suit Vaderstad Rollex HD
		
CRR-24-67-TW 24"/610mm Castellated Ring to Suit Twose	CRR-24-62-DB 24"/610mm Ring to Suit Dalbo	CRR-26-67 26"/660mm Standard Ring





CBR-19
19"/480mm Breaker Ring to
suit Vaderstad - 301012



CBR-20
21"/530mm
20" Standard Breaker Ring



CBR-20-DB
21"/530mm - 20" Dalbo Style
Breaker Ring - 15385



CBR-22-VA
22"/560mm - 22" Vaderstad
Style Breaker Ring - 101081



CBR-22-DB
23"/575mm - 22" Dalbo Style
Breaker Ring - 15485



CBR-22-RO
23"/575mm - 22" Rounded
Breaker Ring for Twose roller



CBR-24
25"/630mm - 24" Standard
Breaker Ring for Cousins etc



CBR-24-HE
24"/630mm - 24" Heva Style
Breaker Ring - 690150059



CBR-24-HS
24"/610mm
24" High Strength Breaker Ring



WHAT ARE DUCTILE STEEL RINGS?

Contrary to what others may say ductile steel is not significantly harder or longer lasting than cast iron. The main difference is a greater impact resistance due to an increase in tensile strength from 250 MPa to 500 MPa over traditional cast iron.

If you are having problems with broken rings try our range of Ductile steel replacements available in a variety of styles and sizes with others available as special orders.



CRR-24-67-DS
24"/610mm
24" Ductile Steel Ring



CRR-24-62-HED
24"/610mm - 24" Ductile Steel
Heva Style 5 Spoke Ring




CRR-24HD-67
24"/610mm
24" Agricast High Strength Ring

AGRICAST HIGH STRENGTH RING

We have been developing a more durable cast iron ring for some time and 2019 saw it launched to the market.

The 24" High Strength ring is as strong as a Ductile Steel ring but without the price premium for the more complex raw material.





CRR-450-GUT-END
450mm - Toothed Roller Ring
Güttnler End Style



CRR-450-GUT
450mm - Toothed Roller Ring
Güttnler Male Style




CRR-500-GUT
500mm - Toothed Roller Ring
Güttnler Female Style



SPACERS - Any width to suit 50 to 3" axles



AXLE LOCKING COLLAR
To suit 50, 60 and 65mm axles



ADJUSTER CAM
To suit 50 to 65mm axles



TRIPLE SEALED/HEAVY DUTY BEARINGS FOR:

- COUSINS
- DALBO
- FARMFORCE
- HE-VA
- NRH
- PRO-FORGE
- TWOSE
- WATSON

Cambridge Roll Bearings

**CAST BEARINGS
ALSO STOCKED
SEE PAGE 30**



PRR-24-62-150 24" / 610mm -
Ring to suit Simba



PRR-24-62-180 24" / 610mm
Ring to suit Galucho



PRR-27-30-52 27" / 700mm
30 degree Press Ring



PRR-27-45-52 27" / 700mm
45 degree Press Ring



PRR-28-52-SH 28" / 715mm
Shouldered Press Ring



PRR-26-57-MM 26" / 680mm
Michael Moore Press Ring



PRR-26-57-MM2 26" / 680mm
Michael Moore "Sharp" Ring



PRR-30-67-VD 30" / 760mm
To Suit Väderstad Rexius Twin



PRR-SF-XX Press Ring Spoke Fillers
Stop stones jamming your press



PRR-590-GUT 590mm
2 Part Güttnler Style Press Ring



PRR-700-GUT 700mm
2 Part Güttnler Style Press Ring



PRR-610-PPN 610mm
Weld together "PP" Rings





Agricast's new Press Roll Ring (PRR) are a direct replacement for many existing packers. Drive has been improved by the addition of small notches and durability increased by making each disc up to 20% thicker.



PRR-610-LW
610mm diameter, 4mm thick
OEM: P15186 / 820-482C



PRR-610
610mm diameter, 6mm thick
OEM: P08192 / 820-465C



PRR-710
710mm diameter, 6mm thick
OEM: P08994 / 820-466C

AXLE ASSEMBLY SERVICE

Agricast can collect, refurbish and reassemble your existing press ring axles in our workshop. We offer a full range of service options from simple re-ringing to full new bolt on units and conversions. We can also fit our wear plates to extend the life of your press at a fraction of the cost – ask us when it's the optimum time to replace your rings.



PRR-SI-NS
Nut Spool OEM: P08190



PRR-SI-MS
Intermediate Spool OEM: P08188



PRR-SI-BS
Bearing Spool OEM: P08189



PRR-SI-IS
Internal Spacer OEM: P08191



PRR-SI-WP
Wear Plates – 600mm and 700mm



PRR-SI-PIL
Press Bearing Pillar Assembly



PRR-SI-BASH - Bearing Pillar
Bash Plate OEM: P08450



PRR-SI-SCR
8mm Ring Scraper OEM: P09558



PRR-SI-ARM
Scraper Arm OEM: P07736



PRR-SI-SCR-LW
6mm Ring Scraper OEM: P17871



PRR-SI-ARM-LW
New Design Lite Scraper

ALL TYPES OF PRESS AXLE FABRICATED ON SITE, SEE PAGE 34.

LARGE RANGE OF PRESS BEARINGS ALSO AVAILABLE, SEE PAGES 30-33





ABOUT OUR DISC BLADES

Our disc blades are made from boron steel which is formed and heat treated in the strictest quality control manufacturing processes. This results in a blade that meets or exceeds OEM standards in most cases.

Available from stock in a large range of sizes from 380mm (15") to 915mm (36") diameter.



DIAMETER (INCH/MM)	THICKNESS (MM)	PLAIN / CUTAWAY	HOLE SIZE - SHAPE (MM)	TO SUIT
15/380	3	P	5 BOLT HOLE	Pottinger Drills
18/450	5	C	4 BOLT HOLE	Väderstad Carrier
18/450	4	C	31 SQUARE	Kongskilde Terra Disc
18/460	4	C	32 ROUND +3 BOLT HOLE	Parmiter
20/510	5	C	6 BOLT HOLE	Vogel Noot
20/510	4	P & C	32-SQUARE	Bamford, Massey
20/510	6.5	C	60 ROUND +5 BOLT HOLE	Simba Express
20/515	6	C	4 BOLT HOLE	Watkins, Proforge
20/520	6	C	5 BOLT HOLE	Horsch Joker
22/560	5	P & C	32-SQUARE	Massey Ferguson
24/610	5	P & C	40-SQUARE OR 45-ROUND	Simba, Parmiter, Cousins
24/610	5	P & C	50-ROUND	Dowdeswell/Petit
24/610	8	C	60 ROUND +5 BOLT HOLE	Simba SL 700+SLD
26/660	6/7	P & C	40-SQUARE OR 45-ROUND	Simba, Parmiter, Besson, Cousins
26/660	6/7	P & C	50-ROUND	Dowdeswell/Petit
28/710	6/7/8	P & C	40-SQUARE OR 45-ROUND	Simba, Parmiter, Besson, Cousins
28/710	6	P	50-SQUARE	Quivogne
28/710	6	P & C	50-RO	Dowdeswell/Petit
30/760	8	P & C	40 & 50 SQUARE OR 45 & 55 ROUND	Besson Discordon Simba, Parmiter
32/810	10	C	45-ROUND	Simba
36/915	12	C	60-ROUND	Simba MK4





DISC HARROW SPARES



DH-SI-MK2-SCR - To suit Simba MK2 Scrapers OEM: P3644/P3645



DH-SI-MK3-SCR - To suit Simba MK3 / Solo Scrapers OEM: P0894/P0895



DH-CO-SCR Cousins Disc Harrow Scraper



DH-SI-MK1-SP - To suit Simba MK1 Disc Spool OEM: P1330



DH-SI-MK2-SP - To suit Simba MK2 Disc Spool OEM: P0253



DH-GB-SP-230 - Gregoire Besson Disc Spool 40mm Square Axle



DH-SI-251 - To suit Simba Axle End Convex Spacer OEM: P0251



DH-SI-254 - To suit Simba Axle End Convex Spacer OEM: P0254



BS-SI-MK1-CONCAVE MK1 Concave Spacer OEM: P0240



BS-SI-MK1-CONVEX MK1 Convex Spacer OEM: P0241



BS-SI-MK2-CONVEX MK2/3 Convex Spacer OEM: P0217



BS-SI-MK2-CONCAVE MK2/3 Concave Spacer OEM: P0224



DH-SI-MK2-BPP - To suit Simba MK2/3 Bearing Protector Plate OEM: P0225



DH-GB-BPP - Gregoire Besson Bearing Protector Plate



DH-SI-MK4-BPP To suit Simba MK4 Bearing Protector Plate OEM: P0238



DH-SUMO-CONC-DC Sumo Concave Bearing Spacer OEM: SW102



DH-DO-ES - Dowdeswell End Spacer OEM: 295300



DH-DO-SP - Dowdeswell Disc Spool OEM: 206500



DH-SI-MK2-PB - Bearing for MK2 Transport Wheels OEM: P0830



DH-SI-MK2-LP - To suit Simba Axle Nut Locking Plate OEM: P0249



DH-SI-MK2-LK - To suit Simba Axle Locking Key OEM: P0250



NUT-SI-MK2-WHIT - To suit Simba MK2 Axle Nut OEM: P0248



UBOLT-SI-N07 - To suit Simba MK1 Bearing Support U-Bolt OEM: P0052



U-BOLT-SI-N01 - To suit Simba Scraper Arm U-Bolt OEM: P0002





DISC HARROW SPARES





The Agricast Low Disturbance Xtra (LDX) system is an evolution of the Simba LD penetration point. Increasing the tungsten protection to a full 200mm depth along with high chrome steel casting ensures maximum wear life for the point. Interchangeable wings, ranging from 100 to 200mm wide, offer flexibility for OSR establishment or traditional subsoiling with minimum draft and disturbance. Legs are available in either 12 or 20mm thick Hardox500. An optional top cutter also helps reduce surface 'boiling'. The LDX point is backwards compatible with original Simba LD legs.






SUBSOILER PARTS



SSL-SI-FK - Flow King Leg - 32mm OEM: P3600



SSL-SI-FL-300 Flatliner 300 Leg OEM: P4677



SSL-SI-FL- Flatliner 25mm Leg OEM: P3795



SSL-SI-FL-CLL/R - Flatliner Leg Clamps OEM: P06510 & 11



SSL-SI-FL-KIT Flatliner Leg Clamp Fixing Kit



SSL-SI-FL-PRO - Flatliner 500 Leg Prolift OEM: P10486



SSP-SI-FL-NW - Low Draft Point - no wings OEM: P4528



SSP-SI-FL- Flatliner Point with welded wings OEM: P4676



SSS-SI-FL - Flatliner / Flow King Shin OEM: P1634



SSL-SI-PRO-LB Prolift Leg Bottom OEM: P11161



SSL-SI-PRO-760 Prolift Leg 760mm OEM: P11464



SSL-SI-DTX Prolift Leg OEM: P16286



SSS-SI-DTX - Reversible Pro-Lift/ DTX Shin OEM: P12018



SSL-SI-ST-SHORT ST Leg Short OEM: P13012



SSL-SI-ST-LONG ST Leg Long OEM: P13093



SUBSOILER PARTS



SSP-SI-PRO Prolift Point OEM: P09148



SSS-SI-PRO Prolift Shin OEM: P10391



SSW-SI-PRO-250 - Prolift Wing 250mm OEM: P10392



SSP-SI-PRO-WHF - Prolift Point with Tungsten & Hardfacing OEM:09148



SSZ-SI-PRO-LP - Prolift Leg Protector OEM: P11181



SSW-SI-PRO-350 - Prolift Wing 350mm OEM: P10411



SL-SI-FL-LD Flatliner to Low Disturbance



SSL-SI-LD - Low Disturbance (LD) Leg OEM: P16954



SSL-SI-LD-LB LD Weld on Leg Bottom



SSP-SI-LD - LD Penetration Point OEM: P15957



SSW-SI-LD LD Wing OEM: P13812



SSW-SI-LD-W - LD Wing with Tungsten OEM: P13812



SSP-LDX-5W LDX Point with 5 Tungston tiles



CUL-SI-BQC - To suit Simba Speed-Loc Adaptor OEM: P12711



CUL-SI-BQP - 13" To suit Simba Swept Point OEM: P12712





SUBSOILER PARTS



SSL-MC-SHAKE
McConnell Shakerator Leg



SSP-MC-SHAKE McConnell
Shakerator Knock on Point



SSS-MC-SHAKE
McConnell Shakerator Shin



SSZ-MC-SHAKE - McConnell
Shakerator Leg Clamp



SSX-MC-SHAKE
Shakerator Shin Clamp



SSL-TH
Tim Howard Full Leg



SSL-TH-LB
Tim Howard Weld On Leg Bottom



SSL-TH-CONV - Flatliner Leg to
run Tim Howard Points



SSP-TH-200 - Tim Howard / NRH
Point 200mm Wide



SSP-TH-300 - Tim Howard / NRH
Point 300mm Wide



SSP-HE-HD - Heva / Tim Howard
heavy Duty Point



SSX-TH
Tim Howard Shear Bolt



SUBSOILER PARTS



SSL-SUMO-PO7 - Sumo Trio Leg
- Post 2007 OEM: SW353



SSL-SUMO-LB - Sumo Weld on
Leg Bottom OEM: SW354



SSL-SU-CONV - TWB Leg to run
Pre 2007 Sumo



SSP-SU-PR7 - Sumo Trio Point -
Pre 2007 OEM: SW119



SSP-SUMO-HD - Heavy Duty Post
2007 Sumo Point OEM: SW352



SSW-SU-4 - Sumo Bolt on Wings
- 4" OEM: SW164/SW165



SSW-SU-8 - Sumo Bolt on
Wings - 8" OEM: SW157/158



SSZ-SUMO-WP - Sumo Weld on
Point OEM: SW166



SSZ-SUMO-SCR-246 - Sumo
Scraper 10mm OEM: SW246



SSL-WAT-PRO
Watkins Leg - 800mm



SSP-RN-UNI Blench/Ransomes
Universal Point



BOLT-SH-CO
Cousins Shear Bolt





AGRICAST TUNGSTEN PLOUGH PARTS

Introduced in 2018 after successful trails in 2016/17 on our own farm this range of Tungsten Carbide plough parts significantly outlasted other on the market. Below is a selection of the points and other parts available, please call to see if we can supply for your plough. The range is further complimented with a wide range of cultivation points along with weld on strips in many shapes and sizes.



WPP-DO-LH/RH - Dowdeswell Point OEM: 901953/4



WPP-GB1-LH/RH - Gregoire Besson Point OEM: 173331/2



WPP-KU-LH/RH Kuhn Point to suit all bodies



WPP-KU-HD - Heavy Duty Point to suit all bodies



WPP-KV-LH/RH - Kverneland Point to suit all bodies



WPP-LE-LH/RH Lemken Point to suit all bodies



WPP-RA-LH/RH Rabe Point OEM: MP332



WPS-LE-LH/RH Lemken Tungsten Skim Point

WIDE RANGE OF TUNGSTEN SHARES, LANDSIDES AND SKIM POINTS ALSO AVAILABLE, PLEASE ASK



TO FIT HORSCH MULCH MIX LEGS ON TERRANO ETC.



WCP-HO-260-80-18 80mm Penetration Point



WCP-HO-260-80-20 80mm Square Point



WCP-HO-265-80-28 Heavy Duty Point



WCP-HO-ECO Heavy Duty "Eco" Point

MANY OTHER POINTS OFFERED TO SUIT ALL MACHINES. CALL US TODAY FOR ADVICE AND AVAILABILITY.



WCP-HO-LD Low Disturbance 40 & 50mm



WCP-HO-ULD NEW Ultra Low Disturbance



WCW-HO-125 125mm Wings



WCW-HO-200 200mm Wings

TO FIT VADERSTAD TOPDOWN ETC.



WCP-VA-260-80-20 80mm Dual Bolt



WCP-VA-260-50-20 50mm Dual Bolt



WCW-VA-TD 200mm Wings





UNIVERSAL POINTS TO FIT A VARIETY OF MACHINES



MANY POWER HARROW TINES AVAILABLE WITH 2 OR 3 TILES



Tungsten Carbide tiles brazed onto hardened steel for welding directly where you want them.

Gable Tiles: 10mm, 15mm and 20mm wide 45mm long available as singles and doubles



Edge Tiles: Available from 45mm to 550mm



Points and Wings in a variety of sizes and shapes available





DBF-380-4-PO - Pottinger 380mm Drill Disc OEM: 850433081



DBF-350-3-KU - Kuhn 350mm Drill Disc OEM: K3012520



DBF-410-5-VA - Vaderstad Drill Disc OEM: 451371



CUL-SI-CULTI-TI - Cultipress Tines - Long and Short



SCP-SI-REV Reversible Point OEM: P3017



SCP-SI-FREEFLOW Freeflow Point OEM: P05860



SSP-VA-RAP Vaderstad Raptor Point



SSP-VA-MAR-W - Vaderstad Marathon Tungsten Point



CUL-VA-RT Vaderstad Raptor Tine



CUL-SI-PRO-TS - Proactive Top Spring OEM: P12573



CUL-SI-PRO-BR - Proactive Clamp Assembly OEM: P12524



CUL-SI-PRO-DS - Proactive Disc Arm Spring OEM: P12782



SCP-HO-WW - Horsch Drill Point Double Tungsten



SCW-HO-175/200 - Horsch Base Plate (175 or 200mm)




Weld on Wear Plates Increase the life of your points




CUL-SI-MB-8 - Sprung Leaf - V Type OEM: P07834



CUL-SI-LBW - Extension Leaf OEM: P05749



CUL-LB Levelling Board Parts



Cultivation Points See website for specifications and fixings



CUL-UNI-STOP 7 Piece Shim Kit OEM: P08802



CUL-SI-PRO-CP - Proactive U Bolt Clamp Plate OEM: P12575



CUL-SI-LTB Cultipress Leading Tine Bracket



Hex Bolts available in M6 to M36



Nuts available in a wide range of size and styles



Washers and Disc springs available in a range of sizes




Plough bolts available in imperial and metric sizes



M7 to M16 for most machines




Wide Range of OEM U Bolts Gr 8.8



NUT-DOWD-2-CAS - 2" Castle Nut for Dowdeswell Disc Harrow



NUT-SI-M60-SL - To suit Simba Press / Roll Axle Nut OEM: P1698



NUT-SI-M45-3 - To suit Simba Solo Drawbar Nut OEM: P12770



NUT-SI-MK2-WHIT - To suit Simba MK2 Disc Axle Nut OEM: P0248



NUT-SI-MK1 - To suit Simba MK1 Disc Axle Nut OEM: P0239



NUT-SI-MK4 - To suit Simba MK4 Disc Axle Nut OEM: P0260



NUT-SI-M60-HALF - To suit Simba Axle Press Axle Half Nut



BUSH-SI - To suit Simba Sprung Bushes



DS-SI-61 - To suit Simba Belleville Washer for 60mm Axles OEM: P1514



BOLT-SI-1-8-UNF - To suit Simba 1" UNF Drawbar Bolt OEM: P9066



BOLT-SI-SOLO-DR - To suit Simba Solo Drawbar Bolts OEM: P14138



BOLT-SI-M30-210-GRS - To suit Simba M30 Grease Bolt OEM: PP09074



BOLT-SH-SI-CULTI - To suit Simba Cultipress Shear Bolt OEM: P05103



BOLT-SH-SI-FL - To suit Simba Flatliner Shear Bolt OEM: P02318




BOLT-SH-SI-TL - To suit Simba TL Shear Bolt OEM: 604-309D



CP-SI-25-115 - To suit Simba 25m x 115mm Pin OEM: P01274



UBOLT-SI-PRO - To suit Simba Proactive U-Bolt OEM: P12574



UBOLT-SI-No1 - To suit Simba Scraper Arm U-Bolt OEM: P0002



UBOLT-SI-No2 - To suit Simba MK4 Scraper Arm U-Bolt OEM: P01613



UBOLT-SI-No3 - To suit Simba Crumbler Scraper U-Bolt OEM: P1360



UBOLT-SI-No6 - To suit Simba Press Bearing Pillar U-Bolt OEM: P01619



UBOLT-SI-No7 - To suit Simba MK1 Bearing Support U Bolt OEM: P0052



UBOLT-SI-No19 - To suit Simba 25mm Pigtail Tine U-Bolt OEM: P3744



UBOLT-SI-No21 - To suit Simba Packer Scraper U Bolt OEM: P6802





BEARINGS



BS-SI-SPB - Press Bearing with Heavy Duty Casing OEM: P05431



BS-SPBX - Fully Sealed Press Bearing OEM: 822-282C



BS-SI-RGT - Remote Greasing Tube for Press Bearing OEM: P08276



BS-SI-MK1 - MK1 Complete Bearing OEM: P00211



BS-SI-MK2 - MK2 Bearing Complete OEM: P03133



BS-SI-MK3 - 23C Rear Bearing for 12" Spacing OEM: P0226



BS-SI-MK4 - MK4 Bearing Complete OEM: P0228



BS-SI-MK2-CONCAVE - MK2/3 Concave Spacer OEM: P0224




BS-SI-MK2-CONVEX - MK2/3 Convex Spacer OEM: P0217



BS-SI-MK2-INS - MK2/3 Taper Insert Bearings OEM: P0221




BS-SI-MK2-PS - MK2/3 Plastic Seal OEM: P0220



BS-SI-MK2-LS - MK2/3 Leather Seal OEM: P0220



BEARINGS



BS-SI-GSK - Gaskets, Thick and Thin available OEM: P4030/4031



DH-SI-MK2-BPP - MK2/3 Bearing Protector Plate OEM: P0225



BS-SI-MK2-SLEEVE - MK2/3 Bearing Sleeve OEM: P0222



BS-SI-MK3-SLEEVE - 23C Rear Bearing Sleeve OEM: P0227

FULL RANGE OF DISC HARROW BEARING TO SUIT SIMBA
HIGH QUALITY TIMKEN / NTN INSERTS AS OEM
WE ONLY SELL THE BEST PARTS FOR THESE MACHINES



BS-SI-MK4-INS - MK4 Taper Insert Bearings OEM: P0233



BS-SI-MK4-LS - MK4 Leather Seal OEM: P0232



BS-SI-MK4-PARTS - MK4 Bearing Parts - Seals, Gaskets, Spacers



BS-SI-EX - Disc Arm OEM: P14600/14601



BS-SI-XP-KIT - Disc Hub and Seal Kit OEM: P12415



BS-SI-EX-HUB - Disc Hub Bearing Housing OEM: P14593



BS-SI-EX-HUB - Disc Hub Bearing Housing OEM: P14593



BS-CRE-HD - Cast Roll End Bearing Heavy Duty



BS-CRE-MD - Cast Roll End Bearing Medium Duty



BS-WRE-CRE Wrekin Cast Roll End Bearing



BS-WIL-TR2A - Wilder TR2A Bush to Suit 50mm Shaft



BS-WIL-TR2B - Wilder TR2B Bush to Suit 60mm Shaft



BS-WIL-TR1A - Wilder TR1A Cast Bearing Hanger



BS-HU-A8196 - Hunt Cast Bearing End Mount



BS-HU-A8195 Hunt Roll End Bearing



BS-HU-A8197 Hunt Roll Bearing Drive Plate



Cambridge Roll Bearings

TRIPLE SEALED/HEAVY DUTY BEARINGS FOR:

- COUSINS
- DALBO
- FARMFORCE
- HE-VA
- NRH
- PRO-FORGE
- TWOSE
- WATSON



BS-VA-REX-KIT Rexius Twin Bearing Rebuild Kit



BS-PAR - Parmiter Utah Complete Bearing



BS-PAR-PARTS - Parmiter Bearing Parts to Refurbish Your Bearings



BS-PAR-55-RO Parmiter Utah 350/450 Bearing



BS-CO-40-SQ Cousins Disc Harrow Bearing



BS-GB-40-SQ - Gregoire Besson Disc Harrow Bearing



BS-GAL-40-SQ Galucho Disc Harrow Bearing




BS-QU-40-SQ Quivogne Disc Harrow Bearing



BS-SU-SDB Sumo Disc Harrow Bearing



BS-KU-BEARCOMP Kuhn Disc Harrow Bearing



BS-DOW-50-84 - Dowdeswell 84 Disc Harrow Bearing OEM: 280700



BS-INS-125-SQ - Massey Disc Harrow Bearing Insert



BS-PAR-FORCE - Parmiter Force Disc Harrow Bearing / Insert





AXLES FABRICATED ON SITE

We stock only the highest quality materials for replacement axles, tensile strength is far greater than mild steel bar stocked by regular steel suppliers, giving greater resistance to breakages.

We machine all axles in our workshop to match your exact requirements. Agricast was a supplier of axles to Simba and our experienced machine operators can produce axles for you today.




Cambridge Roll Axle
50 to 65mm / 2" to 2.5" Round Bar



Round Disc Axle - 45, 50 and 60mm Round disc axles to suit Simba and Dowdeswell



Square Disc Axle - 25mm to 50mm Square Disc axles to suit Besson, Parmiter, Simba and others



Press Axle - 50mm to 60mm Press Axles to suit Simba, Gallucho and others



Specialised Axles - Väderstad Carrier, Rollex and Rexius Twin axles fabricated

MACHINE SHOP


Agricast has a well-equipped machine shop with lathes, turning, milling and drilling machines. We also have right and left-hand threading machines. All of which mean that we can customise a wide range of parts, including axles, roll rings and press rings to suit your specific needs; give us a call today to discuss your exact requirements.



Threading



Hardox skid plates cut, bent and welded for New Holland CR9090 combine header



Lathe

PLASMA CUTTER

Agricast run a CAD controlled 200 Amp plasma cutter, meaning that we are able to cut out steel sheet in thicknesses from 2mm to 32mm. This machine allows us to fabricate subsoiler legs in HARDOX 500 to suit almost any machine. We can also create custom legs, so that you can use different wearing parts with your existing frame. We also use this accurate cutting tool to fabricate brackets, end plates and profiles to alter and adapt your cultivation machines.

